

REFERENCES

- Akratos, C., Papaspyros, I., & Tsihrintzis, V. (2009). Artificial neural network use in ortho-phosphate and total phosphorus removal prediction in horizontal subsurface flow constructed wetlands. *Biosystems Engineering*, *102*, 190–201. <https://doi.org/10.1016/j.biosystemseng.2008.10.010>
- Akratos, C. S., & Tsihrintzis, V. A. (2007). Effect of temperature, HRT, vegetation and porous media on removal efficiency of pilot-scale horizontal subsurface flow constructed wetlands. *Ecological Engineering*, *29*(2), 173–191. <https://doi.org/10.1016/j.ecoleng.2006.06.013>
- Albuquerque, A., Arendacz, M., Gajewska, M., Obarska-Pempkowiak, H., Randerson, P., & Kowalik, P. (2009). Removal of organic matter and nitrogen in an horizontal subsurface flow (HSSF) constructed wetland under transient loads. *Water Science and Technology*, *60*(7), 1677–1682. <https://doi.org/10.2166/wst.2009.548>
- Almuktar, S. A. A. A. N., Abed, S. N., & Scholz, M. (2018). Wetlands for wastewater treatment and subsequent recycling of treated effluent: A review. *Environmental Science and Pollution Research*, *25*(24), 23595–23623. <https://doi.org/10.1007/s11356-018-2629-3>
- APHA. (2017). *Standard Methods for the Examination of Water and Wastewater, 23rd Edition*. American Public Health Association, American Water Works Association, Water Environment Federation.
- Arachchige, Udara. S. P. R., Vithanage, K. D., Wadanambi, R. T., Wandana, L. S., Wijerathne, W. M. M. P., & Wimalarathne, N. R. G. S. S. (2019).

- Environmental impacts of textile industry in Sri Lanka. *International Journal of Scientific and Technology Research*, 8(9), 251–253.
- Arslan, S. (2017). Diastematomyelia Type 1 with Multiple Spinal Cord and Vertebral Abnormalities in a Child. *Clinical Medical Image Library*, 3(2).
<https://doi.org/10.23937/2474-3682/1510067>
- Babatunde, A., Zhao, Y., O'Neill, M., & O'Sullivan, B. (2008). Constructed wetlands for environmental pollution control: A review of developments, research and practice in Ireland. *Environment International*, 34, 116–126.
<https://doi.org/10.1016/j.envint.2007.06.013>
- Bafana, A., Jain, M., Agrawal, G., & Chakrabarti, T. (2009). Bacterial reduction in genotoxicity of Direct Red 28 dye. *Chemosphere*, 74(10), 1404–1406.
<https://doi.org/10.1016/j.chemosphere.2008.11.043>
- Baiden, B. K., Agyekum, K., & Ofori-Kuragu, J. K. (2014). Perceptions on Barriers to the Use of Burnt Clay Bricks for Housing Construction. *Journal of Construction Engineering*, 2014, 502961.
<https://doi.org/10.1155/2014/502961>
- Bandara, N. J. G. J. (2003). Water and wastewater related issues in Sri Lanka. *Water Science and Technology: A Journal of the International Association on Water Pollution Research*, 47(12), 305–312.
- Barbera, A. C., Cirelli, G. L., Cavallaro, V., Di Silvestro, I., Pacifici, P., Castiglione, V., Toscano, A., & Milani, M. (2009). Growth and biomass production of different plant species in two different constructed wetland systems in Sicily. *Desalination*, 246(1–3), 129–136. <https://doi.org/10.1016/j.desal.2008.03.046>

- Bavor, H. J., Davies, C. M., & Sakadevan, K. (2001). Stormwater treatment: Do constructed wetlands yield improved pollutant management performance over a detention pond system? *Water Science and Technology: A Journal of the International Association on Water Pollution Research*, 44(11–12), 565–570.
- Bélair, C., Ichikawa, K., Wong, B. Y., & Mulongoy, J. (2014). *Sustainable use of biological diversity in socio-ecological production landscapes: Background to the "Satoyama initiative for the benefit of biodiversity and human well-being*. Secretariat of the Convention on Biological Diversity.
- Billore, S. K., Singh, N., Sharma, J. K., Daas, P., & Nelson, R. M. (1999). Horizontal subsurface flow gravel bed constructed wetland with in Central India. *Water Science and Technology*, 40(3). [https://doi.org/10.1016/S0273-1223\(99\)00461-8](https://doi.org/10.1016/S0273-1223(99)00461-8)
- Brix, H., Koottatep, T., Fryd, O., & Laugesen, C. H. (2011). The flower and the butterfly constructed wetland system at Koh Phi Phi—System design and lessons learned during implementation and operation. *Ecological Engineering*, 37(5), 729.
- Bulc, T. G., & Ojstršek, A. (2008). The use of constructed wetland for dye-rich textile wastewater treatment. *Journal of Hazardous Materials*, 155(1–2), 76–82. <https://doi.org/10.1016/j.jhazmat.2007.11.068>
- Calheiros, C. S. C., Bessa, V. S., Mesquita, R. B. R., Brix, H., Rangel, A. O. S. S., & Castro, P. M. L. (2015). Constructed wetland with a polyculture of ornamental plants for wastewater treatment at a rural tourism facility. *Ecological Engineering*, 79, 1.

- Casellesosorio, A., & Garcia, J. (2007). Impact of different feeding strategies and plant presence on the performance of shallow horizontal subsurface-flow constructed wetlands. *Science of The Total Environment*, 378(3), 253–262.
<https://doi.org/10.1016/j.scitotenv.2007.02.031>
- Chen, M., Tang, Y., Li, X., & Yu, Z. (2009). Study on the Heavy Metals Removal Efficiencies of Constructed Wetlands with Different Substrates. *Journal of Water Resource and Protection*, 01(01), 22–28.
<https://doi.org/10.4236/jwarp.2009.11004>
- Cheremisinoff, N. P. (2001). *Handbook of Water and Wastewater Treatment Technologies—1st Edition* (1st ed.).
<https://www.elsevier.com/books/handbook-of-water-and-wastewater-treatment-technologies/cheremisinoff/978-0-7506-7498-0>
- Chong, H. L. H., Chia, P. S., & Ahmad, M. N. (2013). The adsorption of heavy metal by Bornean oil palm shell and its potential application as constructed wetland media. *Bioresource Technology*, 130, 181–186.
<https://doi.org/10.1016/j.biortech.2012.11.136>
- Clarkson, W., Robillard, P., & Harjo, R. (2010). *Choosing Sustainable Wastewater Treatment Technologies to Enhance Integrated Watershed Management in Developing Countries* (p. 4047). [https://doi.org/10.1061/41114\(371\)411](https://doi.org/10.1061/41114(371)411)
- Davies, L. C., Carias, C. C., Novais, J. M., & Martins-Dias, S. (2005). Phytoremediation of textile effluents containing azo dye by using *Phragmites australis* in a vertical flow intermittent feeding constructed wetland. *Ecological Engineering*, 25(5), 594–605.
<https://doi.org/10.1016/j.ecoleng.2005.07.003>

- Davies, T. H., & Cottingham, P. D. (1994). The Use of Constructed Wetlands for Treating Industrial Effluent (Textile Dyes). *Water Science and Technology*, 29(4), 227–232. <https://doi.org/10.2166/wst.1994.0197>
- DeMaeseneer, J. (1982). *Use of artificial reed marshes for treatment of industrial wastewaters and sludge*. s.n.
- Desai, M., & Mehta, M. (2014). Tertiary Treatment for Textile Waste Water-A Review. *International Journal of Engineering Sciences & Research Technology*.
https://www.academia.edu/6649727/Tertiary_Treatment_for_Textile_Waste_Water_A_Review
- Dhulap, V., & Chavan, B. (2012). Designing and testing of wastewater in constructed wetland using Phragmites karka. *International Journal of Physical and Social Sciences*.
- Doltade, S. B., Yadav, Y. J., & Jadhav, N. L. (2022). Industrial wastewater treatment using oxidative integrated approach. *South African Journal of Chemical Engineering*, 40, 100–106. <https://doi.org/10.1016/j.sajce.2022.02.004>
- Edokpayi, J. N., Odiyo, J. O., & Durowoju, O. S. (2017). *Impact of Wastewater on Surface Water Quality in Developing Countries: A Case Study of South Africa*. 16. <https://doi.org/10.5772/66561>
- El Hamouri, B., Nazih, J., & Lahjouj, J. (2007). Subsurface-horizontal flow constructed wetland for sewage treatment under Moroccan climate conditions. *Desalination*, 215(1), 153–158.
<https://doi.org/10.1016/j.desal.2006.11.018>

- El-Sheikh, M. A., Saleh, H. I., El-Quosy, D. E., & Mahmoud, A. A. (2010). Improving water quality in polluted drains with free water surface constructed wetlands. *Ecological Engineering*, 36(10), 1478–1484. <https://doi.org/10.1016/j.ecoleng.2010.06.030>
- Embuldeniya, A. (2018). *Impact of Apparel Industry on the Economy of Sri Lanka*.
- EPA. (2000). *Guiding Principles for Constructed Treatment Wetlands*. 25.
- Farooqi, I., Basheer, F., & Chaudhari, R. (2007, October 1). *Constructed Wetland System for Wastewater Treatment*.
- García-Ávila, F., Patiño-Chávez, J., Zhinín-Chimbo, F., Donoso-Moscoso, S., Flores del Pino, L., & Avilés-Añazco, A. (2019). Performance of Phragmites Australis and Cyperus Papyrus in the treatment of municipal wastewater by vertical flow subsurface constructed wetlands. *International Soil and Water Conservation Research*, 7(3), 286–296. <https://doi.org/10.1016/j.iswcr.2019.04.001>
- Gozálvez-Zafrilla, J. M., Sanz-Escribano, D., Lora-García, J., & León Hidalgo, M. C. (2008). Nanofiltration of secondary effluent for wastewater reuse in the textile industry. *Desalination*, 222(1–3), 272–279. <https://doi.org/10.1016/j.desal.2007.01.173>
- Gulf of Mexico Program, Payne Engineering, CH2M Hill, & Nutrient Enrichment Committee. (1997). *Constructed wetlands for livestock wastewater management*. s.n. https://scholar.google.com/scholar_lookup?q=Constructed+wetlands+for+livestock+wastewater+management

- Hammer, D. A., & Bastian, R. K. (1989). Wetlands Ecosystems: Natural Water Purifiers? In *Constructed Wetlands for Wastewater Treatment*. CRC Press.
- Heyns, P. (2021). Water Conservation in Arid and Semi-Arid Regions. *WATER RESOURCES MANAGEMENT*, 10.
- Hijosa-Valsero, M., Matamoros, V., Sidrach-Cardona, R., Martín-Villacorta, J., Bécares, E., & Bayona, J. M. (2010). Comprehensive assessment of the design configuration of constructed wetlands for the removal of pharmaceuticals and personal care products from urban wastewaters. *Water Research*, 44(12), 3669–3678. <https://doi.org/10.1016/j.watres.2010.04.022>
- Hijosa-Valsero, M., Sidrach-Cardona, R., & Bécares, E. (2012). Comparison of interannual removal variation of various constructed wetland types. *Science of The Total Environment*, 430, 174–183. <https://doi.org/10.1016/j.scitotenv.2012.04.072>
- Ilyas, H., & van Hullebusch, E. (2020). Performance comparison of different types of constructed wetlands for the removal of pharmaceuticals and their transformation products: A review. *Environmental Science and Pollution Research*, 27, 1–23. <https://doi.org/10.1007/s11356-020-08165-w>
- Imfeld, G., Braeckevelt, M., Kuschik, P., & Richnow, H. H. (2009). Monitoring and assessing processes of organic chemicals removal in constructed wetlands. *Chemosphere*, 74(3), 349–362. <https://doi.org/10.1016/j.chemosphere.2008.09.062>
- Jayakody, P., Raschid-Sally, L., Abayawardana, S., & M.M.M., N. (2006). *Urban growth and wastewater agriculture: A study from Sri Lanka*.

- Jekel, M. (1997). Wastewater treatment in the textile industry. In: Treatment of wastewaters from textile processing. *TU Berlin. Schriftenreihe Biologische Abwasserreinigung Des Sfb 193, Berlin*, 15–24.
- Ji, Z., Tang, W., & Pei, Y. (2022). Constructed wetland substrates: A review on development, function mechanisms, and application in contaminants removal. *Chemosphere*, 286, 131564.
<https://doi.org/10.1016/j.chemosphere.2021.131564>
- Kabra, A. N., Khandare, R. V., & Govindwar, S. P. (2013). Development of a bioreactor for remediation of textile effluent and dye mixture: A plant–bacterial synergistic strategy. *Water Research*, 47(3), 1035–1048.
<https://doi.org/10.1016/j.watres.2012.11.007>
- Kadlec, R. H., & Wallace, S. (2008). *Treatment Wetlands* (0 ed.). CRC Press.
<https://doi.org/10.1201/9781420012514>
- Kalff, J. (2002). *Limnology: Inland Water Ecosystems*. Prentice Hall.
- Kaseva, M. E. (2004). Performance of a sub-surface flow constructed wetland in polishing pre-treated wastewater—A tropical case study. *Water Research*, 38(3), 681–687. <https://doi.org/10.1016/j.watres.2003.10.041>
- Katsenovich, Y. P., Hummel-Batista, A., Ravinet, A. J., & Miller, J. F. (2009). Performance evaluation of constructed wetlands in a tropical region. *Ecological Engineering*, 35(10), 1529–1537.
<https://doi.org/10.1016/j.ecoleng.2009.07.003>
- Khan, S., & Malik, A. (2014). Environmental and Health Effects of Textile Industry Wastewater. In A. Malik, E. Grohmann, & R. Akhtar (Eds.), *Environmental*

Deterioration and Human Health (pp. 55–71). Springer Netherlands.

https://doi.org/10.1007/978-94-007-7890-0_4

Khandare, R. V., Rane, N. R., Waghmode, T. R., & Govindwar, S. P. (2012).

Bacterial assisted phytoremediation for enhanced degradation of highly sulfonated diazo reactive dye. *Environmental Science and Pollution*

Research, 19(5), 1709–1718. <https://doi.org/10.1007/s11356-011-0679-x>

Kickuth, R. (1980). Bwasserreinigung in Mosaikmatrizen,ans anaeroben und aeroben

Teilbezirken. *Verh. Ver.Osten. Chem. Abwassertechn. Symp. Graz.*

Kivaisi, A. K. (2001). The potential for constructed wetlands for wastewater

treatment and reuse in developing countries: A review. *Ecological*

Engineering, 16(4), 545–560. [https://doi.org/10.1016/S0925-8574\(00\)00113-](https://doi.org/10.1016/S0925-8574(00)00113-0)

0

Knight, R. L., Payne, V. W. E., Borer, R. E., Clarke, R. A., & Pries, J. H. (2000).

Constructed wetlands for livestock wastewater management. *Ecological*

Engineering, 15(1), 41–55. [https://doi.org/10.1016/S0925-8574\(99\)00034-8](https://doi.org/10.1016/S0925-8574(99)00034-8)

Kumar, P. S., & Saravanan, A. (2017). Sustainable wastewater treatments in textile

sector. In *Sustainable Fibres and Textiles* (pp. 323–346). Elsevier.

<https://doi.org/10.1016/B978-0-08-102041-8.00011-1>

Kusch, P., Wießner, A., Kappelmeyer, U., Weißbrodt, E., Kästner, M., &

Stottmeister, U. (2003). Annual cycle of nitrogen removal by a pilot-scale

subsurface horizontal flow in a constructed wetland under moderate climate.

Water Research, 37(17), 4236–4242. [https://doi.org/10.1016/S0043-](https://doi.org/10.1016/S0043-1354(03)00163-5)

1354(03)00163-5

- Langergraber, G., Rousseau, D. P. L., García, J., & Mena, J. (2009). CWM1: A general model to describe biokinetic processes in subsurface flow constructed wetlands. *Water Science and Technology*, 59(9), 1687–1697.
<https://doi.org/10.2166/wst.2009.131>
- Lee, B.-H., & Scholz, M. (2007). What is the role of *Phragmites australis* in experimental constructed wetland filters treating urban runoff? *Ecological Engineering*, 29(1), 87–95. <https://doi.org/10.1016/j.ecoleng.2006.08.001>
- Lee, C., Fletcher, T. D., & Sun, G. (2009). Nitrogen removal in constructed wetland systems. *Engineering in Life Sciences*, 9(1), 11–22.
<https://doi.org/10.1002/elsc.200800049>
- Leto, C., Tuttolomondo, T., La Bella, S., Leone, R., & Licata, M. (2013). Effects of plant species in a horizontal subsurface flow constructed wetland – phytoremediation of treated urban wastewater with *Cyperus alternifolius* L. and *Typha latifolia* L. in the West of Sicily (Italy). *Ecological Engineering*, 61, 282–291. <https://doi.org/10.1016/j.ecoleng.2013.09.014>
- Liu, M., Lü, Z., Chen, Z., Yu, S., & Gao, C. (2011). Comparison of reverse osmosis and nanofiltration membranes in the treatment of biologically treated textile effluent for water reuse. *Desalination*, 281, 372–378.
<https://doi.org/10.1016/j.desal.2011.08.023>
- Maeseneer, J. L. D. (1997). Constructed wetlands for sludge dewatering. *Water Science and Technology*, 35(5). [https://doi.org/10.1016/S0273-1223\(97\)00080-2](https://doi.org/10.1016/S0273-1223(97)00080-2)
- Malik, O. A., Hsu, A., Johnson, L. A., & de Sherbinin, A. (2015). A global indicator of wastewater treatment to inform the Sustainable Development Goals

(SDGs). *Environmental Science & Policy*, 48, 172–185.

<https://doi.org/10.1016/j.envsci.2015.01.005>

Manios, T., Stentiford, E., & Millner, P. (2003). Removal of Total Suspended Solids from Wastewater in Constructed Horizontal Flow Subsurface Wetlands. *Journal of Environmental Science and Health. Part A, Toxic/Hazardous Substances & Environmental Engineering*, 38, 1073–1085.

<https://doi.org/10.1081/ESE-120019865>

Mann, R. A., & Bavor, H. J. (1993). Phosphorus Removal in Constructed Wetlands Using Gravel and Industrial Waste Substrata. *Water Science and Technology*, 27(1), 107–113. <https://doi.org/10.2166/wst.1993.0027>

Mayo, A. W., & Mutamba, J. (2004). Effect of HRT on nitrogen removal in a coupled HRP and unplanted subsurface flow gravel bed constructed wetland. *Physics and Chemistry of the Earth, Parts A/B/C*, 29(15), 1253–1257.

<https://doi.org/10.1016/j.pce.2004.09.005>

Mbuligwe, S. E. (2005). Comparative treatment of dye-rich wastewater in engineered wetland systems (EWSs) vegetated with different plants. *Water Research*, 39(2–3), 271–280. <https://doi.org/10.1016/j.watres.2004.09.022>

Ng, J., & Gunaratne, G. (2011). Design of tropical constructed wetlands. *Wetlands for Tropical Application*, 69–94.

https://doi.org/10.1142/9781848162983_0005

Ng, W. J. (2006). *Industrial Wastewater Treatment*. World Scientific.

Ockenden, M. C., Deasy, C., Quinton, J. N., Bailey, A. P., Surridge, B., & Stoate, C. (2012). Evaluation of field wetlands for mitigation of diffuse pollution from

- agriculture: Sediment retention, cost and effectiveness. *Environmental Science & Policy*, 24, 110–119. <https://doi.org/10.1016/j.envsci.2012.06.003>
- Omondi, D. O., Navalía, A. C., Omondi, D. O., & Navalía, A. C. (2020). Constructed Wetlands in Wastewater Treatment and Challenges of Emerging Resistant Genes Filtration and Reloading. In *Inland Waters—Dynamics and Ecology*. IntechOpen. <https://doi.org/10.5772/intechopen.93293>
- Paulo, P. L., Azevedo, C., Begosso, L., Galbiati, A. F., & Boncz, M. A. (2013). Natural systems treating greywater and blackwater on-site: Integrating treatment, reuse and landscaping. *Ecological Engineering*, 50, 95–100. <https://doi.org/10.1016/j.ecoleng.2012.03.022>
- Pontier, H., Williams, J. B., & May, E. (2004). Progressive changes in water and sediment quality in a wetland system for control of highway runoff. *The Science of the Total Environment*, 319(1–3), 215–224. [https://doi.org/10.1016/S0048-9697\(03\)00410-8](https://doi.org/10.1016/S0048-9697(03)00410-8)
- Rai, U. N., Tripathi, R. D., Singh, N. K., Upadhyay, A. K., Dwivedi, S., Shukla, M. K., Mallick, S., Singh, S. N., & Nautiyal, C. S. (2013). Constructed wetland as an ecotechnological tool for pollution treatment for conservation of Ganga river. *Bioresource Technology*, 148, 535–541. <https://doi.org/10.1016/j.biortech.2013.09.005>
- Ramprasad, C., Smith, C. S., Memon, F. A., & Philip, L. (2017). Removal of chemical and microbial contaminants from greywater using a novel constructed wetland: GROW. *Ecological Engineering*, 106, 55–65. <https://doi.org/10.1016/j.ecoleng.2017.05.022>

- Ranganathan, K., Jeyapaul, S., & Sharma, D. C. (2007). Assessment of water pollution in different bleaching based paper manufacturing and textile dyeing industries in India. *Environmental Monitoring and Assessment*, 134(1–3), 363–372. <https://doi.org/10.1007/s10661-007-9628-z>
- Reed, S., Crites, R., & Middlebrooks, E. (1998). *Natural Systems for Waste Management and Treatment* (2nd edition). McGraw-Hill Professional.
- Richardson, C. J. (1985). Mechanisms Controlling Phosphorus Retention Capacity in Freshwater Wetlands. *Science*, 228(4706), 1424–1427. <https://doi.org/10.1126/science.228.4706.1424>
- Saeed, T., & Sun, G. (2012). A Review on Nitrogen and Organics Removal Mechanisms in Subsurface Flow Constructed Wetlands: Dependency on Environmental Parameters, Operating Conditions and Supporting Media. *Journal of Environmental Management*, 112, 429–448. <https://doi.org/10.1016/j.jenvman.2012.08.011>
- Sakadevan, K., & Bavor, H. J. (1998). Phosphate adsorption characteristics of soils, slags and zeolite to be used as substrates in constructed wetland systems. *Water Research*, 32(2), 393–399. [https://doi.org/10.1016/S0043-1354\(97\)00271-6](https://doi.org/10.1016/S0043-1354(97)00271-6)
- Sánchez-Monedero, M. A., Aguilar, M. I., Fenoll, R., & Roig, A. (2008). Effect of the aeration system on the levels of airborne microorganisms generated at wastewater treatment plants. *Water Research*, 42(14), 3739–3744. <https://doi.org/10.1016/j.watres.2008.06.028>
- Saratale, R. G., Saratale, G. D., Chang, J. S., & Govindwar, S. P. (2011). Bacterial decolorization and degradation of azo dyes: A review. *Journal of the Taiwan*

Institute of Chemical Engineers, 42(1), 138–157.

<https://doi.org/10.1016/j.jtice.2010.06.006>

Shehzadi, M., Afzal, M., Khan, M. U., Islam, E., Mobin, A., Anwar, S., & Khan, Q. M. (2014). Enhanced degradation of textile effluent in constructed wetland system using *Typha domingensis* and textile effluent-degrading endophytic bacteria. *Water Research*, 58, 152–159.

<https://doi.org/10.1016/j.watres.2014.03.064>

Shutes, R. B. E., Revitt, D. M., Mungur, A. S., & Scholes, L. N. L. (1997). The design of wetland systems for the treatment of urban run off. *Water Science and Technology*, 35(5), 19–25. <https://doi.org/10.2166/wst.1997.0155>

Solano, M. L., Soriano, P., & Ciria, M. P. (2004). Constructed Wetlands as a Sustainable Solution for Wastewater Treatment in Small Villages. *Biosystems Engineering*, 87(1), 109.

Spieles, D., & Mitsch, W. (1999). The Effects of Season and Hydrologic and Chemical Loading on Nitrate Retention in Constructed Wetlands: A Comparison of Low- and High-Nutrient Riverine Systems. *Ecological Engineering*, 14, 77–91. [https://doi.org/10.1016/S0925-8574\(99\)00021-X](https://doi.org/10.1016/S0925-8574(99)00021-X)

Steer, D. N., Fraser, L. H., & Seibert, B. A. (2005). Cell-to-cell pollution reduction effectiveness of subsurface domestic treatment wetlands. *Bioresource Technology*, 96(8), 969–976. <https://doi.org/10.1016/j.biortech.2004.08.006>

Sudarsan, J. S., Annadurai, R., Mukhopadhyay, M., Chakraborty, P., & Nithiyantham, S. (2018). Domestic wastewater treatment using constructed wetland: An efficient and alternative way. *Sustainable Water Resources Management*, 4(4), 781–787. <https://doi.org/10.1007/s40899-017-0164-x>

- Sundaravadivel, M., & Vigneswaran, S. (2001). Constructed Wetlands for Wastewater Treatment. *Critical Reviews in Environmental Science and Technology*, 31(4), 351–409. <https://doi.org/10.1080/20016491089253>
- Surrency, D. (2020). *Evaluation of Aquatic Plants for Constructed Wetlands* (pp. 349–357). <https://doi.org/10.1201/9781003069997-42>
- Thorén, A.-K., Legrand, C., & Tonderski, K. S. (2004). Temporal export of nitrogen from a constructed wetland: Influence of hydrology and senescing submerged plants. *Ecological Engineering*, 23(4–5), 233–249. <https://doi.org/10.1016/j.ecoleng.2004.09.007>
- Tilak, A. S., Wani, S. P., Patil, M. D., & Datta, A. (2016). Evaluating wastewater treatment efficiency of two field scale subsurface flow constructed wetlands. *Current Science*, 110(9), 1764–1772.
- Toet, S., Van Logtestijn, R. S. P., Kampf, R., Schreijer, M., & Verhoeven, J. T. A. (2005). The effect of hydraulic retention time on the removal of pollutants from sewage treatment plant effluent in a surface-flow wetland system. *Wetlands*, 25(2), 375–391. <https://doi.org/10.1672/13>
- Truu, M., Juhanson, J., & Truu, J. (2009). Microbial biomass, activity and community composition in constructed wetlands. *Science of The Total Environment*, 407(13), 3958–3971. <https://doi.org/10.1016/j.scitotenv.2008.11.036>
- UNEP. (2015). UNEP.
- Vymazal, J. (2007). Removal of nutrients in various types of constructed wetlands. *Science of The Total Environment*, 380(1–3), 48–65. <https://doi.org/10.1016/j.scitotenv.2006.09.014>

- Vymazal, J. (2010). Constructed Wetlands for Wastewater Treatment. *Water*, 2(3), Article 3. <https://doi.org/10.3390/w2030530>
- Vymazal, J. (2011). Constructed wetlands for wastewater treatment: Five decades of experience. *Environmental Science & Technology*, 45(1), 61–69. <https://doi.org/10.1021/es101403q>
- Vymazal, J. (2013). Plants in constructed, restored and created wetlands. *Ecological Engineering*, 61, 501–504. <https://doi.org/10.1016/j.ecoleng.2013.10.035>
- Vymazal, J., & Kröpfelová, L. (2008). *Wastewater Treatment in Constructed Wetlands with Horizontal Sub-Surface Flow* (Vol. 14). Springer Netherlands. <https://doi.org/10.1007/978-1-4020-8580-2>
- Wang, H., Xu, J., Sheng, L., & Liu, X. (2018). A Review of Research on Substrate Materials for Constructed Wetlands. *Materials Science Forum*, 913, 917–929. <https://doi.org/10.4028/www.scientific.net/MSF.913.917>
- Wang, L., Gan, H., Wang, F., Sun, X., & Zhu, Q. (2010). Characteristic Analysis of Plants for the Removal of Nutrients from a Constructed Wetland using Reclaimed Water. *CLEAN – Soil, Air, Water*, 38(1), 35–43. <https://doi.org/10.1002/clen.200900162>
- Wießner, A., Kappelmeyer, U., Kusch, P., & Kästner, M. (2005). Influence of the redox condition dynamics on the removal efficiency of a laboratory-scale constructed wetland. *Water Research*, 39(1), 248–256. <https://doi.org/10.1016/j.watres.2004.08.032>
- Wu, H., Zhang, J., Ngo, H. H., Guo, W., Hu, Z., Liang, S., Fan, J., & Liu, H. (2015). A review on the sustainability of constructed wetlands for wastewater

- treatment: Design and operation. *Bioresource Technology*, 175, 594–601.
<https://doi.org/10.1016/j.biortech.2014.10.068>
- Yalcuk, A., & Dogdu, G. (2014). Treatment of azo dye Acid Yellow 2G by using lab-scale vertical-flow intermittent feeding constructed wetlands. *Journal of Selcuk University Natural and Applied Science*, 0(0), Article 0.
- Yan, Y., & Xu, J. (2014). Improving Winter Performance of Constructed Wetlands for Wastewater Treatment in Northern China: A Review. *Wetlands*, 34(2), 243–253. <https://doi.org/10.1007/s13157-013-0444-7>
- Yazdani, V., & Alizadeh Golestani, H. (2019). Advanced treatment of dairy industrial wastewater using vertical flow constructed wetlands. *Desalination and Water Treatment*, 162, 149–155. <https://doi.org/10.5004/dwt.2019.24335>
- Yi, Q. (2009). *Point Sources of Pollution: Local Effects and their Control - Volume II*. EOLSS Publications.
- Zachritz, W. H., & Fuller, J. W. (1993). Performance of an Artificial Wetlands Filter Treating Facultative Lagoon Effluent at Carville, Louisiana. *Water Environment Research*, 65(1), 46–52.
- Zhang, D. Q., Jinadasa, K. B. S. N., Gersberg, R. M., Liu, Y., Ng, W. J., & Tan, S. K. (2014). Application of constructed wetlands for wastewater treatment in developing countries – A review of recent developments (2000–2013). *Journal of Environmental Management*, 141, 116–131.
<https://doi.org/10.1016/j.jenvman.2014.03.015>