

7. REFERENCE

- [1] A. Hussain, V. H. Bui, and H. M. Kim, “Microgrids as a resilience resource and strategies used by microgrids for enhancing resilience,” *Applied Energy*, vol. 240. Elsevier Ltd, pp. 56–72, Apr. 15, 2019. doi: 10.1016/j.apenergy.2019.02.055.
- [2] Y. Zahraoui *et al.*, “Energy management system in microgrids: A comprehensive review,” *Sustainability (Switzerland)*, vol. 13, no. 19, Oct. 2021, doi: 10.3390/su131910492.
- [3] S. Chandak, B. Sahoo, P. K. Rout, S. Mishra, and M. Mishra, “A Brief Analysis on Microgrid Control,” in *Lecture Notes in Electrical Engineering*, Springer Science and Business Media Deutschland GmbH, 2022, pp. 541–553. doi: 10.1007/978-981-16-7076-3_46.
- [4] *IEEE PC62.62/D3, November 2017: IEEE Approved Draft Standard Test Specifications for Surge-Protective Devices (SPDs) for Use on the Load Side of the Service Equipment in Low-Voltage (1000 V and Less) AC Power Circuits*. IEEE, 2018.
- [5] B. V. Solanki, K. Bhattacharya, and C. A. Canizares, “A Sustainable Energy Management System for Isolated Microgrids,” *IEEE Trans Sustain Energy*, vol. 8, no. 4, pp. 1507–1517, Oct. 2017, doi: 10.1109/TSTE.2017.2692754.
- [6] H. A. Muqet *et al.*, “Sustainable Solutions for Advanced Energy Management System of Campus Microgrids: Model Opportunities and Future Challenges,” *Sensors*, vol. 22, no. 6. MDPI, Mar. 01, 2022. doi: 10.3390/s22062345.
- [7] A. Hussain, V. H. Bui, and H. M. Kim, “A Resilient and Privacy-Preserving Energy Management Strategy for Networked Microgrids,” *IEEE Trans Smart Grid*, vol. 9, no. 3, pp. 2127–2139, May 2018, doi: 10.1109/TSG.2016.2607422.
- [8] A. Hussain, A. Oulis Rousis, I. Konstantelos, G. Strbac, J. Jeon, and H. M. Kim, “Impact of Uncertainties on Resilient Operation of Microgrids: A Data-Driven Approach,” *IEEE Access*, vol. 7, pp. 4924–14937, 2019, doi: 10.1109/ACCESS.2019.2891786.

- [9] A. Choudar, D. Boukhetala, S. Barkat, and J. M. Brucker, "A local energy management of a hybrid PV-storage based distributed generation for microgrids," *Energy Convers Manag*, vol. 90, pp. 21–33, Jan. 2015, doi: 10.1016/j.enconman.2014.10.067.
- [10] M. Mathew, M. S. Hossain, S. Saha, S. Mondal, and M. E. Haque, "Sizing approaches for solar photovoltaic-based microgrids: A comprehensive review," *IET Energy Systems Integration*, vol. 4, no. 1. John Wiley and Sons Inc, pp. 1–27, Mar. 01, 2022. doi: 10.1049/esi2.12048.
- [11] Y. E. G. Vera, R. Dufo-López, and J. L. Bernal-Agustín, "Energy management in microgrids with renewable energy sources: A literature review," *Applied Sciences (Switzerland)*, vol. 9, no. 18. MDPI AG, Sep. 01, 2019. doi: 10.3390/app9183854.
- [12] M. A. Khan, A. Haque, and V. S. Bharath Kurukuru, "Reliability analysis of a solar inverter during reactive power injection," in *9th IEEE International Conference on Power Electronics, Drives and Energy Systems, PEDES 2020*, Institute of Electrical and Electronics Engineers Inc., Dec. 2020. doi: 10.1109/PEDES49360.2020.9379776.
- [13] M. Ramesh, A. K. Yadav, and P. K. Pathak, "An extensive review on load frequency control of solar-wind based hybrid renewable energy systems," *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*. Bellwether Publishing, Ltd., 2021. doi: 10.1080/15567036.2021.1931564.
- [14] G. M. Joselin Herbert, S. Iniyan, E. Sreevalsan, and S. Rajapandian, "A review of wind energy technologies," *Renewable and Sustainable Energy Reviews*, vol. 11, no. 6. pp. 1117–1145, Aug. 2007. doi: 10.1016/j.rser.2005.08.004.
- [15] Z. Cui, L. Song, and S. Li, "Maximum Power Point Tracking Strategy for a New Wind Power System and Its Design Details," *IEEE Transactions on Energy Conversion*, vol. 32, no. 3, pp. 1063–1071, Sep. 2017, doi: 10.1109/TEC.2017.2694008.
- [16] W. Gil-González, O. D. Montoya, and A. Garces, "Modeling and control of a small hydro-power plant for a DC microgrid," *Electric Power Systems Research*, vol. 180, Mar. 2020, doi: 10.1016/j.epsr.2019.106104.

- [17] N. Hatziargyriou, H. Asano, R. Iravani, and C. Marnay, "An Overview of Ongoing Research, Development, and Demonstration Projects." [Online]. Available: http://ec.europa.eu/research/energy/pdf/smartgrids_
- [18] Z. Zhang, X. Yang, Z. Wang, Z. Chen, and Y. Zheng, "Highly applicable small hydropower microgrid operation strategy and control technology," *Energy Reports*, vol. 6, pp. 3179–3191, Nov. 2020, doi: 10.1016/j.egyr.2020.08.037.
- [19] J. P. Barton and D. G. Infield, "Energy storage and its use with intermittent renewable energy," *IEEE Transactions on Energy Conversion*, vol. 19, no. 2, pp. 441–448, Jun. 2004, doi: 10.1109/TEC.2003.822305.
- [20] K. Balasubramaniam, P. Saraf, R. Hadidi, and E. B. Makram, "Energy management system for enhanced resiliency of microgrids during islanded operation," *Electric Power Systems Research*, vol. 137, pp. 133–141, Aug. 2016, doi: 10.1016/j.epsr.2016.04.006.
- [21] M. F. Zia, E. Elbouchikhi, and M. Benbouzid, "Microgrids energy management systems: A critical review on methods, solutions, and prospects," *Applied Energy*, vol. 222, Elsevier Ltd, pp. 1033–1055, Jul. 15, 2018. doi: 10.1016/j.apenergy.2018.04.103.
- [22] M. R. Aghamohammadi and H. Abdolahinia, "A new approach for optimal sizing of battery energy storage system for primary frequency control of islanded Microgrid," *International Journal of Electrical Power and Energy Systems*, vol. 54, pp. 325–333, 2014, doi: 10.1016/j.ijepes.2013.07.005.
- [23] K. C. Divya and J. Østergaard, "Battery energy storage technology for power systems-An overview," *Electric Power Systems Research*, vol. 79, no. 4, pp. 511–520, Apr. 2009. doi: 10.1016/j.epsr.2008.09.017.
- [24] C. Chen, J. Wang, F. Qiu, and D. Zhao, "Resilient Distribution System by Microgrids Formation after Natural Disasters," *IEEE Trans Smart Grid*, vol. 7, no. 2, pp. 958–966, Mar. 2016, doi: 10.1109/TSG.2015.2429653.
- [25] M. Simonov, "Dynamic partitioning of DC microgrid in resilient clusters using event-driven approach," *IEEE Trans Smart Grid*, vol. 5, no. 5, pp. 2618–2625, Sep. 2014, doi: 10.1109/TSG.2014.2302992.

- [26] M. Zadsar, M. R. Haghifam, and S. M. M. Larimi, "Approach for self-healing resilient operation of active distribution network with microgrid," *IET Generation, Transmission and Distribution*, vol. 11, no. 18, pp. 4633–4643, Dec. 2017, doi: 10.1049/iet-gtd.2016.1783.
- [27] A. Hussain, V. H. Bui, and H. M. Kim, "Microgrids as a resilience resource and strategies used by microgrids for enhancing resilience," *Applied Energy*, vol. 240. Elsevier Ltd, pp. 56–72, Apr. 15, 2019. doi: 10.1016/j.apenergy.2019.02.055.
- [28] Zaheeruddin and M. Manas, "Renewable energy management through microgrid central controller design: An approach to integrate solar, wind and biomass with battery," *Energy Reports*, vol. 1, pp. 156–163, Jul. 2015, doi: 10.1016/j.egy.2015.06.003.
- [29] "Control of Hybrid ACDC Microgrid Involving Energy".
- [30] G. Shahgholian, "A brief review on microgrids: Operation, applications, modeling, and control," *International Transactions on Electrical Energy Systems*, vol. 31, no. 6. John Wiley and Sons Ltd, Jun. 01, 2021. doi: 10.1002/2050-7038.12885.
- [31] J. J. Justo, F. Mwasilu, J. Lee, and J. W. Jung, "AC-microgrids versus DC-microgrids with distributed energy resources: A review," *Renewable and Sustainable Energy Reviews*, vol. 24. pp. 387–405, 2013. doi: 10.1016/j.rser.2013.03.067.
- [32] X. Wang, J. M. Guerrero, F. Blaabjerg, and Z. Chen, "A review of power electronics based microgrids," *Journal of Power Electronics*, vol. 12, no. 1, pp. 181–192, Jan. 2012, doi: 10.6113/JPE.2012.12.1.181.
- [33] L. Ortiz, R. Orizondo, A. Águila, J. W. González, G. J. López, and I. Isaac, "Hybrid AC/DC microgrid test system simulation: grid-connected mode," *Heliyon*, vol. 5, no. 12, Dec. 2019, doi: 10.1016/j.heliyon.2019.e02862.
- [34] L. Ahmethodzic and M. Music, "Comprehensive review of trends in microgrid control," *Renewable Energy Focus*, vol. 38. Elsevier Ltd, pp. 84–96, Sep. 01, 2021. doi: 10.1016/j.ref.2021.07.003.

- [35] O. Abrishambaf, P. Faria, L. Gomes, J. Spínola, Z. Vale, and J. M. Corchado, "Implementation of a real-time microgrid simulation platform based on centralized and distributed management," *Energies (Basel)*, vol. 10, no. 6, Jun. 2017, doi: 10.3390/en10060806.
- [36] A. Bidram and A. Davoudi, "Hierarchical structure of microgrids control system," *IEEE Trans Smart Grid*, vol. 3, no. 4, pp. 1963–1976, 2012, doi: 10.1109/TSG.2012.2197425.
- [37] S. Ishaq, I. Khan, S. Rahman, T. Hussain, A. Iqbal, and R. M. Elavarasan, "A review on recent developments in control and optimization of micro grids," *Energy Reports*, vol. 8. Elsevier Ltd, pp. 4085–4103, Nov. 01, 2022. doi: 10.1016/j.egy.2022.01.080.
- [38] H. Liang, B. J. Choi, W. Zhuang, and X. Shen, "Stability enhancement of decentralized inverter control through wireless communications in microgrids," *IEEE Trans Smart Grid*, vol. 4, no. 1, pp. 321–331, 2013, doi: 10.1109/TSG.2012.2226064.
- [39] M. H. Cintuglu, T. Youssef, and O. A. Mohammed, "Development and application of a real-time testbed for multiagent system interoperability: A case study on hierarchical microgrid control," *IEEE Trans Smart Grid*, vol. 9, no. 3, pp. 1759–1768, May 2018, doi: 10.1109/TSG.2016.2599265.
- [40] S. A. P. Kani, F. Shahnian, M. I. Azim, M. A. Shoeb, and G. M. Shafiullah, "Microgrid control overview," in *Variability, Scalability and Stability of Microgrids*, Institution of Engineering and Technology, 2019, pp. 15–71. doi: 10.1049/pbpo139e_ch2.
- [41] B. J. Brearley and R. R. Prabu, "A review on issues and approaches for microgrid protection," *Renewable and Sustainable Energy Reviews*, vol. 67. Elsevier Ltd, pp. 988–997, Jan. 01, 2017. doi: 10.1016/j.rser.2016.09.047.
- [42] J. A. P. Lopes, C. L. Moreira, and A. G. Madureira, "Defining control strategies for microgrids islanded operation," *IEEE Transactions on Power Systems*, vol. 21, no. 2, pp. 916–924, May 2006, doi: 10.1109/TPWRS.2006.873018.

- [43] H. Laaksonen, D. Ishchenko, and A. Oudalov, "Adaptive protection and microgrid control design for Hailuoto Island," *IEEE Trans Smart Grid*, vol. 5, no. 3, pp. 1486–1493, 2014, doi: 10.1109/TSG.2013.2287672.
- [44] W. Du *et al.*, "Modeling of Grid-Forming and Grid-Following Inverters for Dynamic Simulation of Large-Scale Distribution Systems," *IEEE Transactions on Power Delivery*, vol. 36, no. 4, pp. 2035–2045, Aug. 2021, doi: 10.1109/TPWRD.2020.3018647.
- [45] Y. Zuo, Z. Yuan, F. Sossan, A. Zecchino, R. Cherkaoui, and M. Paolone, "Performance assessment of grid-forming and grid-following converter-interfaced battery energy storage systems on frequency regulation in low-inertia power grids," *Sustainable Energy, Grids and Networks*, vol. 27, Sep. 2021, doi: 10.1016/j.segan.2021.100496.
- [46] E. Rokrok, M. Shafie-khah, and J. P. S. Catalão, "Review of primary voltage and frequency control methods for inverter-based islanded microgrids with distributed generation," *Renewable and Sustainable Energy Reviews*, vol. 82. Elsevier Ltd, pp. 3225–3235, Feb. 01, 2018. doi: 10.1016/j.rser.2017.10.022.
- [47] Y. A. R. I. Mohamed and E. F. El-Saadany, "Adaptive decentralized droop controller to preserve power sharing stability of paralleled inverters in distributed generation microgrids," *IEEE Trans Power Electron*, vol. 23, no. 6, pp. 2806–2816, 2008, doi: 10.1109/TPEL.2008.2005100.
- [48] J. M. Guerrero, L. García de Vicuña, J. Matas, M. Castilla, and J. Miret, "Output impedance design of parallel-connected UPS inverters with wireless load-sharing control," *IEEE Transactions on Industrial Electronics*, vol. 52, no. 4, pp. 1126–1135, Aug. 2005, doi: 10.1109/TIE.2005.851634.
- [49] Z. Luo, Z. Wu, Z. Li, H. Y. Cai, B. J. Li, and W. Gu, "A two-stage optimization and control for CCHP microgrid energy management," *Appl Therm Eng*, vol. 125, pp. 513–522, 2017, doi: 10.1016/j.applthermaleng.2017.05.188.
- [50] H. Farzin, M. Fotuhi-Firuzabad, and M. Moeini-Aghtaie, "Stochastic Energy Management of Microgrids during Unscheduled Islanding Period," *IEEE Trans Industr Inform*, vol. 13, no. 3, pp. 1079–1087, Jun. 2017, doi: 10.1109/TII.2016.2646721.

- [51] C. Chen, S. Duan, T. Cai, B. Liu, and G. Hu, "Smart energy management system for optimal microgrid economic operation," *IET Renewable Power Generation*, vol. 5, no. 3, pp. 258–267, May 2011, doi: 10.1049/iet-rpg.2010.0052.
- [52] J. P. Fossati, A. Galarza, A. Martín-Villate, J. M. Echeverría, and L. Fontán, "Optimal scheduling of a microgrid with a fuzzy logic controlled storage system," *International Journal of Electrical Power and Energy Systems*, vol. 68, pp. 61–70, 2015, doi: 10.1016/j.ijepes.2014.12.032.
- [53] S. A. Alavi, A. Ahmadian, and M. Aliakbar-Golkar, "Optimal probabilistic energy management in a typical micro-grid based-on robust optimization and point estimate method," *Energy Convers Manag*, vol. 95, pp. 314–325, May 2015, doi: 10.1016/j.enconman.2015.02.042.
- [54] M. Sechilariu, B. Wang, and F. Locment, "Building-integrated microgrid: Advanced local energy management for forthcoming smart power grid communication," *Energy Build*, vol. 59, pp. 236–243, 2013, doi: 10.1016/j.enbuild.2012.12.039.
- [55] B. Heymann, J. F. Bonnans, P. Martinon, F. J. Silva, F. Lanas, and G. Jiménez-Estévez, "Continuous optimal control approaches to microgrid energy management," *Energy Systems*, vol. 9, no. 1, pp. 59–77, Feb. 2018, doi: 10.1007/s12667-016-0228-2.
- [56] A. L. Bukar, C. W. Tan, L. K. Yiew, R. Ayop, and W. S. Tan, "A rule-based energy management scheme for long-term optimal capacity planning of grid-independent microgrid optimized by multi-objective grasshopper optimization algorithm," *Energy Convers Manag*, vol. 221, Oct. 2020, doi: 10.1016/j.enconman.2020.113161.
- [57] V. S. B. Kurukuru, A. Haque, S. Padmanaban, and M. A. Khan, "Rule-Based Inferential System for Microgrid Energy Management System," *IEEE Syst J*, vol. 16, no. 1, pp. 1582–1591, Mar. 2022, doi: 10.1109/JSYST.2021.3094403.
- [58] T. Pippia, J. Sijs, and B. De Schutter, "A Single-Level Rule-Based Model Predictive Control Approach for Energy Management of Grid-Connected Microgrids," *IEEE Transactions on Control Systems Technology*, vol. 28, no. 6, pp. 2364–2376, Nov. 2020, doi: 10.1109/TCST.2019.2945023.

- [59] F. Garcia-Torres and C. Bordons, "Optimal Economical Schedule of Hydrogen-Based Microgrids With Hybrid Storage Using Model Predictive Control," *IEEE Transactions on Industrial Electronics*, vol. 62, no. 8, pp. 5195–5207, Aug. 2015, doi: 10.1109/TIE.2015.2412524.
- [60] B. Lu and M. Shahidehpour, "Short-term scheduling of battery in a grid-connected PV/battery system," *IEEE Transactions on Power Systems*, vol. 20, no. 2, pp. 1053–1061, May 2005, doi: 10.1109/TPWRS.2005.846060.
- [61] A. C. Luna, N. L. Diaz, M. Graells, J. C. Vasquez, and J. M. Guerrero, "Mixed-integer-linear-programming-based energy management system for hybrid PV-wind-battery microgrids: Modeling, design, and experimental verification," *IEEE Trans Power Electron*, vol. 32, no. 4, pp. 2769–2783, Apr. 2017, doi: 10.1109/TPEL.2016.2581021.
- [62] M. Marzband, F. Azarinejadian, M. Savaghebi, and J. M. Guerrero, "An optimal energy management system for islanded microgrids based on multiperiod artificial bee colony combined with markov chain," *IEEE Syst J*, vol. 11, no. 3, pp. 1712–1722, Sep. 2017, doi: 10.1109/JSYST.2015.2422253.
- [63] J. T. Yu, C. H. Kim, A. Wadood, T. Khurshaid, and S. B. Rhee, "Jaya Algorithm with Self-Adaptive Multi-Population and Lévy Flights for Solving Economic Load Dispatch Problems," *IEEE Access*, vol. 7, pp. 21372–21384, 2019, doi: 10.1109/ACCESS.2019.2899043.
- [64] Y. Cao *et al.*, "An optimized EV charging model considering TOU price and SOC curve," *IEEE Trans Smart Grid*, vol. 3, no. 1, pp. 388–393, Mar. 2012, doi: 10.1109/TSG.2011.2159630.
- [65] M. S. Taha, H. H. Abdeltawab, and Y. A. R. I. Mohamed, "An online energy management system for a grid-connected hybrid energy source," *IEEE J Emerg Sel Top Power Electron*, vol. 6, no. 4, pp. 2015–2030, Dec. 2018, doi: 10.1109/JESTPE.2018.2828803.
- [66] Z. Wang, X. Song, H. Xin, D. Gan, and K. P. Wong, "Risk-based coordination of generation rescheduling and load shedding for transient stability enhancement," *IEEE Transactions on Power Systems*, vol. 28, no. 4, pp. 4674–4682, 2013, doi: 10.1109/TPWRS.2013.2262719.

- [67] M. Elsied, A. Oukaour, T. Youssef, H. Gualous, and O. Mohammed, "An advanced real time energy management system for microgrids," *Energy*, vol. 114, pp. 742–752, Nov. 2016, doi: 10.1016/j.energy.2016.08.048.
- [68] D. E. Olivares, C. A. Canizares, and M. Kazerani, "A centralized energy management system for isolated microgrids," *IEEE Trans Smart Grid*, vol. 5, no. 4, pp. 1864–1875, 2014, doi: 10.1109/TSG.2013.2294187.
- [69] J. Tobajas, F. Garcia-Torres, P. Roncero-Sánchez, J. Vázquez, L. Bellatreche, and E. Nieto, "Resilience-oriented schedule of microgrids with hybrid energy storage system using model predictive control," *Appl Energy*, vol. 306, p. 118092, Jan. 2022, doi: 10.1016/j.apenergy.2021.118092.
- [70] M. Uzair, L. Li, J. G. Zhu, and M. Eskandari, "A protection scheme for AC microgrids based on multi-agent system combined with machine learning," in *2019 29th Australasian Universities Power Engineering Conference, AUPEC 2019*, Institute of Electrical and Electronics Engineers Inc., Nov. 2019. doi: 10.1109/AUPEC48547.2019.211845.
- [71] S. Marzal, R. Salas, R. González-Medina, G. Garcerá, and E. Figueres, "Current challenges and future trends in the field of communication architectures for microgrids," *Renewable and Sustainable Energy Reviews*, vol. 82, Elsevier Ltd, pp. 3610–3622, Feb. 01, 2018. doi: 10.1016/j.rser.2017.10.101.
- [72] M. Rice and S. Sheno, Eds., *Critical Infrastructure Protection IX*, vol. 466. in IFIP Advances in Information and Communication Technology, vol. 466. Cham: Springer International Publishing, 2015. doi: 10.1007/978-3-319-26567-4.
- [73] D. Jin *et al.*, "Toward a Cyber Resilient and Secure Microgrid Using Software-Defined Networking," *IEEE Trans Smart Grid*, vol. 8, no. 5, pp. 2494–2504, Sep. 2017, doi: 10.1109/TSG.2017.2703911.
- [74] Z. Li, M. Shahidehpour, F. Aminifar, A. Alabdulwahab, and Y. Al-Turki, "Networked Microgrids for Enhancing the Power System Resilience," *Proceedings of the IEEE*, vol. 105, no. 7, Institute of Electrical and Electronics Engineers Inc., pp. 1289–1310, Jul. 01, 2017. doi: 10.1109/JPROC.2017.2685558.

- [75] R. Hemmati, H. Mehrjerdi, and S. M. Nosratabadi, “Resilience-oriented adaptable microgrid formation in integrated electricity-gas system with deployment of multiple energy hubs,” *Sustain Cities Soc*, vol. 71, Aug. 2021, doi: 10.1016/j.scs.2021.102946.
- [76] M. H. Amirioun, F. Aminifar, and H. Lesani, “Towards Proactive Scheduling of Microgrids Against Extreme Floods,” *IEEE Trans Smart Grid*, vol. 9, no. 4, pp. 3900–3902, Jul. 2018, doi: 10.1109/TSG.2017.2762906.
- [77] A. Anurag, Y. Yang, and F. Blaabjerg, “Thermal Performance and Reliability Analysis of Single-Phase PV Inverters with Reactive Power Injection Outside Feed-In Operating Hours,” *IEEE J Emerg Sel Top Power Electron*, vol. 3, no. 4, pp. 870–880, Dec. 2015, doi: 10.1109/JESTPE.2015.2428432.
- [78] M. Chen and G. A. Rincón-Mora, “Accurate electrical battery model capable of predicting runtime and I-V performance,” *IEEE Transactions on Energy Conversion*, vol. 21, no. 2, pp. 504–511, Jun. 2006, doi: 10.1109/TEC.2006.874229.