

References

- [1] M. Ozturk, I. H. Toroslu, and G. Fidan, “Heuristic based trading system on Forex data using technical indicator rules,” *Appl. Soft Comput.*, vol. 43, pp. 170–186, Jun. 2016, doi: 10.1016/j.asoc.2016.01.048.
- [2] N.-F. Chen, R. Roll, and S. A. Ross, “Economic Forces and the Stock Market,” *J. Bus.*, vol. 59, no. 3, p. 383, Jan. 1986, doi: 10.1086/296344.
- [3] J. Shanken and M. I. Weinstein, “Economic forces and the stock market revisited,” *J. Empir. Finance*, vol. 13, no. 2, pp. 129–144, Mar. 2006, doi: 10.1016/j.jempfin.2005.09.001.
- [4] M. Islam, E. Hossain, A. Rahman, M. Hossain, and K. Andersson, “A Review on Recent Advancements in FOREX Currency Prediction,” *Algorithms*, vol. 13, p. 186, Jul. 2020, doi: 10.3390/a13080186.
- [5] C. J. Neely and P. A. Weller, “Lessons from the Evolution of Foreign Exchange Trading Strategies,” *SSRN Electron. J.*, 2012, doi: 10.2139/ssrn.1932844.
- [6] C. Evans, K. Pappas, and F. Xhafa, “Utilizing artificial neural networks and genetic algorithms to build an algo-trading model for intra-day foreign exchange speculation,” *Math. Comput. Model.*, vol. 58, no. 5, pp. 1249–1266, Sep. 2013, doi: 10.1016/j.mcm.2013.02.002.
- [7] K. H. Lee and G. S. Jo, “Expert system for predicting stock market timing using a candlestick chart,” *Expert Syst. Appl.*, vol. 16, no. 4, pp. 357–364, May 1999, doi: 10.1016/S0957-4174(99)00011-1.
- [8] Lean Yu, Kin Keung Lai, and Shouyang Wang, “Designing a hybrid AI system as a forex trading decision support tool,” in *17th IEEE International Conference on Tools with Artificial Intelligence (ICTAI’05)*, Hong Kong, China, 2005, p. 5 pp. – 93, doi: 10.1109/ICTAI.2005.56.
- [9] V. Drakopoulou, “A Review of Fundamental and Technical Stock Analysis Techniques,” *J. Stock Forex Trading*, vol. 05, no. 01, 2016, doi: 10.4172/2168-9458.1000163.

- [10] A. Khadjeh Nassirtoussi, S. Aghabozorgi, T. Ying Wah, and D. C. L. Ngo, “Text mining of news-headlines for FOREX market prediction: A Multi-layer Dimension Reduction Algorithm with semantics and sentiment,” *Expert Syst. Appl.*, vol. 42, no. 1, pp. 306–324, Jan. 2015, doi: 10.1016/j.eswa.2014.08.004.
- [11] S. S. Abdullah, M. S. Rahaman, and M. S. Rahman, “Analysis of stock market using text mining and natural language processing,” in *2013 International Conference on Informatics, Electronics and Vision (ICIEV)*, May 2013, pp. 1–6, doi: 10.1109/ICIEV.2013.6572673.
- [12] L. Ni, Y. Li, X. Wang, J. Zhang, J. Yu, and C. Qi, “Forecasting of Forex Time Series Data Based on Deep Learning,” *Procedia Comput. Sci.*, vol. 147, pp. 647–652, 2019, doi: 10.1016/j.procs.2019.01.189.
- [13] A. Baasher and M. W. Fakhr, “FOREX Daily Trend Prediction using Machine Learning Techniques,” p. 8.
- [14] A. Fischer, S. Greiff, and J. Funke, “The Process of Solving Complex Problems,” *J. Probl. Solving*, vol. 4, no. 1, Feb. 2012, doi: 10.7771/1932-6246.1118.
- [15] T.-T. Chen, B. Zheng, Y. Li, and X.-F. Jiang, “New approaches in agent-based modeling of complex financial systems,” *Front. Phys.*, vol. 12, no. 6, p. 128905, Dec. 2017, doi: 10.1007/s11467-017-0661-2.
- [16] S. Tisue and U. Wilensky, “NetLogo: A Simple Environment for Modeling Complexity,” p. 11.
- [17] D. Davis, Y. Luo, and K. Liu, “A Multi-Agent Framework for Stock Trading,” p. 7.
- [18] R. P. Barbosa and O. Belo, “Multi-Agent Forex Trading System,” in *Agent and Multi-agent Technology for Internet and Enterprise Systems*, A. Håkansson, R. Hartung, and N. T. Nguyen, Eds. Berlin, Heidelberg: Springer, 2010, pp. 91–118.
- [19] V. Delage, C. Brandlhuber, K. Tuyls, and G. Weiss, “Multi-Agent based simulation of FOREX exchange market,” Jan. 2011.

- [20] X. Chen and S. Tokinaga, "MULTI-AGENT-BASED MODELING OF ARTIFICIAL STOCK MARKETS BY USING THE CO-EVOLUTIONARY GP APPROACH," *J. Oper. Res. Soc. Jpn.*, vol. 47, no. 3, pp. 163–181, 2004, doi: 10.15807/jorsj.47.163.
- [21] R. S. T. Lee, "iJADE stock advisor: an intelligent agent based stock prediction system using hybrid RBF recurrent network," *IEEE Trans. Syst. Man Cybern. - Part Syst. Hum.*, vol. 34, no. 3, pp. 421–428, May 2004, doi: 10.1109/TSMCA.2004.824871.
- [22] M. T. Alrefaie, D. Hamouda, and R. Ramadan, "A Smart Agent to Trade and Predict Foreign Exchange Market," *Comput. Intell. Eng. Solut. CIES 2013 IEEE Symp. On*, Apr. 2013, doi: 10.1109/CIES.2013.6611741.
- [23] A. L. Kulasekera, R. A. R. C. Gopura, K. T. M. U. Hemapala, and N. Perera, "A review on multi-agent systems in microgrid applications," in *ISGT2011-India*, Kollam, Kerala, India, Dec. 2011, pp. 173–177, doi: 10.1109/ISGT-India.2011.6145377.
- [24] S. A. D. Loach and M. Wood, "Developing Multiagent Systems with agentTool," in *Intelligent Agents VII Agent Theories Architectures and Languages*, vol. 1986, C. Castelfranchi and Y. Lespérance, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2001, pp. 46–60.
- [25] G. Boella, R. Damiano, and L. Lesmo, "A Utility Based Approach to Cooperation among Agents," p. 13.
- [26] K. P. Sycara, "Multiagent Systems," p. 16.
- [27] E. Oliveira, K. Fischer, and O. Stepankova, "Multi-agent systems: which research for which applications," *Robot. Auton. Syst.*, vol. 27, no. 1, pp. 91–106, Apr. 1999, doi: 10.1016/S0921-8890(98)00085-2.
- [28] P. Bogg, G. Beydoun, and G. Low, "Towards problem solving methods in multi-agent systems," p. 9.
- [29] F. Bellifemine, A. Poggi, and G. Rimassa, "Developing multi-agent systems with a FIPA-compliant agent framework," p. 26, 2001.

- [30] T. Finin, R. Fritzson, D. McKay, and R. McEntire, "KQML as an agent communication language," in *Proceedings of the third international conference on Information and knowledge management*, New York, NY, USA, Nov. 1994, pp. 456–463, doi: 10.1145/191246.191322.
- [31] J. Emike, "Searle's Speech Act Theory: An Integrative Appraisal," *Am. Res. J. Engl. Lit.*, vol. 3, p. 13.
- [32] "J. L. Austin, Performative Utterances - PhilPapers." <https://philpapers.org/rec/AUSPU> (accessed Nov. 03, 2020).
- [33] J. C. Reis, R. J. F. Rossetti, and G. Gonçalves, "Towards NetLogo and JADE Integration: an industrial agent-in-the-loop approach," p. 6.
- [34] F. Bellifemine, G. Caire, A. Poggi, and G. Rimassa, "JADE: A software framework for developing multi-agent applications. Lessons learned," *Inf. Softw. Technol.*, vol. 50, no. 1–2, pp. 10–21, Jan. 2008, doi: 10.1016/j.infsof.2007.10.008.
- [35] A. Alasgarova and L. Muradkhanli, "EXPERT SYSTEM FOR DECISION-MAKING PROBLEM IN ECONOMICS," *Int. J.*, p. 3, 2008.
- [36] I. Atanasova and N. Borisova, "Using CLIPS to Realize Quality of Life Expert System (QLIFEX)," *Nat. Sci.*, p. 7, 2015.
- [37] E. Grossi and M. Buscema, "Introduction to artificial neural networks:," *Eur. J. Gastroenterol. Hepatol.*, vol. 19, no. 12, pp. 1046–1054, Dec. 2007, doi: 10.1097/MEG.0b013e3282f198a0.
- [38] J. K. Basu, D. Bhattacharyya, and T. Kim, "Use of Artificial Neural Network in Pattern Recognition," *Int. J. Softw. Eng. Its Appl.*, vol. 4, no. 2, p. 13, 2010.
- [39] J. N. Foerster, Y. M. Assael, N. de Freitas, and S. Whiteson, "Learning to Communicate with Deep Multi-Agent Reinforcement Learning," *ArXiv160506676 Cs*, May 2016, Accessed: Oct. 04, 2020. [Online]. Available: <http://arxiv.org/abs/1605.06676>.
- [40] M. Abadi *et al.*, "TensorFlow: A system for large-scale machine learning," p. 21.

- [41] A. Paszke *et al.*, “PyTorch: An Imperative Style, High-Performance Deep Learning Library,” p. 12.
- [42] B. Bhutani, N. Rastogi, P. Sehgal, and A. Purwar, “Fake News Detection Using Sentiment Analysis,” in *2019 Twelfth International Conference on Contemporary Computing (IC3)*, Aug. 2019, pp. 1–5, doi: 10.1109/IC3.2019.8844880.
- [43] H. Krishnan and R. Scholar, “MongoDB – a comparison with NoSQL databases,” vol. 7, no. 5, p. 4, 2016.
- [44] C. Frantz, M. Nowostawski, and M. Purvis, *Multi-agent Platforms and Asynchronous Message Passing: Frameworks Overview*. 2010.
- [45] A. Virgillito, “Publish/Subscribe Communication Systems: from Models to Applications,” p. 135.
- [46] P. Charlton, R. Cattoni, A. Potrich, and E. Mamdani, “Evaluating the FIPA standards and their role in achieving cooperation in multi-agent systems,” in *Proceedings of the 33rd Annual Hawaii International Conference on System Sciences*, Jan. 2000, p. 10 pp. vol.2-, doi: 10.1109/HICSS.2000.926996.
- [47] A. B. M. Moniruzzaman and S. A. Hossain, “NoSQL Database: New Era of Databases for Big data Analytics - Classification, Characteristics and Comparison,” *Int. J. Database Theory Appl.*, vol. 6, no. 4, p. 15, 2013.
- [48] K. Kolonko, “Performance comparison of the most popular relational and non-relational database management systems,” p. 71.
- [49] D. Buži, “Sentiment Analysis of Text Documents,” p. 8, 2019.
- [50] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding,” *ArXiv181004805 Cs*, May 2019, Accessed: Oct. 29, 2020. [Online]. Available: <http://arxiv.org/abs/1810.04805>.
- [51] G. Caginalp and H. Laurent, “The predictive power of price patterns,” *Appl. Math. Finance*, vol. 5, no. 3–4, pp. 181–205, Sep. 1998, doi: 10.1080/135048698334637.

- [52] S. Papadamou and S. Tsopoglou, “Investigating the profitability of technical analysis systems on foreign exchange markets,” *Manag. Finance*, vol. 27, no. 8, pp. 63–78, Aug. 2001, doi: 10.1108/03074350110767349.
- [53] L. Takeuchi, “Applying Deep Learning to Enhance Momentum Trading Strategies in Stocks,” p. 5.
- [54] J. Carapuço, R. Neves, and N. Horta, “Reinforcement learning applied to Forex trading,” *Appl. Soft Comput.*, vol. 73, Sep. 2018, doi: 10.1016/j.asoc.2018.09.017.
- [55] C. Gallo and A. Fratello, “The Forex Market in Practice: A Computing Approach for Automated Trading Strategies,” *Int. J. Econ. Manag. Sci.*, vol. 3, Aug. 2014, doi: 10.4172/2162-6359.1000169.