

REFERENCE

- [1] M. A. Atick Faisal, M. U. Ahmed, and M. A. Rahman Ahad, “ESLCE: A Dataset of Emotional Sounds from Large Crowd Events,” in 2021 Joint 10th International Conference on Informatics, Electronics & Vision (ICIEV) and 2021 5th International Conference on Imaging, Vision & Pattern Recognition (icIVPR), Kitakyushu, Japan: IEEE, Aug. 2021, pp. 1–7. doi: 10.1109/ICIEVicIVPR52578.2021.9564179.
- [2] R. Adolphs, L. Mlodinow, and L. F. Barrett, “What is an emotion?,” *Curr. Biol. CB*, vol. 29, no. 20, pp. R1060–R1064, Oct. 2019, doi: 10.1016/j.cub.2019.09.008.
- [3] UWA, “Science of Emotion: The Basics of Emotional Psychology | UWA,” UWA Online. Accessed: Dec. 28, 2024. [Online]. Available: <https://online.uwa.edu/news/emotional-psychology/>
- [4] D. Han, Y. Kong, J. Han, and G. Wang, “A survey of music emotion recognition,” *Front. Comput. Sci.*, vol. 16, no. 6, p. 166335, Jan. 2022, doi: 10.1007/s11704-021-0569-4.
- [5] Md. Z. Uddin and E. G. Nilsson, “Emotion recognition using speech and neural structured learning to facilitate edge intelligence,” *Eng. Appl. Artif. Intell.*, vol. 94, p. 103775, Sep. 2020, doi: 10.1016/j.engappai.2020.103775.
- [6] K. A. Araño, P. Gloor, C. Orsenigo, and C. Vercellis, “When Old Meets New: Emotion Recognition from Speech Signals,” *Cogn. Comput.*, vol. 13, no. 3, pp. 771–783, May 2021, doi: 10.1007/s12559-021-09865-2.
- [7] X. D. An and Z. Ruan, “Speech Emotion Recognition algorithm based on deep learning algorithm fusion of temporal and spatial features,” *J. Phys. Conf. Ser.*,

vol. 1861, no. 1, p. 012064, Mar. 2021, doi: 10.1088/1742-6596/1861/1/012064.

- [8] R. E. Radocy and J. D. Boyle, *PSYCHOLOGICAL FOUNDATIONS OF MUSICAL BEHAVIOR: (5th Ed.)*. Charles C Thomas Publisher, 2012.
- [9] R. Aminzade, *Silence and Voice in the Study of Contentious Politics*. Cambridge University Press, 2001.
- [10] M. Soleymani, J. Lichtenauer, T. Pun, and M. Pantic, "A Multimodal Database for Affect Recognition and Implicit Tagging," *IEEE Trans. Affect. Comput.*, vol. 3, no. 1, pp. 42–55, Jan. 2012, doi: 10.1109/T-AFFC.2011.25.
- [11] V. Franzoni, G. Biondi, and A. Milani, "Emotional sounds of crowds: spectrogram-based analysis using deep learning," *Multimed. Tools Appl.*, vol. 79, no. 47–48, pp. 36063–36075, Dec. 2020, doi: 10.1007/s11042-020-09428-x.
- [12] S. A. Velastin, Jia Hong Yin, and A. C. Davies, "Crowd monitoring using image processing," *Electron. Commun. Eng. J.*, vol. 7, no. 1, pp. 37–47, Feb. 1995, doi: 10.1049/ecej:19950106.
- [13] J. Cai, Y. Song, J. Wu, and X. Chen, "Voice Disorder Classification Using Wav2vec 2.0 Feature Extraction," *J. Voice*, p. S0892199724002935, Sep. 2024, doi: 10.1016/j.jvoice.2024.09.002.
- [14] Z. Ma et al., "emotion2vec: Self-Supervised Pre-Training for Speech Emotion Representation," Dec. 23, 2023, arXiv: arXiv:2312.15185. doi: 10.48550/arXiv.2312.15185.
- [15] M. Sharma, "Multi-Lingual Multi-Task Speech Emotion Recognition Using wav2vec 2.0," in *ICASSP 2022 - 2022 IEEE International Conference on*

- Acoustics, Speech and Signal Processing (ICASSP), May 2022, pp. 6907–6911. doi: 10.1109/ICASSP43922.2022.9747417.
- [16] “Fine-tune and deploy a Wav2Vec2 model for speech recognition with Hugging Face and Amazon SageMaker | AWS Machine Learning Blog.” Accessed: Apr. 24, 2025. [Online]. Available: <https://aws.amazon.com/blogs/machine-learning/fine-tune-and-deploy-a-wav2vec2-model-for-speech-recognition-with-hugging-face-and-amazon-sagemaker/>
- [17] B. Fu, K. Fan, M. Liao, Y. Chen, X. Shi, and Z. Huang, “wav2vec-S: Adapting Pre-trained Speech Models for Streaming”. 2024. Accessed: Apr. 3, 2025.[Online].Available: <https://aclanthology.org/2024.findings-acl.681.pdf>
- [18] E. A. Veltmeijer, “Small Groups, Big Insights: Understanding the Crowd through Expressive Subgroup Analysis,” dr., Vrije Universiteit Amsterdam, 2024. doi: 10.5463/thesis.850.
- [19] S. Brown and A. Hutton, “Developments in the real-time evaluation of audience behaviour at planned events,” *Int. J. Event Festiv. Manag.*, vol. 4, no. 1, pp. 43–55, Mar. 2013, doi: 10.1108/17582951311307502.
- [20] H. H. Pothireddy, R. Gv, E. H. H. Pothireddy, R. GV, E. Alladi, N. Chaudhary, and A. A., “A Study Into The Aspect Of Crowd Management,” *International Journal of Research Publication and Reviews*, vol. 6, no. 3, pp. 8707–8715, Mar. 2025, doi: <https://doi.org/10.55248/gengpi.6.0325.12181>.
- [21] “Exploring Passengers’ Emotions and Satisfaction: A Comparative Analysis of Airport and Railway Station through Online Reviews.” Accessed: Apr. 25, 2025. [Online]. Available: <https://www.mdpi.com/2071-1050/16/5/2108>

- [22] D. Barr, J. Drury, T. Butler, S. Choudhury, and F. Neville, "Beyond 'stampedes': Towards a new psychology of crowd crush disasters," *Br. J. Soc. Psychol.*, vol. 63, no. 1, pp. 52–69, Jan. 2024, doi: 10.1111/bjso.12666.
- [23] R. R. Aminzade et al., *Silence and Voice in the Study of Contentious Politics*. in *Cambridge Studies in Contentious Politics*. Cambridge: Cambridge University Press, 2001. doi: 10.1017/CBO9780511815331.
- [24] M. Haghani et al., "A roadmap for the future of crowd safety research and practice: Introducing the Swiss Cheese Model of Crowd Safety and the imperative of a Vision Zero target," *Saf. Sci.*, vol. 168, p. 106292, Dec. 2023, doi: 10.1016/j.ssci.2023.106292.
- [25] "Africa Cup of Nations: At least eight killed in crush at Cameroon stadium," Jan. 24, 2022. Accessed: Jan. 23, 2025. [Online]. Available: <https://www.bbc.com/news/world-africa-60120367>
- [26] "Israel crush: Israel mourns as festival crush victims identified," May 01, 2021. Accessed: Jan. 23, 2025. [Online]. Available: <https://www.bbc.com/news/world-middle-east-56955396>
- [27] C. Martella, J. Li, C. Conrado, and A. Vermeeren, "On current crowd management practices and the need for increased situation awareness, prediction, and intervention," *Saf. Sci.*, vol. 91, pp. 381–393, Jan. 2017, doi: 10.1016/j.ssci.2016.09.006.
- [28] L. Xu, A. M. Yildiz, I. Tuncer, F. Ozyurt, S. Dogan, and T. Tuncer, "Detection of community emotions through Sound: An Investigation using the FF-Orbital Chaos-Based feature extraction model," *Ain Shams Eng. J.*, vol. 16, no. 2, p. 103248, Feb. 2025, doi: 10.1016/j.asej.2024.103248.

- [29] K. Tarunika, R. B. Pradeeba, and P. Aruna, "Applying Machine Learning Techniques for Speech Emotion Recognition," in 2018 9th International Conference on Computing, Communication and Networking Technologies (ICCCNT), Bangalore: IEEE, Jul. 2018, pp. 1–5. doi: 10.1109/ICCCNT.2018.8494104.
- [30] D. Saha, S. Das, P. Maity, S. K. Mahata, and D. Das, "Multimodal Approaches to Speech Emotion Recognition".
- [31] A. Hassan, T. Masood, H. A. Ahmed, H. M. Shahzad, and H. M. Tayyab Khushi, "Benchmarking Pretrained Models for Speech Emotion Recognition: A Focus on Xception," *Computers*, vol. 13, no. 12, p. 315, Nov. 2024, doi: 10.3390/computers13120315.
- [32] N. J. Robert V, A. Ponnur, A. A. Sai, and M. Geethika, "Multimodal Analysis for Speech Emotion Recognition," in 2024 International Conference on Emerging Research in Computational Science (ICERCS), Dec. 2024, pp. 1–5. doi: 10.1109/ICERCS63125.2024.10895442.
- [33] V. Franzoni, G. Biondi, and A. Milani, "Crowd emotional sounds: spectrogram-based analysis using convolutional neural networks". 2019. Accessed: Jan. 23, 2025. [Online]. Available: <https://ceur-ws.org/Vol-2474/shortpaper7.pdf>
- [34] "Understanding Sound Waves and How They Work," HowStuffWorks. Accessed: Jan. 19, 2025. [Online]. Available: <https://science.howstuffworks.com/sound-info.htm>
- [35] "Emotion recognition using speech and neural structured learning to facilitate edge intelligence."

- [36] “Audio Forensics,” AES. Accessed: Jan. 16, 2025. [Online]. Available: <https://aes2.org/audio-topics/audio-forensics-2/>
- [37] Franzoni, V., Biondi, G., Milani A, “Emotional sounds of crowds: spectrogram-based analysis using deep learning (2020) *Multimedia Tools and Applications*, 79 (47-48), pp. 36063-36075. <https://doi.org/10.1007/s11042-020-09428-x>,”
- [38] M. El Ayadi, M. S. Kamel, and F. Karray, “Survey on speech emotion recognition: Features, classification schemes, and databases,” *Pattern Recognit.*, vol. 44, no. 3, pp. 572–587, Mar. 2011, doi: 10.1016/j.patcog.2010.09.020.
- [39] R. A. Khalil, E. Jones, M. I. Babar, T. Jan, M. H. Zafar, and T. Alhussain, “Speech Emotion Recognition Using Deep Learning Techniques: A Review,” *IEEE Access*, vol. 7, pp. 117327–117345, 2019, doi: 10.1109/ACCESS.2019.2936124.
- [40] Mustaqeem and S. Kwon, “A CNN-Assisted Enhanced Audio Signal Processing for Speech Emotion Recognition,” *Sensors*, vol. 20, no. 1, p. 183, Dec. 2019, doi: 10.3390/s20010183.
- [41] M. Zakariah, M. Al-Razgan, and T. Alfakih, “Pathological voice classification using MEEL features and SVM-TabNet model,” *Speech Commun.*, vol. 162, p. 103100, Jul. 2024, doi: 10.1016/j.specom.2024.103100.
- [42] K. L. Ong, C. P. Lee, H. S. Lim, and K. M. Lim, “Speech emotion recognition with light gradient boosting decision trees machine,” *Int. J. Electr. Comput. Eng. IJECE*, vol. 13, no. 4, p. 4020, Aug. 2023, doi: 10.11591/ijece.v13i4.pp4020-4028.

- [43] G. S et al., “EmoSens: Emotion Recognition based on Sensor data analysis using LightGBM,” Jul. 12, 2022, arXiv: arXiv:2207.14640. doi: 10.48550/arXiv.2207.14640.
- [44] S. Radhika, A. Prasanth, and K. K. D. Sowndarya, “A Reliable speech emotion recognition framework for multi-regional languages using optimized light gradient boosting machine classifier,” *Biomed. Signal Process. Control*, vol. 105, p. 107636, Jul. 2025, doi: 10.1016/j.bspc.2025.107636.
- [45] T. K. Dash, C. Chakraborty, S. Mahapatra, and G. Panda, “Gradient Boosting Machine and Efficient Combination of Features for Speech-Based Detection of COVID-19,” *IEEE J. Biomed. Health Inform.*, vol. 26, no. 11, pp. 5364–5371, Nov. 2022, doi: 10.1109/JBHI.2022.3197910.
- [46] I. Khan et al., “MULTI-LAYER PERCEPTRON-BASED EMOTIONAL SPEECH RECOGNITION,” *Hunan Daxue Xuebao*, vol. 60, no. 01, 2023.
- [47] N. N. Poojary, Dr. S. G S, and A. K. B.H, “Speech Emotion Recognition Using MLP Classifier,” *Int. J. Sci. Res. Sci. Technol.*, pp. 218–222, Jul. 2021, doi: 10.32628/CSEIT217446.
- [48] O. Nematullah, S. Askar, S. Wahhab, and B. Khidir, “Emotion Recognition in Kurdish Speech from the Sorani Dialect Corpus,” *Zanco J. Pure Appl. Sci.*, vol. 36, no. 5, pp. 104–112, Oct. 2024, doi: 10.21271/ZJPAS.36.5.10.
- [49] J. Joy, A. Kannan, S. Ram, and S. Rama, “Speech Emotion Recognition using Neural Network and MLP Classifier,” 2020. Accessed: Apr. 26, 2025. [Online]. Available: <https://www.semanticscholar.org/paper/Speech-Emotion-Recognition-using-Neural-Network-and-Joy-Kannan/d355e304989e124bf306e7f1929513eeb69b3d61>

- [50] M. Kunešová and Z. Zajíc, “Multitask Detection of Speaker Changes, Overlapping Speech and Voice Activity Using wav2vec 2.0,” in ICASSP 2023 - 2023 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), Jun. 2023, pp. 1–5. doi: 10.1109/ICASSP49357.2023.10094972.
- [51] B. Kostek, “Musical Instrument Classification and Duet Analysis Employing Music Information Retrieval Techniques,” *Proc. IEEE*, vol. 92, no. 4, pp. 712–729, Apr. 2004, doi: 10.1109/JPROC.2004.825903.
- [52] R. Kumar, A. Biswas, and P. Roy, “Melody Extraction from Music: A Comprehensive Study,” in *Applications of Machine Learning*, P. Johri, J. K. Verma, and S. Paul, Eds., Singapore: Springer, 2020, pp. 141–155. doi: 10.1007/978-981-15-3357-0_10.
- [53] N. Kamuni, M. Jindal, A. Soni, S. R. Mallreddy, and S. C. Macha, “A Novel Audio Representation for Music Genre Identification in MIR,” Apr. 01, 2024, arXiv: arXiv:2404.01058. doi: 10.48550/arXiv.2404.01058.
- [54] A. K. Honingh, J. A. Burgoyne, P. van Kranenburg, and A. Volk, “STRENGTHENING INTERDISCIPLINARITY IN MIR: FOUR EXAMPLES OF USING MIR TOOLS FOR MUSICOLOGY”.
- [55] “A Comprehensive Review on Music Transcription.” Accessed: Apr. 30, 2025. [Online]. Available: <https://www.mdpi.com/2076-3417/13/21/11882>
- [56] K. Koster and M. Spann, “MIR: an approach to robust clustering-application to range image segmentation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 22, no. 5, pp. 430–444, May 2000, doi: 10.1109/34.857001.
- [57] G. Luck, “AI and Tempo Estimation: A Review,” Dec. 30, 2023, arXiv: arXiv:2401.00209. doi: 10.48550/arXiv.2401.00209.

- [58] M. S. Nagawade and V. R. Ratnaparkhe, "Musical instrument identification using MFCC," in 2017 2nd IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT), May 2017, pp. 2198–2202. doi: 10.1109/RTEICT.2017.8256990.
- [59] P. Knees and M. Schedl, "Music Retrieval and Recommendation: A Tutorial Overview," in Proceedings of the 38th International ACM SIGIR Conference on Research and Development in Information Retrieval, in SIGIR '15. New York, NY, USA: Association for Computing Machinery, Aug. 2015, pp. 1133–1136. doi: 10.1145/2766462.2767880.
- [60] S. H. Deshmukh and S. G. Bhirud, "North Indian Classical Music's Singer Identification by Timbre Recognition using MIR Toolbox," *Int. J. Comput. Appl.*, vol. 91, no. 4, pp. 1–5, Apr. 2014, doi: 10.5120/15866-4804.
- [61] J. S. Gómez-Cañón et al., "Music Emotion Recognition: Toward new, robust standards in personalized and context-sensitive applications," *IEEE Signal Process. Mag.*, vol. 38, no. 6, pp. 106–114, Nov. 2021, doi: 10.1109/MSP.2021.3106232.
- [62] L. Moysis et al., "Music Deep Learning: Deep Learning Methods for Music Signal Processing—A Review of the State-of-the-Art," *IEEE Access*, vol. 11, pp. 17031–17052, 2023, doi: 10.1109/ACCESS.2023.3244620.
- [63] S. Langari, H. Marvi, and M. Zahedi, "Efficient speech emotion recognition using modified feature extraction," *Inform. Med. Unlocked*, vol. 20, p. 100424, 2020, doi: 10.1016/j.imu.2020.100424.
- [64] L. Huang and X. Shen, "Research on Speech Emotion Recognition Based on the Fractional Fourier Transform," *Electronics*, vol. 11, no. 20, p. 3393, Oct. 2022, doi: 10.3390/electronics11203393.

- [65] M. Murugappan and S. Murugappan, "Human emotion recognition through short time Electroencephalogram (EEG) signals using Fast Fourier Transform (FFT)," in 2013 IEEE 9th International Colloquium on Signal Processing and its Applications, Mar. 2013, pp. 289–294. doi: 10.1109/CSPA.2013.6530058.
- [66] T. Mary Little Flower and T. Jaya, "Speech emotion recognition using Ramanujan Fourier Transform," *Appl. Acoust.*, vol. 201, p. 109133, Dec. 2022, doi: 10.1016/j.apacoust.2022.109133.
- [67] A. Koduru, H. B. Valiveti, and A. K. Budati, "Feature extraction algorithms to improve the speech emotion recognition rate," *Int. J. Speech Technol.*, vol. 23, no. 1, pp. 45–55, Mar. 2020, doi: 10.1007/s10772-020-09672-4.
- [68] P. T. Krishnan, A. N. Joseph Raj, and V. Rajangam, "Emotion classification from speech signal based on empirical mode decomposition and non-linear features: Speech emotion recognition," *Complex Intell. Syst.*, vol. 7, no. 4, pp. 1919–1934, Aug. 2021, doi: 10.1007/s40747-021-00295-z.
- [69] K. Wang, N. An, B. N. Li, Y. Zhang, and L. Li, "Speech Emotion Recognition Using Fourier Parameters," *IEEE Trans. Affect. Comput.*, vol. 6, no. 1, pp. 69–75, Jan. 2015, doi: 10.1109/TAFFC.2015.2392101.
- [70] S. Kapoor and T. Kumar, "Detecting emotion change instant in speech signal using spectral patterns in pitch coherent single frequency filtering spectrogram," *Expert Syst. Appl.*, vol. 232, p. 120882, Dec. 2023, doi: 10.1016/j.eswa.2023.120882.
- [71] "Spleeter- A TensorFlow Based Python Library." Accessed: Dec. 29, 2024. [Online]. Available: <https://www.habilelabs.io/blog/spleeter-a-tensorflow-based-python-library>

- [72] “How can you clean data from audio sources?” Accessed: Dec. 30, 2024. [Online]. Available: <https://www.linkedin.com/advice/0/how-can-you-clean-data-from-audio-sources-skills-data-mining-qc5af>
- [73] “What is the best way to validate audio data for data analytics?” Accessed: Dec. 30, 2024. [Online]. Available: <https://www.linkedin.com/advice/0/what-best-way-validate-audio-data-analytics-skills-data-analytics-cavnf>
- [74] V. Franzoni, G. Biondi, and A. Milani, “Emotional Crowd Sound.” IEEE DataPort, Feb. 25, 2021. doi: 10.21227/XXWY-5869.
- [75] K. Choi, G. Fazekas, K. Cho, and M. Sandler, “A Tutorial on Deep Learning for Music Information Retrieval,” May 03, 2018, arXiv: arXiv:1709.04396. doi: 10.48550/arXiv.1709.04396.
- [76] S. Koparde, V. R. Bhadgaonkar, K. N. Patil, G. N. Basutkar, and D. D. Gayke, “A Survey on Music Genre Classification using Machine Learning,” vol. 08, no. 03, 2021.
- [77] J. S. Downie, “Music Information Retrieval”.
- [78] M. Kaminskis and F. Ricci, “Contextual music information retrieval and recommendation: State of the art and challenges,” *Comput. Sci. Rev.*, vol. 6, no. 2–3, pp. 89–119, May 2012, doi: 10.1016/j.cosrev.2012.04.002.
- [79] “Build A Sentiment Analysis Model With Audio Data.” Accessed: Apr. 23, 2025. [Online]. Available: <https://geeksprogramming.com/building-a-sentiment-analysis-model-with-audio-data/>
- [80] “Mel Frequency Cepstral Coefficient - an overview | ScienceDirect Topics.” Accessed: Apr. 23, 2025. [Online]. Available: <https://www.sciencedirect.com/topics/computer-science/mel-frequency-cepstral-coefficient>

- [81] J. Yu, Y. Qu, Z. Zhang, Q. Lu, Z. Qin, and X. Liu, "Speech recognition based on concatenated acoustic feature and lightGBM model," in Twelfth International Conference on Signal Processing Systems, J. Tian, K. Mao, D. Qian, Y. Xie, and Y. Lyu, Eds., Shanghai, China: SPIE, Jan. 2021, p. 14. doi: 10.1117/12.2581426.
- [82] S. O. Arik and T. Pfister, "TabNet: Attentive Interpretable Tabular Learning," Dec. 09, 2020, arXiv: arXiv:1908.07442. doi: 10.48550/arXiv.1908.07442.
- [83] A. F. T. Martins and R. F. Astudillo, "From Softmax to Sparsemax: A Sparse Model of Attention and Multi-Label Classification," Feb. 08, 2016, arXiv: arXiv:1602.02068. doi: 10.48550/arXiv.1602.02068.
- [84] A. Dutt, "A Step By Step Implementation of Principal Component Analysis," Towards Data Science. Accessed: Apr. 23, 2025. [Online]. Available: <https://towardsdatascience.com/a-step-by-step-implementation-of-principal-component-analysis-5520cc6cd598/>
- [85] "Principal Component Analysis (PCA) Explained," Built In. Accessed: Apr. 23, 2025. [Online]. Available: <https://builtin.com/data-science/step-step-explanation-principal-component-analysis>
- [86] A. Meyer-Baese and V. Schmid, "Chapter 7 - Foundations of Neural Networks," in Pattern Recognition and Signal Analysis in Medical Imaging (Second Edition), A. Meyer-Baese and V. Schmid, Eds., Oxford: Academic Press, 2014, pp. 197–243. doi: 10.1016/B978-0-12-409545-8.00007-8.
- [87] V. S. K, S. P. G, M. K. K, P. K. K, and A. K S, "Enhancing Speech Audio Emotion Recognition for Diverse Feature Analysis through MLP Classifier," in 2024 International Conference on Cognitive Robotics and Intelligent

- Systems (ICC - ROBINS), Apr. 2024, pp. 656–662. doi: 10.1109/ICC-ROBINS60238.2024.10533912.
- [88] A. K. S. Lenson and G. Airlangga, “Comparative Analysis of MLP, CNN, and RNN Models in Automatic Speech Recognition: Dissecting Performance Metric,” *Bul. Ilm. Sarj. Tek. Elektro*, vol. 5, no. 4, pp. 576–583, Jan. 2024, doi: 10.12928/biste.v5i4.9668.
- [89] Z. Zhao et al., “Steering Language Model to Stable Speech Emotion Recognition via Contextual Perception and Chain of Thought,” Feb. 25, 2025, arXiv: arXiv:2502.18186. doi: 10.48550/arXiv.2502.18186.
- [90] S. Dutta and S. Ganapathy, “Leveraging Content and Acoustic Representations for Speech Emotion Recognition,” Dec. 17, 2024, arXiv: arXiv:2409.05566. doi: 10.48550/arXiv.2409.05566.
- [91] J. Chen, J. Fang, Y. Zheng, Y. Wang, and H. Fei, “Qieemo: Speech Is All You Need in the Emotion Recognition in Conversations,” Mar. 05, 2025, arXiv: arXiv:2503.22687. doi: 10.48550/arXiv.2503.22687.
- [92] O. Rainio, J. Teuho, and R. Klén, “Evaluation metrics and statistical tests for machine learning,” *Sci. Rep.*, vol. 14, no. 1, p. 6086, Mar. 2024, doi: 10.1038/s41598-024-56706-x.
- [93] G. S. Handelman et al., “Peering Into the Black Box of Artificial Intelligence: Evaluation Metrics of Machine Learning Methods,” *Am. J. Roentgenol.*, vol. 212, no. 1, pp. 38–43, Jan. 2019, doi: 10.2214/AJR.18.20224.
- [94] “Understanding Precision, Recall, and F1 Score Metrics | by Piyush Kashyap | Medium.” Accessed: Apr. 25, 2025. [Online]. Available: <https://medium.com/@piyushkashyap045/understanding-precision-recall-and-f1-score-metrics-ea219b908093>