

REFERENCES

- [1] K. Calvin *et al.*, “IPCC, 2023: Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, H. Lee and J. Romero (eds.)]. IPCC, Geneva, Switzerland,,” Intergovernmental Panel on Climate Change (IPCC), July 2023. doi: 10.59327/IPCC/AR6-9789291691647.
- [2] International Energy Agency (IEA), Global Energy Review 2025. Paris: IEA, Mar. 24, 2025. [Online]. Available: <https://www.iea.org/reports/global-energy-review-2025>.
- [3] International Energy Agency (IEA), Global EV Outlook 2025. Paris: IEA, 2025. [Online]. Available: <https://www.iea.org/reports/global-ev-outlook-2025>.
- [4] M. K. Anser, S. Ali, M. Umair, R. Javid, and M. Tayab, “Optimizing hydrogen integration in vehicle fuel systems for sustainable development: A step towards economic decarbonization,” *Int. J. Hydrog. Energy*, vol. 98, pp. 321–333, Jan. 2025, doi: 10.1016/j.ijhydene.2024.12.009.
- [5] A. Boretta, “Hydrogen internal combustion engines to 2030,” *Int. J. Hydrog. Energy*, vol. 45, no. 43, pp. 23692–23703, Sept. 2020, doi: 10.1016/j.ijhydene.2020.06.022.
- [6] K. Senecal and F. Leach, *Racing toward zero: the untold story of driving green*. Warrendale: SAE International, 2021.
- [7] Y. He, Y. Zhou, Z. Wang, J. Liu, Z. Liu, and G. Zhang, “Quantification on fuel cell degradation and techno-economic analysis of a hydrogen-based grid-interactive residential energy sharing network with fuel-cell-powered vehicles,” *Appl. Energy*, vol. 303, p. 117444, Dec. 2021, doi: 10.1016/j.apenergy.2021.117444.
- [8] J. Li, J. Gao, G. Tian, C. Ma, and S. Xing, “An effective approach of dropping the backfire possibilities of a hydrogen-fuelled opposed rotary piston engine,” *Energy Sci. Eng.*, vol. 9, no. 8, pp. 1061–1067, Aug. 2021, doi: 10.1002/ese3.893.
- [9] K. Naseem *et al.*, “Essential parts of hydrogen economy: Hydrogen production, storage, transportation and application,” *Renew. Sustain. Energy Rev.*, vol. 210, p. 115196, Mar. 2025, doi: 10.1016/j.rser.2024.115196.
- [10] H. Wei *et al.*, “Experimental study of thermal efficiency and NO_x emission of turbocharged direct injection hydrogen engine based on a high injection pressure,” *Int. J. Hydrog. Energy*, vol. 48, no. 34, pp. 12905–12916, Apr. 2023, doi: 10.1016/j.ijhydene.2022.12.031.
- [11] K. Naganuma *et al.*, “Efficiency and Emissions-Optimized Operating Strategy of a High-pressure Direct Injection Hydrogen Engine for Heavy-duty Trucks,” *SAE Int. J. Engines*, vol. 2, no. 2, pp. 132–140, Nov. 2009, doi: 10.4271/2009-01-2683.

- [12] H. Park, J. Lee, S. Oh, C. Kim, Y. Park, and D. Yoo, "Strategies of hydrogen-air mixture formation for suppressing backfire, pre-ignition, and knock in full-load operations of hydrogen heavy-duty engines," *Energy*, vol. 326, p. 136343, July 2025, doi: 10.1016/j.energy.2025.136343.
- [13] J. Gao, X. Wang, P. Song, G. Tian, and C. Ma, "Review of the backfire occurrences and control strategies for port hydrogen injection internal combustion engines," *Fuel*, vol. 307, p. 121553, Jan. 2022, doi: 10.1016/j.fuel.2021.121553.
- [14] P. Xu *et al.*, "Effects of direct water injection on engine performance in engine fueled with hydrogen at varied excess air ratios and spark timing," *Fuel*, vol. 269, p. 117209, June 2020, doi: 10.1016/j.fuel.2020.117209.
- [15] M. Younkins, M. Wooldridge, and B. Boyer, "Direct In-cylinder Injection of Water into a PI Hydrogen Engine," presented at the SAE 2013 World Congress & Exhibition, Apr. 2013, pp. 2013-01-0227. doi: 10.4271/2013-01-0227.
- [16] S. Verhelst, P. Maesschalck, N. Rombaut, and R. Sierens, "Increasing the power output of hydrogen internal combustion engines by means of supercharging and exhaust gas recirculation," *Int. J. Hydrog. Energy*, vol. 34, no. 10, pp. 4406–4412, May 2009, doi: 10.1016/j.ijhydene.2009.03.037.
- [17] C. Park, W. Park, Y. Kim, Y. Choi, and B. Lim, "Effect of Valve Timing and Excess Air Ratio on Torque in Hydrogen-Fueled Internal Combustion Engine for UAV," *Energies*, vol. 12, no. 5, p. 771, Feb. 2019, doi: 10.3390/en12050771.
- [18] T. C. Huynh, J. K. Kang, K. C. Noh, J. T. Lee, and J. A. Caton, "Controlling Backfire Using Changes of the Valve Overlap Period for a Hydrogen-Fueled Engine Using an External Mixture," in *ASME 2007 Internal Combustion Engine Division Fall Technical Conference*, Charleston, South Carolina, USA: ASMEDC, Jan. 2007, pp. 243–251. doi: 10.1115/ICEF2007-1702.
- [19] K.-J. Lee, T. C. Huynh, and J.-T. Lee, "A study on realization of high performance without backfire in a hydrogen-fueled engine with external mixture," *Int. J. Hydrog. Energy*, vol. 35, no. 23, pp. 13078–13087, Dec. 2010, doi: 10.1016/j.ijhydene.2010.04.078.
- [20] J. Lee, C. Park, Y. Kim, Y. Choi, J. Bae, and B. Lim, "Effect of turbocharger on performance and thermal efficiency of hydrogen-fueled spark ignition engine," *Int. J. Hydrog. Energy*, vol. 44, no. 8, pp. 4350–4360, Feb. 2019, doi: 10.1016/j.ijhydene.2018.12.113.
- [21] Q. Luo *et al.*, "Experimental investigation of combustion characteristics and NOx emission of a turbocharged hydrogen internal combustion engine," *Int. J. Hydrog. Energy*, vol. 44, no. 11, pp. 5573–5584, Feb. 2019, doi: 10.1016/j.ijhydene.2018.08.184.
- [22] A. Marwaha and K. A. Subramanian, "Experimental investigation on backfire occurrence, duration and termination in a hydrogen-fueled automotive spark

- ignition engine,” *Process Saf. Environ. Prot.*, vol. 189, pp. 322–342, Sept. 2024, doi: 10.1016/j.psep.2024.06.091.
- [23] G. Xin *et al.*, “Monitoring of hydrogen-fueled engine backfires using dual manifold absolute pressure sensors,” *Int. J. Hydrog. Energy*, vol. 47, no. 26, pp. 13134–13142, Mar. 2022, doi: 10.1016/j.ijhydene.2022.02.042.
- [24] Y. Lu, J. Que, M. Liu, H. Zhao, and L. Feng, “Study on backfire characteristics of port fuel injection single-cylinder hydrogen internal combustion engine,” *Appl. Energy*, vol. 364, p. 123110, June 2024, doi: 10.1016/j.apenergy.2024.123110.
- [25] C. H. Byun, J. T. Lee, and O. C. Kwon, “An experimental study on the backfire occurrence and combustion stabilization of high-efficiency hydrogen-fueled free-piston linear power systems,” *Int. J. Hydrog. Energy*, vol. 47, no. 46, pp. 20276–20287, May 2022, doi: 10.1016/j.ijhydene.2022.04.144.
- [26] M. Laignel, R. Oung, J.-M. Neveu, A. Vucher, E. Rieser, and F. Foucher, “H₂ efficient and near zero emissions operation on a SI PFI heavy duty single cylinder engine,” *Int. J. Hydrog. Energy*, vol. 128, pp. 105–116, May 2025, doi: 10.1016/j.ijhydene.2025.04.120.
- [27] J. Lee, K. Lee, J. Lee, and B. Anh, “High power performance with zero NO_x emission in a hydrogen-fueled spark ignition engine by valve timing and lean boosting,” *Fuel*, vol. 128, pp. 381–389, July 2014, doi: 10.1016/j.fuel.2014.03.010.
- [28] D. Nguyen, Y. Choi, C. Park, Y. Kim, and J. Lee, “Effect of supercharger system on power enhancement of hydrogen-fueled spark-ignition engine under low-load condition,” *Int. J. Hydrog. Energy*, vol. 46, no. 9, pp. 6928–6936, Feb. 2021, doi: 10.1016/j.ijhydene.2020.11.144.
- [29] H. Gürbüz and İ. H. Akçay, “Evaluating the effects of boosting intake-air pressure on the performance and environmental-economic indicators in a hydrogen-fueled SI engine,” *Int. J. Hydrog. Energy*, vol. 46, no. 56, pp. 28801–28810, Aug. 2021, doi: 10.1016/j.ijhydene.2021.06.099.
- [30] J. P. Silveira, J. L. S. Fagundes, R. A. Garlet, M. E. S. Martins, N. P. G. Salau, and T. D. M. LanzaNova, “Hydrogen-fueled PFI SI engine investigation for near-zero NO_x emissions in de-throttled and supercharged ultra-lean burn conditions,” *Int. J. Hydrog. Energy*, vol. 91, pp. 800–813, Nov. 2024, doi: 10.1016/j.ijhydene.2024.10.198.
- [31] F. Lai, B. Sun, G. Xiao, Q. Luo, and L. Bao, “Research on optimizing turbo-matching of a large-displacement PFI hydrogen engine to achieve high-power performance,” *Int. J. Hydrog. Energy*, vol. 48, no. 97, pp. 38508–38520, Dec. 2023, doi: 10.1016/j.ijhydene.2023.06.104.

- [32] K. Wittek, V. Cogo, and G. Prante, “Full load optimization of a hydrogen fuelled industrial engine,” *Int. J. Hydrog. Energy*, vol. 77, pp. 230–243, Aug. 2024, doi: 10.1016/j.ijhydene.2024.06.198.
- [33] S. Jilakara *et al.*, “An Experimental Study of Turbocharged Hydrogen Fuelled Internal Combustion Engine,” *SAE Int. J. Engines*, vol. 8, no. 1, pp. 314–325, Jan. 2015, doi: 10.4271/2015-26-0051.
- [34] J. Kim and S. Rajoo, “A Numerical Study on Turbocharging System for PFI-SI Type Hydrogen Combustion Engine,” presented at the 15th International Conference on Engines & Vehicles, Sept. 2021, pp. 2021-24-0094. doi: 10.4271/2021-24-0094.
- [35] M. Canakci and R. D. Reitz, “Effect of Optimization Criteria on Direct-Injection Homogeneous Charge Compression Ignition Gasoline Engine Performance and Emissions Using Fully Automated Experiments and Microgenetic Algorithms,” *J. Eng. Gas Turbines Power*, vol. 126, no. 1, pp. 167–177, Jan. 2004, doi: 10.1115/1.1635395.
- [36] A. Jose, D. Probst, and M. Biware, “A Machine Learning Approach for Hydrogen Internal Combustion (H2ICE) Mixture Preparation,” presented at the Symposium on International Automotive Technology, Pune, India, Jan. 2024, pp. 2024-26-0254. doi: 10.4271/2024-26-0254.
- [37] A. A. Moiz *et al.*, “A Machine Learning-Genetic Algorithm (ML-GA) Approach for Rapid Optimization Using High-Performance Computing,” *SAE Int. J. Commer. Veh.*, vol. 11, no. 5, pp. 291–306, Apr. 2018, doi: 10.4271/2018-01-0190.
- [38] Y. Pei *et al.*, “CFD-Guided Combustion System Optimization of a Gasoline Range Fuel in a Heavy-Duty Compression Ignition Engine Using Automatic Piston Geometry Generation and a Supercomputer,” *SAE Int. J. Adv. Curr. Pract. Mobil.*, vol. 1, no. 1, pp. 166–179, Jan. 2019, doi: 10.4271/2019-01-0001.
- [39] H.-W. Ge, Y. Shi, R. D. Reitz, D. D. Wickman, and W. Willems, “Optimization of a HSDI Diesel Engine for Passenger Cars Using a Multi-Objective Genetic Algorithm and Multi-Dimensional Modeling,” *SAE Int. J. Engines*, vol. 2, no. 1, pp. 691–713, Apr. 2009, doi: 10.4271/2009-01-0715.
- [40] C. Kavuri and S. L. Kokjohn, “Exploring the potential of machine learning in reducing the computational time/expense and improving the reliability of engine optimization studies,” *Int. J. Engine Res.*, vol. 21, no. 7, pp. 1251–1270, Sept. 2020, doi: 10.1177/1468087418808949.
- [41] K. I. Wong, P. K. Wong, C. S. Cheung, and C. M. Vong, “Modeling and optimization of biodiesel engine performance using advanced machine learning methods,” *Energy*, vol. 55, pp. 519–528, June 2013, doi: 10.1016/j.energy.2013.03.057.

- [42] O. Owoyele, P. Pal, and A. Vidal Torreira, "An Automated Machine Learning-Genetic Algorithm Framework With Active Learning for Design Optimization," *J. Energy Resour. Technol.*, vol. 143, no. 8, p. 082305, Aug. 2021, doi: 10.1115/1.4050489.
- [43] O. Owoyele *et al.*, "Application of an automated machine learning-genetic algorithm (AutoML-GA) coupled with computational fluid dynamics simulations for rapid engine design optimization," *Int. J. Engine Res.*, vol. 23, no. 9, pp. 1586–1601, Sept. 2022, doi: 10.1177/14680874211023466.
- [44] D. E. Goldberg and D. E. Goldberg, *Genetic algorithms in search, optimization, and machine learning*, 30. print. Boston: Addison-Wesley, 2012.
- [45] J. Kennedy' and R. Eberhart, "Particle Swarm Optimization".
- [46] D. M. Probst, P. K. Senecal, P. Z. Qian, M. X. Xu, and B. P. Leyde, "Optimization and Uncertainty Analysis of a Diesel Engine Operating Point Using CFD," in *ASME 2016 Internal Combustion Engine Division Fall Technical Conference*, Greenville, South Carolina, USA: American Society of Mechanical Engineers, Oct. 2016, p. V001T06A009. doi: 10.1115/ICEF2016-9345.
- [47] P. Karra and S.-C. Kong, "Application of Particle Swarm Optimization for Diesel Engine Performance Optimization," presented at the SAE 2010 World Congress & Exhibition, Apr. 2010, pp. 2010-01–1258. doi: 10.4271/2010-01-1258.
- [48] N. Metropolis and S. Ulam, "The Monte Carlo Method," *J. Am. Stat. Assoc.*, vol. 44, no. 247, pp. 335–341, Sept. 1949, doi: 10.1080/01621459.1949.10483310.
- [49] L. Breiman, "Random Forests," *Mach. Learn.*, vol. 45, no. 1, pp. 5–32, Oct. 2001, doi: 10.1023/A:1010933404324.
- [50] H. Drucker, C. J. C. Burges, L. Kaufman, A. Smola, and V. Vapnik, "Support Vector Regression Machines," in *Advances in Neural Information Processing Systems*, M. C. Mozer, M. Jordan, and T. Petsche, Eds., MIT Press, 1996. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/1996/file/d38901788c533e8286cb6400b40b386d-Paper.pdf
- [51] A. E. Hoerl and R. W. Kennard, "Ridge Regression: Biased Estimation for Nonorthogonal Problems," *Technometrics*, vol. 12, no. 1, pp. 55–67, Feb. 1970, doi: 10.1080/00401706.1970.10488634.
- [52] T. Chen and C. Guestrin, "XGBoost: A Scalable Tree Boosting System," in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, San Francisco California USA: ACM, Aug. 2016, pp. 785–794. doi: 10.1145/2939672.2939785.
- [53] T. Cover and P. Hart, "Nearest neighbor pattern classification," *IEEE Trans. Inf. Theory*, vol. 13, no. 1, pp. 21–27, Jan. 1967, doi: 10.1109/TIT.1967.1053964.

- [54] S. S. Haykin, *Neural networks: a comprehensive foundation*, Nachdr. New York, NY: Macmillan [u.a.], 1995.
- [55] C. L. Lawson and R. J. Hanson, *Solving least squares problems*. in Classics in applied mathematics, no. 15. Philadelphia: SIAM, 1995.
- [56] J. C. Helton and F. J. Davis, “Latin hypercube sampling and the propagation of uncertainty in analyses of complex systems,” *Reliab. Eng. Syst. Saf.*, vol. 81, no. 1, pp. 23–69, July 2003, doi: 10.1016/S0951-8320(03)00058-9.
- [57] C. E. Rasmussen and C. K. I. Williams, *Gaussian processes for machine learning*, 3. print. in Adaptive computation and machine learning. Cambridge, Mass.: MIT Press, 2008.
- [58] P. K. Wong, K. I. Wong, C. M. Vong, and C. S. Cheung, “Modeling and optimization of biodiesel engine performance using kernel-based extreme learning machine and cuckoo search,” *Renew. Energy*, vol. 74, pp. 640–647, Feb. 2015, doi: 10.1016/j.renene.2014.08.075.
- [59] G.-B. Huang, Q.-Y. Zhu, and C.-K. Siew, “Extreme learning machine: Theory and applications,” *Neurocomputing*, vol. 70, no. 1–3, pp. 489–501, Dec. 2006, doi: 10.1016/j.neucom.2005.12.126.
- [60] J. A. K. Suykens, J. Vandewalle, and B. De Moor, “Optimal control by least squares support vector machines,” *Neural Netw.*, vol. 14, no. 1, pp. 23–35, Jan. 2001, doi: 10.1016/S0893-6080(00)00077-0.
- [61] J. Moody and C. J. Darken, “Fast Learning in Networks of Locally-Tuned Processing Units,” *Neural Comput.*, vol. 1, no. 2, pp. 281–294, June 1989, doi: 10.1162/neco.1989.1.2.281.
- [62] J. Sacks, W. J. Welch, T. J. Mitchell, and H. P. Wynn, “Design and Analysis of Computer Experiments,” *Stat. Sci.*, vol. 4, no. 4, Nov. 1989, doi: 10.1214/ss/1177012413.
- [63] O. Owoyele and P. Pal, “A novel machine learning-based optimization algorithm (ActivO) for accelerating simulation-driven engine design,” *Appl. Energy*, vol. 285, p. 116455, Mar. 2021, doi: 10.1016/j.apenergy.2021.116455.
- [64] Q. Zhang, R. M. Ogren, and S.-C. Kong, “Application of Improved Artificial Bee Colony Algorithm to the Parameter Optimization of a Diesel Engine With Pilot Fuel Injections,” *J. Eng. Gas Turbines Power*, vol. 139, no. 11, p. 112801, Nov. 2017, doi: 10.1115/1.4036766.
- [65] Sandia National Laboratories. “Sandia National Laboratories,” 2025. [Online]. Available: <https://www.sandia.gov/>.
- [66] “Engine Combustion Network (ECN),” Sandia National Laboratories, 2025. [Online]. Available: <https://ecn.sandia.gov/>.

- [67] “Hydrogen Engine,” Engine Combustion Network, Sandia National Laboratories, 2025. [Online]. Available: <https://ecn.sandia.gov/engines/hydrogen-engine/>.
- [68] R. Scarcelli, T. Wallner, N. Matthias, V. Salazar, and S. Kaiser, “Numerical and Optical Evolution of Gaseous Jets in Direct Injection Hydrogen Engines,” presented at the SAE 2011 World Congress & Exhibition, Apr. 2011, pp. 2011-01-0675. doi: 10.4271/2011-01-0675.
- [69] A. Barbato and G. Cantore, “3D CFD simulation of a gaseous fuel injection in a hydrogen-fueled internal combustion engine,” *E3S Web Conf.*, vol. 312, p. 07001, 2021, doi: 10.1051/e3sconf/202131207001.
- [70] B. Wu, R. Torelli, and Y. Pei, “Numerical modeling of hydrogen mixing in a direct-injection engine fueled with gaseous hydrogen,” *Fuel*, vol. 341, p. 127725, June 2023, doi: 10.1016/j.fuel.2023.127725.
- [71] Richards, K. J., Senecal, P. K., and Pomraning, E., CONVERGE v4.1, Convergent Science, Madison, WI (2024).
- [72] Richards, K. J., Senecal, P. K., and Pomraning, E., CONVERGE 4 Manual, Convergent Science, Madison, WI (2024).
- [73] V. Yakhot and S. A. Orszag, “Renormalization group analysis of turbulence. I. Basic theory,” *J. Sci. Comput.*, vol. 1, no. 1, pp. 3–51, 1986, doi: 10.1007/BF01061452.
- [74] A. C. Hindmarsh *et al.*, “SUNDIALS: Suite of nonlinear and differential/algebraic equation solvers,” *ACM Trans. Math. Softw.*, vol. 31, no. 3, pp. 363–396, Sept. 2005, doi: 10.1145/1089014.1089020.
- [75] S. R. Turns, *An introduction to combustion: concepts and applications*, 3rd ed. New York: McGraw-Hill, 2012.
- [76] S. Dong *et al.*, “A new detailed kinetic model for surrogate fuels: C3MechV3.3,” *Appl. Energy Combust. Sci.*, vol. 9, p. 100043, Mar. 2022, doi: 10.1016/j.jaecs.2021.100043.
- [77] J. B. Heywood, *Internal combustion engine fundamentals*. in McGraw-Hill series in mechanical engineering. New York: McGraw-Hill, 1988.
- [78] B. E. Launder and D. B. Spalding, “The numerical computation of turbulent flows,” *Comput. Methods Appl. Mech. Eng.*, vol. 3, no. 2, pp. 269–289, Mar. 1974, doi: 10.1016/0045-7825(74)90029-2.
- [79] A. Broatch, P. Olmeda, X. Margot, and J. Escalona, “New approach to study the heat transfer in internal combustion engines by 3D modelling,” *Int. J. Therm. Sci.*, vol. 138, pp. 405–415, Apr. 2019, doi: 10.1016/j.ijthermalsci.2019.01.006.
- [80] “Converge Horizon,” Convergent Science LLC. [Online]. Available: <https://convergecfcd.com/products/horizon>. [Accessed: Oct. 13, 2025].

- [81] M. J. Van Der Laan, E. C. Polley, and A. E. Hubbard, “Super Learner,” *Stat. Appl. Genet. Mol. Biol.*, vol. 6, no. 1, Jan. 2007, doi: 10.2202/1544-6115.1309.
- [82] M. A. Hearst, S. T. Dumais, E. Osuna, J. Platt, and B. Scholkopf, “Support vector machines,” *IEEE Intell. Syst. Their Appl.*, vol. 13, no. 4, pp. 18–28, July 1998, doi: 10.1109/5254.708428.
- [83] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, no. 7553, pp. 436–444, May 2015, doi: 10.1038/nature14539.
- [84] S. Verhelst, J. Demuynck, R. Sierens, and P. Huyskens, “Impact of variable valve timing on power, emissions and backfire of a bi-fuel hydrogen/gasoline engine,” *Int. J. Hydrog. Energy*, vol. 35, no. 9, pp. 4399–4408, May 2010, doi: 10.1016/j.ijhydene.2010.02.022.
- [85] B. Nagalingam, M. Dübel, and K. Schmillen, “Performance of the Supercharged Spark Ignition Hydrogen Engine,” presented at the 1983 SAE International Fall Fuels and Lubricants Meeting and Exhibition, Oct. 1983, p. 831688. doi: 10.4271/831688.
- [86] K. Deb, “Multi-objective Optimisation Using Evolutionary Algorithms: An Introduction,” in *Multi-objective Evolutionary Optimisation for Product Design and Manufacturing*, L. Wang, A. H. C. Ng, and K. Deb, Eds., London: Springer London, 2011, pp. 3–34. doi: 10.1007/978-0-85729-652-8_1.