

REFERENCES

- [1] K. Miao, W. Wang, R. Hu, L. Zhang, Y. Zhang, X. Wang, and F. Nian, “Multimodal semisupervised deep graph learning for automatic precipitation nowcasting,” *Mathematical Problems in Engineering*, vol. 2020, pp. 1–9, 10 2020.
- [2] V. Bouget, D. Béréziat, J. Brajard, A. Charantonis, and A. Filoche, “Fusion of rain radar images and wind forecasts in a deep learning model applied to rain nowcasting,” *Remote Sensing*, vol. 13, no. 2, 2021. [Online]. Available: <https://www.mdpi.com/2072-4292/13/2/246>
- [3] A. Rai, “Explainable ai: From black box to glass box,” *Journal of the Academy of Marketing Science*, vol. 48, pp. 137–141, 2020.
- [4] S. Agrawal, L. Barrington, C. Bromberg, J. Burge, C. Gazen, and J. Hickey, “Machine learning for precipitation nowcasting from radar images,” *CoRR*, vol. abs/1912.12132, 2019. [Online]. Available: <http://arxiv.org/abs/1912.12132>
- [5] K. Abhishek and D. Kamath, “Attribution-based xai methods in computer vision: A review,” *arXiv preprint arXiv:2211.14736*, 2022.
- [6] J. Zhao, L. Wang, H. Yang, P. Wu, B. Wang, C. Pan, and Y. Wu, “A land cover classification method for high-resolution remote sensing images based on ndvi deep learning fusion network,” *Remote Sensing*, vol. 14, no. 21, 2022. [Online]. Available: <https://www.mdpi.com/2072-4292/14/21/5455>
- [7] F. Weilandt, R. Behling, R. Goncalves, A. Madadi, L. Richter, T. Sanona, D. Spengler, and J. Welsch, “Early crop classification via multi-modal satellite data fusion and temporal attention,” *Remote Sensing*, vol. 15, no. 3, 2023. [Online]. Available: <https://www.mdpi.com/2072-4292/15/3/799>
- [8] X. Bai, X. Wang, X. Liu, Q. Liu, J. Song, N. Sebe, and B. Kim, “Explainable deep learning for efficient and robust pattern recognition: A survey of recent developments,” *Pattern Recognition*, vol. 120, p. 108102, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0031320321002892>
- [9] X. Shi, Z. Chen, H. Wang, D.-Y. Yeung, W. K. Wong, and W.-c. WOO, “Convolutional lstm network: A machine learning approach for precipitation nowcasting,” 06 2015.

- [10] L. Alfieri, P. Salamon, F. Pappenberger, F. Wetterhall, and J. Thielen, “Operational early warning systems for water-related hazards in europe,” *Environmental Science and Policy*, vol. 21, pp. 35–49, 2012. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1462901112000457>
- [11] D. Nerini, “Ensemble precipitation nowcasting: limits to prediction, localization and seamless blending,” Ph.D. dissertation, 09 2019.
- [12] H. Sharif, D. Yates, R. Roberts, and C. Mueller, “The use of an automated now-casting system to forecast flash floods in an urban watershed,” *Journal of Hydrometeorology - J HYDROMETEOROL*, vol. 7, 02 2006.
- [13] L. J. Speight, M. D. Cranston, C. J. White, and L. Kelly, “Operational and emerging capabilities for surface water flood forecasting,” *WIREs Water*, vol. 8, no. 3, p. e1517, 2021. [Online]. Available: <https://wires.onlinelibrary.wiley.com/doi/abs/10.1002/wat2.1517>
- [14] X. Shi, Z. Gao, L. Lausen, H. Wang, D.-Y. Yeung, W.-k. Wong, and W.-c. Woo, “Deep learning for precipitation nowcasting: A benchmark and a new model,” 2017. [Online]. Available: <https://arxiv.org/abs/1706.03458>
- [15] S. Ravuri, K. Lenc, M. Willson, D. Kangin, R. Lam, P. Mirowski, M. Fitzsimons, M. Athanassiadou, S. Kashem, S. Madge, R. Prudden, A. Mandhane, A. Clark, A. Brock, K. Simonyan, R. Hadsell, N. Robinson, E. Clancy, A. Arribas, and S. Mohamed, “Skilful precipitation nowcasting using deep generative models of radar,” *Nature*, vol. 597, pp. 672–677, 09 2021.
- [16] X. Ferrer, T. Van Nuenen, J. M. Such, M. Coté, and N. Criado, “Bias and discrimination in ai: a cross-disciplinary perspective,” *IEEE Technology and Society Magazine*, vol. 40, no. 2, pp. 72–80, 2021.
- [17] D. Shin, “The effects of explainability and causability on perception, trust, and acceptance: Implications for explainable ai,” *International Journal of Human-Computer Studies*, vol. 146, p. 102551, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1071581920301531>
- [18] Sep 2023. [Online]. Available: <https://miro.com/blog/how-to-use-a-decision-tree/>
- [19] M. Ivanovs, R. Kadikis, and K. Ozols, “Perturbation-based methods for explaining deep neural networks: A survey,” *Pattern Recognition Letters*, vol. 150, pp. 228–234, 2021.

- [20] M. Sundararajan, A. Taly, and Q. Yan, “Axiomatic attribution for deep networks,” *CoRR*, vol. abs/1703.01365, 2017. [Online]. Available: <http://arxiv.org/abs/1703.01365>
- [21] D. Lundstrom, T. Huang, and M. Razaviyayn, “A rigorous study of integrated gradients method and extensions to internal neuron attributions,” 2022. [Online]. Available: <https://arxiv.org/abs/2202.11912>
- [22] A. Das and P. Rad, “Opportunities and challenges in explainable artificial intelligence (xai): A survey,” *ArXiv*, vol. abs/2006.11371, 2020. [Online]. Available: <https://api.semanticscholar.org/CorpusID:219965893>
- [23] A. Holzinger, A. Saranti, C. Molnar, P. Biecek, and W. Samek, *Explainable AI Methods - A Brief Overview*, 04 2022, pp. 13–38.
- [24] G. Erion, J. Janizek, P. Sturmfels, S. Lundberg, and S.-I. Lee, “Improving performance of deep learning models with axiomatic attribution priors and expected gradients,” *Nature Machine Intelligence*, vol. 3, pp. 1–12, 07 2021.
- [25] A. Kapishnikov, B. Wedin, B. N. Avci, M. Terry, S. Venugopalan, and T. Bolukbasi, “Guided integrated gradients: An adaptive path method for removing noise,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), 2021*, 2021, pp. 5050–5058. [Online]. Available: <https://arxiv.org/abs/2106.09788>
- [26] Y. Zhuo and Z. Ge, “Ig2: Integrated gradient on iterative gradient path for explainable ai,” Sep. 2023. [Online]. Available: <http://dx.doi.org/10.36227/techrxiv.24114489.v1>
- [27] A. Bhat and A. Raychowdhury, “Non-uniform interpolation in integrated gradients for low-latency explainable-ai,” *arXiv preprint arXiv:2302.11107*, 2023.
- [28] R. R. Selvaraju, M. Cogswell, A. Das, R. Vedantam, D. Parikh, and D. Batra, “Grad-cam: Visual explanations from deep networks via gradient-based localization,” in *Proceedings of the IEEE international conference on computer vision*, 2017, pp. 618–626.
- [29] M. D. Zeiler and R. Fergus, “Visualizing and understanding convolutional networks,” in *European conference on computer vision*. Springer, 2014, pp. 818–833.
- [30] L. Geddes, “Why do brits talk about the weather so much?” Feb 2022. [Online]. Available: <https://www.bbc.com/future/article/20151214-why-do-brits-talk-about-the-weather-so-much>

- [31] R. Jenkins, “British people will spend over four months of their lives talking about the weather, study says,” Aug 2018. [Online]. Available: <https://www.independent.co.uk/extras/lifestyle/british-people-time-spent-talking-weather-conversation-topic-heatwave-a8496166.html>
- [32] L. Berthomier, B. Pradel, and L. Perez, “Cloud cover nowcasting with deep learning,” in *2020 Tenth International Conference on Image Processing Theory, Tools and Applications (IPTA)*. IEEE, 2020, pp. 1–6.
- [33] P. M. James, B. K. Reichert, and D. Heizenreder, “Nowcastmix: Automatic integrated warnings for severe convection on nowcasting time scales at the german weather service,” *Weather and Forecasting*, vol. 33, no. 5, pp. 1413 – 1433, 2018. [Online]. Available: https://journals.ametsoc.org/view/journals/wefo/33/5/waf-d-18-0038_1.xml
- [34] K. Trebing, T. Stanczyk, and S. Mehrkanoon, “Smaat-unet: Precipitation nowcasting using a small attention-unet architecture,” *Pattern Recognition Letters*, vol. 145, pp. 178–186, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0167865521000556>
- [35] Y. Wang, E. Coning, A. Harou, W. Jacobs, P. Joe, L. Nikitina, R. Roberts, J. Wang, J. Wilson, A. Atencia, B. Bica, B. Brown, S. Goodmann, A. Kann, P. W. Li, I. Monterio, F. Schmid, A. Seed, and J. Sun, *Guidelines for Nowcasting Techniques*, 11 2017.
- [36] G. Franch, D. Nerini, M. Pendesini, L. Coviello, G. Jurman, and C. Furlanello, “Precipitation nowcasting with orographic enhanced stacked generalization: Improving deep learning predictions on extreme events,” *Atmosphere*, vol. 11, no. 3, 2020. [Online]. Available: <https://www.mdpi.com/2073-4433/11/3/267>
- [37] V. Lebedev, V. Ivashkin, I. Rudenko, A. Ganshin, A. Molchanov, S. Ovcharenko, R. Grokhovetskiy, I. Bushmarinov, and D. Solomentsev, “Precipitation nowcasting with satellite imagery,” in *Proceedings of the 25th ACM SIGKDD international conference on knowledge discovery & data mining*, 2019, pp. 2680–2688.
- [38] Y. Choi, K. Cha, M. Back, H. Choi, and T. Jeon, “Rain-f+: The data-driven precipitation prediction model for integrated weather observations,” *Remote Sensing*, vol. 13, no. 18, 2021. [Online]. Available: <https://www.mdpi.com/2072-4292/13/18/3627>

- [39] A. Kumar, T. Islam, Y. Sekimoto, C. Mattmann, and B. Wilson, “Convcast: An embedded convolutional lstm based architecture for precipitation nowcasting using satellite data,” *PLOS ONE*, vol. 15, p. e0230114, 03 2020.
- [40] V. Ivashkin and V. Lebedev, “Spatiotemporal data fusion for precipitation nowcasting,” *arXiv preprint arXiv:1812.10915*, 2018.
- [41] Gwennaëlle Larvor, Léa Berthomier, Vincent Chabot, Brice Le Pape, Bruno Pradel, and Lior Perez, “MeteoNet, an open reference weather dataset by METEO FRANCE, 2020.” [Online]. Available: <https://www.kaggle.com/datasets/katerpillar/meteonet>
- [42] J. W. Wilson, N. A. Crook, C. K. Mueller, J. Sun, and M. Dixon, “Nowcasting thunderstorms: A status report,” *Bulletin of the American Meteorological Society*, vol. 79, no. 10, pp. 2079 – 2100, 1998. [Online]. Available: https://journals.ametsoc.org/view/journals/bams/79/10/1520-0477_1998_079_2079_ntasr_2_0_co_2.xml
- [43] J. Handwerker, “Cell tracking with trace3d—a new algorithm,” *Atmospheric Research*, vol. 61, no. 1, pp. 15–34, 2002. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0169809501001004>
- [44] J. T. Johnson, P. L. MacKeen, A. Witt, E. D. W. Mitchell, G. J. Stumpf, M. D. Eilts, and K. W. Thomas, “The storm cell identification and tracking algorithm: An enhanced wrs-88d algorithm,” *Weather and Forecasting*, vol. 13, no. 2, pp. 263 – 276, 1998. [Online]. Available: https://journals.ametsoc.org/view/journals/wefo/13/2/1520-0434_1998_013_0263_tsciat_2_0_co_2.xml
- [45] N. E. Bowler, C. E. Pierce, and A. Seed, “Development of a precipitation nowcasting algorithm based upon optical flow techniques,” *Journal of Hydrology*, vol. 288, no. 1, pp. 74–91, 2004, quantitative Precipitation Forecasting II. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0022169403004591>
- [46] D. Fleet and Y. Weiss, *Optical Flow Estimation*. Boston, MA: Springer US, 2006, pp. 237–257.
- [47] J. G. Fernández and S. Mehrkanoon, “Broad-unet: Multi-scale feature learning for nowcasting tasks,” *Neural Networks*, vol. 144, pp. 419–427, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S089360802100349X>

- [48] N. Srivastava, E. Mansimov, and R. Salakhudinov, “Unsupervised learning of video representations using lstms,” in *International conference on machine learning*. PMLR, 2015, pp. 843–852.
- [49] R. Sato, H. Kashima, and T. Yamamoto, “Short-term precipitation prediction with skip-connected prednet,” in *Artificial Neural Networks and Machine Learning – ICANN 2018*, V. Kůrková, Y. Manolopoulos, B. Hammer, L. Iliadis, and I. Maglogiannis, Eds. Cham: Springer International Publishing, 2018, pp. 373–382.
- [50] O. Ronneberger, P. Fischer, and T. Brox, “U-net: Convolutional networks for biomedical image segmentation,” *CoRR*, vol. abs/1505.04597, 2015. [Online]. Available: <http://arxiv.org/abs/1505.04597>
- [51] Ashesh, B. Chen, T. Huang, B. Chen, C. Chang, and H. Lin, “Accurate and clear precipitation nowcasting with consecutive attention and rain-map discrimination,” *CoRR*, vol. abs/2102.08175, 2021. [Online]. Available: <https://arxiv.org/abs/2102.08175>
- [52] B. Yan, C. Yang, F. Chen, K. Takeda, and C. Wang, “Fdnet: A deep learning approach with two parallel cross encoding pathways for precipitation nowcasting,” *CoRR*, vol. abs/2105.02585, 2021. [Online]. Available: <https://arxiv.org/abs/2105.02585>
- [53] C. Luo, R. Ye, X. Li, Y. Ye *et al.*, “Rap-net: Region attention predictive network for precipitation nowcasting,” *arXiv preprint arXiv:2110.01035*, 2021.
- [54] D. Li, Y. Liu, and C. Chen, “Msdm v1.0: A machine learning model for precipitation nowcasting over eastern china using multisource data,” *Geoscientific Model Development*, vol. 14, no. 6, pp. 4019–4034, 2021. [Online]. Available: <https://gmd.copernicus.org/articles/14/4019/2021/>
- [55] G. Montavon, W. Samek, and K.-R. Müller, “Methods for interpreting and understanding deep neural networks,” *Digital Signal Processing*, vol. 73, pp. 1–15, 2018. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1051200417302385>
- [56] A.-D. Pham, A. Kuestenmacher, and P. G. Ploeger, “Tsem: Temporally weighted spatiotemporal explainable neural network for multivariate time series,” *arXiv preprint arXiv:2205.13012*, 2022.
- [57] C. Seibold, J. Künzel, A. Hilsmann, and P. Eisert, “From explanations to segmentation: Using explainable ai for image segmentation,” *arXiv preprint arXiv:2202.00315*, 2022.

- [58] A. U. G. Senocak, M. T. Yilmaz, S. Kalkan, I. Yucel, and M. Amjad, “An explainable two-stage machine learning approach for precipitation forecast,” *Journal of Hydrology*, vol. 627, p. 130375, 2023. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0022169423013173>
- [59] A. Dikshit and B. Pradhan, “Interpretable and explainable ai (xai) model for spatial drought prediction,” *Science of The Total Environment*, vol. 801, p. 149797, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0048969721048725>
- [60] M. Renault and S. Mehrkanoon, “Sar-unet: Small attention residual unet for explainable nowcasting tasks,” *arXiv preprint arXiv:2303.06663*, 2023.
- [61] D. Fan, S. J. Greybush, E. E. Clothiaux, and D. J. Gagne, “Physically explainable deep learning for convective initiation nowcasting using goes-16 satellite observations,” *Artificial Intelligence for the Earth Systems*, 2024. [Online]. Available: <https://journals.ametsoc.org/view/journals/aies/aop/AIES-D-23-0098.1/AIES-D-23-0098.1.xml>
- [62] B. Zhou, A. Khosla, A. Lapedriza, A. Oliva, and A. Torralba, “Learning deep features for discriminative localization,” in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2016, pp. 2921–2929.
- [63] K. Vinogradova, A. Dibrov, and G. Myers, “Towards interpretable semantic segmentation via gradient-weighted class activation mapping (student abstract),” in *Proceedings of the AAAI conference on artificial intelligence*, vol. 34, no. 10, 2020, pp. 13 943–13 944.
- [64] Z. Ma, H. Zhang, and J. Liu, “Mm-rnn: A multimodal rnn for precipitation nowcasting,” *IEEE Transactions on Geoscience and Remote Sensing*, vol. 61, pp. 1–14, 2023.
- [65] X.-F. Zheng and H. Kong, “Rain radar and meteorological parameters fusion for precipitation nowcasting: Effect exploration and lightweight model,” in *2023 4th International Conference on Computer Vision, Image and Deep Learning (CVIDL)*, 2023, pp. 343–347.