

REFERENCES

- [1] H. Taylor and C. Famy, "Ettringite in Hydration of Portland cement Concrete and its Occurrence in Mature Concretes," *ACI Materials*, vol. 98, no. 4, pp. 350-356, 2001.
- [2] American Concrete Institute, ACI Committee 305, Hot Weather Concreting, ACI 305 R -99, American Concrete Institute, 1999.
- [3] American Concrete Institute, ACI Committee 308, Standard Specification for Curing Concrete, ACI 308.1-98, American Concrete Institute, 1998.
- [4] American Concrete Institute, ACI Committee 305, Specification for Hot Weather Concreting, ACI 305.1-06, Farmington Hills, MI 48331: American Concrete Institute, 2007.
- [5] American Society for Testing and Materials, Standard Test Method for Temperature of Freshly Mixed Portland Cement Concrete, C 1064/ C 1064M - 03, West Conshohocken: ASTM International, 2003.
- [6] R. G. Burg, "The influence of casting and curing temperature on the properties of fresh and hardened concrete," Research and Development Bulletin RD113, Portland Cement Association, Skokie, Illinois, U.S.A., 1996.
- [7] M. Nazir, O.S.B. Al-Amoudi, H J. Al-Gahtani and M. Maslehuddin, "Effect of casting temperature on strength and density of plain and blended cement concretes prepared and cured under hot weather conditions," *Construction and Building Materials*, vol. 112, pp. 529-537, Jun 2016.
- [8] M. Nazir, O.S.B. Al-Amoudi, H J. Al-Gahtani and M. Maslehuddin, "Effect of placement temperature and curing method on plastic shrinkage of plain and pozzolonic cement concrete under hot weather," *Construction and Building Materials*, vol. 152, pp. 943-953, Oct 2017.
- [9] American Concrete Institute, ACI Committee 207, Mass Concrete, ACI 207.1R-05, American Concrete Institute, 2005.

- [10] A.A. Almusallam, "Effect of environmental conditions on the properties of fresh and hardened concrete," *Cement & Concrete Composite*, vol. 23, no. 4-5, p. 353–361, Aug-Oct 2001.
- [11] A.G.F. Abbasi and A.H.J.Al-Tayyib, "Effect of hot weather on modulus of rupture and splitting tensile strength of concrete," *Cement & Concrete Research*, vol. 15, pp. 223-244, 1985.
- [12] A.G.F. Abbasi and A.H.J.Al-Tayyib, "Effect of hot weather on pulse velocity and modulus of elasticity of concrete," *Materials and Structures*, vol. 23, pp. 334-340, 1990.
- [13] Construction Industry Development Authority, Specifications for Building Works (Vol. I) – [3rd Edition (Revised)] – SCA/4/I, 2004.
- [14] Indian Standards, Code of practice for extreme weather concreting, Part 1: Recommended practice for cold weather concreting, IS 7861 (Part 1):1975, New Delhi: Bureau of Indian Standards, 1976.
- [15] The Saudi Building Code, SBC 304C, Concrete Structural Requirements Commentary, 2007.
- [16] Australian Standards, Specification and supply of concrete, AS 1379 – 2007, Standards Australia Committee BD-049, 2007.
- [17] American Society for Testing and Materials, Standard Specification for Ready-Mixed Concrete, C 94/ C 94 M -09, West Conshohocken: ASTM International, 2009.
- [18] Indian Standards, Temperature Control of Mass Concrete for Dams - Guideline, IS 14591:1999, New Delhi: Bureau of Indian Standards, 1999.
- [19] Indian Standards, Plain and Reinforced Concrete - Code of Practice, IS 456:2000, New Delhi: Bureau of Indian Standards, 2000.
- [20] Indian Standards, Code of practice for extreme weather concreting, Part 2: Recommended practice for cold weather concreting, IS 7861 (Part 2):1981, New Delhi: Bureau of Indian Standards, 1981.
- [21] Singapore Standards, Concrete – Specification, performance, production and conformity, SS EN 206-2014, 2014.

- [22] Singapore Standards, Concrete – Complementary Singapore Standard to SS EN 206-1:SS 544 : Part 2 : 2009, 2009.
- [23] JSCE Guideline for Concrete, Standard Specification for Concrete Structures-2012 “Materials and Construction”, No.16-2012, 2012.
- [24] JSCE Guideline for Concrete, Standard Specification for Concrete Structures-2007 “Materials and Construction”, No.16-2007, 2007.
- [25] British Standards Institution, Structural use of Concrete-Part 1: Code of practice for design and construction, BS 8110: Part 1: 1997, London: British Standards Institution, 1997.
- [26] British Standards Institution, Concrete-Part 3: Specification for the procedures to be used in producing and transporting concrete, BS 5328: Part 3: 1990, London: British Standards Institution, 1990.
- [27] European Committee for Standardization, Concrete – Specification, performance, production and conformity, BS EN 206: 2013, 2013.
- [28] European Committee for standardization, Concrete – Complementary British Standard to BS EN 206-Part 2: Specification for constituent materials and concrete, BS 8500-2:2015+A1:2016.
- [29] N. Ghafoori and H. Diawara, "Influence of temperature on fresh performance of self-consolidating concrete," *Construction and Building Materials*, vol. 24, no. 6, pp. 946-955, 2010.
- [30] "Plastic shrinkage cracking, CIP 5," National Ready Mixed Concrete Association, Silver Spring, MD.
- [31] G.S. Hasanain, T. A. Khallaf and K. Mahmood, "Water evaporation from freshly placed concrete surfaces in hot weather," *Cement & Concrete Research*, vol. 19, pp. 465-475, 1989..
- [32] K.T. San, Yawshu and H.S.N Aung, "Impact of mix proportions on plastic shrinkage cracking of concrete using photo processing method," *University Research Journal of Science, Engineering and Engineering Education (URJSEE)*, *Technological University (Myitkyina)*, vol. 1, pp. 38-42, 2019.

- [33] American Society for Testing and Materials, Standard Specification for Portland Cement, C 150 -07, West Conshohocken: ASTM International, 2007.
- [34] A.G.F. Abbasi, A.H.J. Al-Tayyib and M.B. Al-Ali, "Effect of hot weather on strength of reinforced concrete beams," *Cement & Concrete Composites*, vol. 14, pp. 209-221, 1992.
- [35] T. Drzymala, W. Jackiewicz-Rek, M. Tomaszewski, A. Kus, J. Galaj and R. Sukys, "Effects of high temperature on the properties of high performance concrete (HPC)," *Procedia Engineering*, vol. 172, pp. 256-263, 2017.
- [36] K. Behfarnia and M. Shahbaz, "The effect of elevated temperature on the residual tensile strength and physical properties of the alkali-activated slag concrete," , " *Journal of Building Engineering*, , vol. 20, pp. 442-454, 2018.
- [37] D. Kocab, P. Danek, P. Misak, L. Topolar and P. Possl, "Experimental analysis of the development of elastic properties and strength under different ambient temperature during the hardening of concrete," *Procedia Engineering*, vol. 195, pp. 102-107, 2017.
- [38] J. Kim, S.H. Han and Y.C. Song, "Effect of temperature and aging on the mechanical properties of concrete Part I. Experimental results," *Cement & Concrete Research*, vol. 32, no. 7, p. 1087–1094, 2002.
- [39] S. Eskandarsefat, "Investigation on the effects of mix water temperature on high-early strength cement concrete properties – An experimental work and a case study," *Journal of Building Engineering*, vol. 20, pp. 208-212, 2018.
- [40] American Concrete Institute, ACI Committee 306, "Guide to Cold Weather Concreting (ACI 306R-16)-Reported by ACI Committee 306, ACI 306R-16".
- [41] A.A. Almusallam, M. Maslehuddin, M. Abdul-Waris and M.M. Khan, "Effect of mix proportions on plastic shrinkage cracking of concrete in hot environments," *Construction and Building Materials*, vol. 12, no. 6–7, Sep, p. 353–358, 1998.
- [42] H.J. Al-Gahtani, A.G.F. Abbasi and O.S.B. Al-Amou, "Concrete mixture design for hot weather: experimental and statistical analyses," *Magazine of Concrete Research*, vol. 50, no. 2, p. 95–105, 1998.

- [43] "Curing of Concrete, Apr, 2006, Cement concrete and aggregates Australia," April 2006. [Online]. Available: <https://monier.com.pg/wp-content/uploads/2019/01/DS2006Curing.pdf>. [Accessed 22 October 2022].
- [44] American Society for Testing and Materials, Standard Practice for Making and Curing Concrete Test Specimens in the Field, C 31/ 31M -96, West Conshohocken: ASTM International, 1996.
- [45] K. Obla and F. Rodriguez, "Effect of Non Standard Curing Conditions on Strength of Concrete, National Ready Mixed Concrete Association, Silver Spring, MD,," *Concrete in focus*, pp. 57-59, 2005.
- [46] O. S. B. Al-Amoudi, M. Maslehuddin, M. Shameem and M. Ibrahim, "Shrinkage of plain and silica fume cement concrete under hot weather," *Cement & Concrete Composites*, vol. 29, no. 9, p. 690–699, 2007.
- [47] A. S. Al- Gahtani, "Effect of curing methods on the properties of plain and blended cement concretes," *Construction and Building Materials*, vol. 24, no. 3, pp. 308-314, 2010.
- [48] O.S.B. Al-Amoudi, A.A.Al-Musallam, M.M. Khan and M. Maslehuddin, "Effect of hot weather on the comprehensive strength of plain and blended cement mortars," *The Fourth Saudi Engineering Conference*, vol. 2, pp. 193-199, 1995.
- [49] P. Klieger, "Effect of mixing and curing temperature on concrete strength," *Research and Development Laboratories of the Portland Cement Association Research Department Bulletin 103, Portland Cement Association, Skokie, Illinois, U.S.A., 1958.*, vol. 54, no. 103, p. 1063, 1958.
- [50] F. Yılmaztürka, S. Kulura and B.Y. Pekmezcia, "Measurement of shrinkage in concrete samples by using digital photogrammetric methods," *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, vol. 34.
- [51] A. Sivakumar and M. Santhanam, "Experimental methodology to study plastic shrinkage cracks in high strength concrete," *Measuring, Monitoring and Modeling Concrete Properties, Netherlands*, pp. 291-296, 2006.

- [52] M. D. Newlands, K. A. Paine, N. A. Vemuri and R. K. Dhir, "A linear test method for determining early-age shrinkage of concrete," *Magazine of Concrete Research*, vol. 60, no. 10, pp. 747-757, 2008.
- [53] T.G.P.L. Weerasinghe and S.M.A. Nanayakkara, "Determination of tensile strain capacity of fresh concrete; A new test method," in *In Proceedings of 6th international conference on structural engineering and construction management*, Kandy, 2015.
- [54] American Society for testing and Materials, Standard Test Method for Evaluating Plastic Shrinkage Cracking of Restrained Fiber Reinforced Concrete (Using a Steel Form Insert), C1579 – 06, West Conshohocken: ASTM International, 2006.
- [55] P. P. Kraai, "A proposed test to determine the cracking potential due to drying shrinkage of concrete," 01 September 1985. [Online]. Available: https://www.concreteconstruction.net/how-to/materials/a-proposed-test-to-determine-the-cracking-potential-due-to-drying-shrinkage-of-concrete_o. [Accessed 08 January 2023].
- [56] British Standards Institution, Testing Concrete-Part 102: Method for determination of slump, BS 1881-102:1983, London, 1983.
- [57] British Standards Institution, Testing Concrete-Part 108: Method for making test cubes from fresh concrete, BS 1881-108:1983, London, 1983.
- [58] British Standards Institution, Testing Concrete-Part 110: Method for making test cylinders from fresh concrete, BS 1881-110:1983, London, 1983.
- [59] British Standards Institution, Testing Concrete-Part 125: Methods for mixing and sampling fresh concrete in the laboratory, BS 1881-125:1986, London, 1986.
- [60] British Standards Institution, Testing Concrete-Part 101: Method of sampling fresh concrete on site, BS 1881-101:1983, London, 1983.
- [61] T.G.P.L. Weerasinghe and S.M.A. Nanayakkara, "Modelling of early age tensile strain development of fresh concrete,," in *2016 Moratuwa Engineering Research Conference (MERCon)*, Moratuwa, Sri Lanka, 2016.

- [62] British Standards Institution, Testing Concrete-Part 117: Method for determination of tensile splitting strength, BS 1881-117:1983, London, 1983.
- [63] British Standards Institution, Testing Concrete-Part 116: Method for determination of compressive strength of concrete cubes, BS 1881-116:1983, London, 1983.