

REFERENCES

- Abiram, P. (2021). *Characteristic Analysis of Embedded Wave Barrier Material Beside the Railway Track* [BSc Thesis]. University of Moratuwa.
- Adam, D., Vogel, A., & Zimmermann, A. (2007). Ground improvement techniques beneath existing rail tracks. *Proceedings of the Institution of Civil Engineers - Ground Improvement*, 11(4), 229–235.
<https://doi.org/10.1680/grim.2007.11.4.229>
- Alves Costa, P., Calçada, R., & Silva Cardoso, A. (2012a). Ballast mats for the reduction of railway traffic vibrations. Numerical study. *Soil Dynamics and Earthquake Engineering*, 42, 137–150.
<https://doi.org/10.1016/j.soildyn.2012.06.014>
- Alves Costa, P., Calçada, R., & Silva Cardoso, A. (2012b). Ballast mats for the reduction of railway traffic vibrations. Numerical study. *Soil Dynamics and Earthquake Engineering*, 42, 137–150.
<https://doi.org/10.1016/j.soildyn.2012.06.014>
- Andersen, L., & Jones, C. J. C. (2006). Coupled boundary and finite element analysis of vibration from railway tunnels—A comparison of two- and three-dimensional models. *Journal of Sound and Vibration*, 293(3–5), 611–625.
<https://doi.org/10.1016/j.jsv.2005.08.044>
- Arachchi, S.S.L., (2023). *Investigate the Methods of Controlling the Train Induced Ground Vibrations* [BSc Thesis]. University of Moratuwa.
- Auersch, L. (2005). The excitation of ground vibration by rail traffic: Theory of vehicle–track–soil interaction and measurements on high-speed lines. *Journal of Sound and Vibration*, 284(1–2), 103–132.
<https://doi.org/10.1016/j.jsv.2004.06.017>
- Auersch, L. (2006). Two- and Three-dimensional Methods for the Assessment of Ballast Mats, Ballast Plates and Other Isolators of Railway Vibration. *The International Journal of Acoustics and Vibration*, 11(4).
<https://doi.org/10.20855/ijav.2006.11.4200>
- Auersch, L. (2021). Train-induced ground vibration due to the irregularities of the soil. *Soil Dynamics and Earthquake Engineering*, 140, 106438.
<https://doi.org/10.1016/j.soildyn.2020.106438>
- Avillez, J., Frost, M., Cawser, S., Skinner, C., El-Hamalawi, A., & Shields, P. (2012). Procedures for Estimating Environmental Impact From Railway Induced

Vibration: A Review. *ASME 2012 Noise Control and Acoustics Division Conference*, 381–392. <https://doi.org/10.1115/NCAD2012-1083>

Bahrekazemi, M. (2004). *Train-induced ground vibration and its prediction* [Doctoral disssertation]. Royal Institute of Technology.

Barbosa, J. M. D. O., Park, J., & Kausel, E. (2012). Perfectly matched layers in the thin layer method. *Computer Methods in Applied Mechanics and Engineering*, 217–220, 262–274. <https://doi.org/10.1016/j.cma.2011.12.006>

Berenger, J.-P. (1994). A perfectly matched layer for the absorption of electromagnetic waves. *Journal of Computational Physics*, 114(2), 185–200. <https://doi.org/10.1006/jcph.1994.1159>

Bettess, P., & Zienkiewicz, O. C. (1977). Diffraction and refraction of surface waves using finite and infinite elements. *International Journal for Numerical Methods in Engineering*, 11(8), 1271–1290. <https://doi.org/10.1002/nme.1620110808>

Bewes, O. G., Jakielaszek, L. J., & Richardson, M. L. (2015). An Assessment of the Effectiveness of Replacing Slab Track to Control Groundborne Noise and Vibration in Buildings above an Existing Railway Tunnel. In J. C. O. Nielsen, D. Anderson, P.-E. Gautier, M. Iida, J. T. Nelson, D. Thompson, T. Tielkes, D. A. Towers, & P. De Vos (Eds.), *Noise and Vibration Mitigation for Rail Transportation Systems* (Vol. 126, pp. 393–400). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-662-44832-8_47

Bongini, E., Muller, R., Garburg, R., & Pieringer, A. (2012). *Design guide and technology assessment of the track mitigation measures*. (Nos. SCP0-GA-2010–265754). RIVAS Project.

Cao, Z., Cai, Y., & Han, J. (2014). Mitigation of Ground Vibration Generated by High-Speed Trains on Saturated Poroelastic Ground with Under-Sleeper Pads. *Journal of Transportation Engineering*, 140(1), 12–22. [https://doi.org/10.1061/\(ASCE\)TE.1943-5436.0000610](https://doi.org/10.1061/(ASCE)TE.1943-5436.0000610)

Çati, Y., Gökçeli, S., Anil, Ö., & Korkmaz, C. S. (2020). Experimental and numerical investigation of usp for optimization of transition zone of railway. *Engineering Structures*, 209, 109971. <https://doi.org/10.1016/j.engstruct.2019.109971>

Çelebi, E., Fırat, S., & Çankaya, İ. (2006). The effectiveness of wave barriers on the dynamic stiffness coefficients of foundations using boundary element method. *Applied Mathematics and Computation*, 180(2), 683–699. <https://doi.org/10.1016/j.amc.2006.01.008>

Central Environmental Authority: Pollution Control Division (2008), Interim ABOP and Vibration Standard

Chai, S., Tian, W., Yu, L., & Wang, H. (2020). Numerical Study of Ground Vibrations Caused by Cylindrical Wave Propagation in a Rock Mass with a Structural Plane. *Shock and Vibration*, 2020, 1–9. <https://doi.org/10.1155/2020/4681932>

Chen, A., Cheng, F., Wu, D., & Tang, X. (2019). Ground vibration propagation and attenuation of vibrating compaction. *Journal of Vibroengineering*, 21(5), 1342–1352. <https://doi.org/10.21595/jve.2019.20388>

Connolly, D., Giannopoulos, A., Fan, W., Woodward, P. K., & Forde, M. C. (2013). Optimising low acoustic impedance back-fill material wave barrier dimensions to shield structures from ground borne high speed rail vibrations. *Construction and Building Materials*, 44, 557–564. <https://doi.org/10.1016/j.conbuildmat.2013.03.034>

Connolly, D., Giannopoulos, A., & Forde, M. C. (2013). Numerical modelling of ground borne vibrations from high speed rail lines on embankments. *Soil Dynamics and Earthquake Engineering*, 46, 13–19. <https://doi.org/10.1016/j.soildyn.2012.12.003>

Connolly, D. P., & Costa, P. A. (2020). Geodynamics of very high speed transport systems. *Soil Dynamics and Earthquake Engineering*, 130, 105982. <https://doi.org/10.1016/j.soildyn.2019.105982>

Connolly, D. P., Kouroussis, G., Giannopoulos, A., Verlinden, O., Woodward, P. K., & Forde, M. C. (2014). Assessment of railway vibrations using an efficient scoping model. *Soil Dynamics and Earthquake Engineering*, 58, 37–47. <https://doi.org/10.1016/j.soildyn.2013.12.003>

Connolly, D. P., Kouroussis, G., Laghrouche, O., Ho, C. L., & Forde, M. C. (2015a). Benchmarking railway vibrations – Track, vehicle, ground and building effects. *Construction and Building Materials*, 92, 64–81. <https://doi.org/10.1016/j.conbuildmat.2014.07.042>

Connolly, D. P., Kouroussis, G., Laghrouche, O., Ho, C. L., & Forde, M. C. (2015b). Benchmarking railway vibrations – Track, vehicle, ground and building effects. *Construction and Building Materials*, 92, 64–81. <https://doi.org/10.1016/j.conbuildmat.2014.07.042>

Costa, P. A., Calçada, R., & Cardoso, A. S. (2012). Influence of train dynamic modelling strategy on the prediction of track–ground vibrations induced by railway traffic. *Proceedings of the Institution of Mechanical Engineers, Part*

F: Journal of Rail and Rapid Transit, 226(4), 434–450.
<https://doi.org/10.1177/0954409711433686>

- Coulier, P., Dijckmans, A., Jiang, J., Thompson, D. J., Degrande, G., & Lombaert, G. (2015). Stiff Wave Barriers for the Mitigation of Railway Induced Vibrations. In J. C. O. Nielsen, D. Anderson, P.-E. Gautier, M. Iida, J. T. Nelson, D. Thompson, T. Tielkes, D. A. Towers, & P. De Vos (Eds.), *Noise and Vibration Mitigation for Rail Transportation Systems* (Vol. 126, pp. 539–546). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-662-44832-8_63
- Croy, I., Smith, M. G., & Waye, K. P. (2013a). Effects of train noise and vibration on human heart rate during sleep: An experimental study. *BMJ Open*, 3(5), e002655. <https://doi.org/10.1136/bmjopen-2013-002655>
- Croy, I., Smith, M. G., & Waye, K. P. (2013b). Effects of train noise and vibration on human heart rate during sleep: An experimental study. *BMJ Open*, 3(5), e002655. <https://doi.org/10.1136/bmjopen-2013-002655>
- Degrande, G., & Schillemans, L. (2001). Free Field Vibrations During the Passage of a Thalys High-Speed Train at Variable Speed. *Journal of Sound and Vibration*, 247(1), 131–144. <https://doi.org/10.1006/jsvi.2001.3718>
- Dieterman, H. A., & Metrikine, A. (1997). Critical Velocities of a Harmonic Load Moving Uniformly Along an Elastic Layer. *Journal of Applied Mechanics*, 64(3), 596–600. <https://doi.org/10.1115/1.2788934>
- Dijckmans, A., Coulier, P., Jiang, J., Toward, M. G. R., Thompson, D. J., Degrande, G., & Lombaert, G. (2015). Mitigation of railway induced ground vibration by heavy masses next to the track. *Soil Dynamics and Earthquake Engineering*, 75, 158–170. <https://doi.org/10.1016/j.soildyn.2015.04.003>
- Dominguez, J. (1993). *Boundary Elements in Dynamics*. Computational Mechanics Publications and Elsevier Applied Science.
- Dong, K., Connolly, D. P., Laghrouche, O., Woodward, P. K., & Alves Costa, P. (2019). Non-linear soil behaviour on high speed rail lines. *Computers and Geotechnics*, 112, 302–318. <https://doi.org/10.1016/j.compgeo.2019.03.028>
- Eitzenberger, A. (2008). *Train-induced Vibrations in Tunnels – A Review*. Luleå University of Technology.
- Ekevid, T., & Wiberg, N.-E. (2002). Wave propagation related to high-speed train. *Computer Methods in Applied Mechanics and Engineering*, 191(36), 3947–3964. [https://doi.org/10.1016/S0045-7825\(02\)00341-9](https://doi.org/10.1016/S0045-7825(02)00341-9)

- Erlingsson, S. (1993). *Dynamic soil analysis with an application to rock induced vibrations in Ullevi Stadium* [Ph.D. Dissertation]. Royal Institute of Technology.
- Ferro, E., Harkness, J., & Le Pen, L. (2020). The influence of sleeper material characteristics on railway track behaviour: Concrete vs composite sleeper. *Transportation Geotechnics*, 23, 100348. <https://doi.org/10.1016/j.trgeo.2020.100348>
- François, S., Schevenels, M., Galvín, P., Lombaert, G., & Degrande, G. (2010). A 2.5D coupled FE–BE methodology for the dynamic interaction between longitudinally invariant structures and a layered halfspace. *Computer Methods in Applied Mechanics and Engineering*, 199(23–24), 1536–1548. <https://doi.org/10.1016/j.cma.2010.01.001>
- François, S., Schevenels, M., Thyssen, B., Borgions, J., & Degrande, G. (2012). Design and efficiency of a composite vibration isolating screen in soil. *Soil Dynamics and Earthquake Engineering*, 39, 113–127. <https://doi.org/10.1016/j.soildyn.2012.03.007>
- Galvín, P., & Romero, A. (2014). A 3D time domain numerical model based on half-space Green’s function for soil–structure interaction analysis. *Computational Mechanics*, 53(5), 1073–1085. <https://doi.org/10.1007/s00466-013-0949-1>
- Galvín, P., Romero, A., & Domínguez, J. (2010a). Fully three-dimensional analysis of high-speed train–track–soil–structure dynamic interaction. *Journal of Sound and Vibration*, 329(24), 5147–5163. <https://doi.org/10.1016/j.jsv.2010.06.016>
- Galvín, P., Romero, A., & Domínguez, J. (2010b). Fully three-dimensional analysis of high-speed train–track–soil–structure dynamic interaction. *Journal of Sound and Vibration*, 329(24), 5147–5163. <https://doi.org/10.1016/j.jsv.2010.06.016>
- García-Bennett, A., Jones, C. J. C., & Thompson, D. J. (2012). A Numerical Investigation of Railway Ground Vibration Mitigation Using a Trench in a Layered Soil. In T. Maeda, P.-E. Gautier, C. E. Hanson, B. Hemsworth, J. T. Nelson, B. Schulte-Werning, D. Thompson, & P. Vos (Eds.), *Noise and Vibration Mitigation for Rail Transportation Systems* (Vol. 118, pp. 315–322). Springer Japan. https://doi.org/10.1007/978-4-431-53927-8_37
- Giannopoulos, A., Melling, S., & Connolly, D. (2012, September 3). *A Second Order PML Implementation for FDTD Seismic Modelling*. Near Surface Geoscience 2012 – 18th European Meeting of Environmental and Engineering Geophysics, Paris, France. <https://doi.org/10.3997/2214-4609.20143325>

- Grassie, S. L., Gregory, R. W., Harrison, D., & Johnson, K. L. (1982). The Dynamic Response of Railway Track to High Frequency Vertical Excitation. *Journal of Mechanical Engineering Science*, 24(2), 77–90. https://doi.org/10.1243/JMES_JOUR_1982_024_016_02
- Graves, R. W. (1996). Simulating seismic wave propagation in 3D elastic media using staggered-grid finite differences. *Bulletin of the Seismological Society of America*, 86(4), 1091–1106. <https://doi.org/10.1785/BSSA0860041091>
- Grootenhuis, P. (1977). *Floating track slab isolation for railways*. 51(3), 443–448.
- Hall, L. (2000). *Simulations and Analyses of Traininduced Ground Vibrations* [Doctoral disssertation]. Royal Institute of Technology.
- Hanson, C., Towers, D., & Meister, L. (2006). *Transit Noise and Vibration Impact Assessment* (No. FTA-VA-90-1003-06). Federal Transit Administration.
- Hassoun, M., Ulgen, D., Toygar, O., & Durmaz, S. (2019). *Numerical study on reducing the ground borne vibrations using open trench and rubber-chips filled trench wave barriers*. 1st Mediterranean young geotechnical engineers conference, Mulga, Turkey.
- Hemsworth, B. (2000). Reducing Ground borne Vibrations: State-Of-The-Art Study. *Journal of Sound and Vibration*, 231(3), 703–709. <https://doi.org/10.1006/jsvi.1999.2642>
- Hildebrand, R. (2001). *Countermeasures Against Railway Ground and Track Vibrations* [Doctoral thesis]. KTH Royal Institute of Technology.
- Holm, G., Andreasson, B., Bengtsson, P., Bodare, A., & Eriksson, H. (2002). *Mitigation of track and ground vibrations by high speed trains at Ledsgård, Sweden*. Swedish National Road and Transport Research Institute (VTI).
- Hunt, H. E. M., Hussein, M. F. M., & Talbot, J. P. (2003). *Insertion Loss Models for Evaluating The Performance of Vibration Counter-Measures for Underground Railways*. 10th International Congress On Sound And Vibration, ICSV10.
- Insa, R., Salvador, P., Inarejos, J., & Roda, A. (2012). Analysis of the influence of under sleeper pads on the railway vehicle/track dynamic interaction in transition zones. *Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit*, 226(4), 409–420. <https://doi.org/10.1177/0954409711430174>
- International Organization for Standardization. (1990). *Mechanical vibration and shock—Vibration of buildings—Guidelines for the measurement of vibrations*

and evaluation of their effects on structures (ISO 4866:1990). Geneva, Switzerland: ISO.

International Organization for Standardization. (2010). *Mechanical vibration and shock—Vibration of fixed structures—Guidelines for the measurement of vibrations and evaluation of their effects on structures* (ISO 4866:2010). Geneva, Switzerland: ISO.

International Organization for Standardization. (1997). *Mechanical vibration and shock—Evaluation of human exposure to whole-body vibration—Part 1: General requirements* (ISO 2631-1:1997). Geneva, Switzerland: ISO.

International Organization for Standardization. (2003). *Mechanical vibration and shock—Evaluation of human exposure to whole-body vibration—Part 1: General requirements* (ISO 2631-1:1997/Amd 1:2010). Geneva, Switzerland: ISO.

International Organization for Standardization. (2000). *Mechanical vibration and shock—Vibration and shock in buildings with sensitive equipment—Part 1: Measurement and evaluation* (ISO/TS 10811-1:2000). Geneva, Switzerland: ISO.

International Organization for Standardization. (2000). *Mechanical vibration and shock—Vibration and shock in buildings with sensitive equipment—Part 2: Classification* (ISO/TS 10811-2:2000). Geneva, Switzerland: ISO.

International Union of Railways. (2008). *Earthworks and track-bed layers for railway lines* (UIC Code 719 R). Paris, France: UIC.

International Union of Railways. (2022). *Track and structure recommendations for the use of ballasted track* (UIC IRS 70719-1). Paris, France: UIC.

International Union of Railways. (2017). *Railway induced vibration—State of the art report*. Paris, France: UIC.

Jean, P., Guigou, C., & Villot, M. (2004). A 2.5D BEM Model for Ground-Structure Interaction. *Building Acoustics*, 11(3), 157–173. <https://doi.org/10.1260/1351010042250376>

Johnson, K. (1985). *Contact mechanics*. Cambridge University Press.

Jones, C. J. C., Thompson, D. J., & Petyt, M. (2002). A model for ground vibration from railway tunnels. *Proceedings of the Institution of Civil Engineers - Transport*, 153(2), 121–129. <https://doi.org/10.1680/tran.2002.153.2.121>

Kaewunruen, S., Aikawa, A., & Remennikov, A. M. (2017). Vibration Attenuation at Rail Joints through under Sleeper Pads. *Procedia Engineering*, 189, 193–198. <https://doi.org/10.1016/j.proeng.2017.05.031>

- Katou, M., Matsuoka, T., Yoshioka, O., Sanada, Y., & Miyoshi, T. (2008). Numerical simulation study of ground vibrations using forces from wheels of a running high-speed train. *Journal of Sound and Vibration*, 318(4–5), 830–849. <https://doi.org/10.1016/j.jsv.2008.04.053>
- Kattis, S. E., Polyzos, D., & Beskos, D. E. (1999). Vibration isolation by a row of piles using a 3-D frequency domain BEM. *International Journal for Numerical Methods in Engineering*, 46(5), 713–728. [https://doi.org/10.1002/\(SICI\)1097-0207\(19991020\)46:5%253C713::AID-NME693%253E3.0.CO;2-U](https://doi.org/10.1002/(SICI)1097-0207(19991020)46:5%253C713::AID-NME693%253E3.0.CO;2-U)
- Kouroussis, G., Connolly, D. P., & Verlinden, O. (2014). Railway-induced ground vibrations – a review of vehicle effects. *International Journal of Rail Transportation*, 2(2), 69–110. <https://doi.org/10.1080/23248378.2014.897791>
- Kouroussis, G., Van Parys, L., Conti, C., & Verlinden, O. (2013). *Prediction of ground vibrations induced by urban railway traffic: An analysis of the coupling assumptions between vehicle, track, soil, and buildings*. 18(4), 163–172.
- Kouroussis, G., Verlinden, O., & Conti, C. (2011). Free field vibrations caused by high-speed lines: Measurement and time domain simulation. *Soil Dynamics and Earthquake Engineering*, 31(4), 692–707. <https://doi.org/10.1016/j.soildyn.2010.11.012>
- Kouroussis, G., Verlinden, O., & Conti, C. (2012). Efficiency of resilient wheels on the alleviation of railway ground vibrations. *Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit*, 226(4), 381–396. <https://doi.org/10.1177/0954409711429210>
- Krylov, V., & Ferguson, C. (1994). Calculation of low-frequency ground vibrations from railway trains. *Applied Acoustics*, 42(3), 199–213. [https://doi.org/10.1016/0003-682X\(94\)90109-0](https://doi.org/10.1016/0003-682X(94)90109-0)
- Lakus'ic', S., & Ahac, M. (2012). *Rail traffic noise and vibration mitigation measures in urban areas* (Technical Gazette No. 19(2); pp. 427–435).
- Lakusic, S., Ahac, M., & Haladin, I. (2010). *Experimental investigation of railway track with under sleeper pad*. 10th Slovenian Road and Transportation Congress, Portorož, Slovenia.
- Lamb, H. (1904). On the propagation of tremors over the surface of an elastic solid. *Philosophical Transactions of the Royal Society of London, Series A*, 203(359–371), 1–42. <https://doi.org/10.1098/rsta.1904.0013>
- Li, L., Nimbalkar, S., & Zhong, R. (2018). Finite element model of ballasted railway with infinite boundaries considering effects of moving train loads and Rayleigh

- waves. *Soil Dynamics and Earthquake Engineering*, 114, 147–153. <https://doi.org/10.1016/j.soildyn.2018.06.033>
- Lombaert, G., & Degrande, G. (2009a). Ground-borne vibration due to static and dynamic axle loads of InterCity and high-speed trains. *Journal of Sound and Vibration*, 319(3–5), 1036–1066. <https://doi.org/10.1016/j.jsv.2008.07.003>
- Lombaert, G., & Degrande, G. (2009b). Ground-borne vibration due to static and dynamic axle loads of InterCity and high-speed trains. *Journal of Sound and Vibration*, 319(3–5), 1036–1066. <https://doi.org/10.1016/j.jsv.2008.07.003>
- Lu, F., Gao, Q., Lin, J. H., & Williams, F. W. (2006). Non-stationary random ground vibration due to loads moving along a railway track. *Journal of Sound and Vibration*, 298(1–2), 30–42. <https://doi.org/10.1016/j.jsv.2006.04.041>
- Lysmer, J. (1978). *Analytical procedures in soil dynamics*. 3, 1267–1317.
- Madshus, C., & Kaynia, A. M. (2000). High-Speed Railway Lines on Soft Ground: Dynamic Behaviour at Critical Train Speed. *Journal of Sound and Vibration*, 231(3), 689–701. <https://doi.org/10.1006/jsvi.1999.2647>
- Massarsch, K. R., & Fellenius, B. H. (2008). *Ground Vibrations Induced by Impact Pile Driving*. 3.
- Mateus, E. P., Gomes Da Silva, M. D. R., Ribeiro, A. B., & Marriott, P. J. (2008). Qualitative mass spectrometric analysis of the volatile fraction of creosote-treated railway wood sleepers by using comprehensive two-dimensional gas chromatography. *Journal of Chromatography A*, 1178(1–2), 215–222. <https://doi.org/10.1016/j.chroma.2007.11.069>
- Mirza, A. A., Frid, A., Nielsen, J. C. O., & Jones, C. J. C. (2012). Ground Vibration Induced by Railway Traffic – The Influence of Vehicle Parameters. In T. Maeda, P.-E. Gautier, C. E. Hanson, B. Hemsworth, J. T. Nelson, B. Schulte-Werning, D. Thompson, & P. Vos (Eds.), *Noise and Vibration Mitigation for Rail Transportation Systems* (Vol. 118, pp. 259–266). Springer Japan. https://doi.org/10.1007/978-4-431-53927-8_30
- Nelson, J. T., & Saurenman, H. J. (1983). State-of-the-art review: Prediction and control of groundborne noise and vibration from rail transit trains (Report No. DOT-TSC-UMTA-83-3). Cambridge, MA: U.S. Department of Transportation, Transportation Systems Center.
- Nielsen, J. C. O., & Johansson, A. (2000). Out-of-round railway wheels-a literature survey. *Proceedings of the Institution of Mechanical Engineers, Part F:*

Journal of Rail and Rapid Transit, 214(2), 79–91.
<https://doi.org/10.1243/0954409001531351>

Olivier, B., Connolly, D. P., Alves Costa, P., & Kouroussis, G. (2016). The effect of embankment on high speed rail ground vibrations. *International Journal of Rail Transportation*, 4(4), 229–246.
<https://doi.org/10.1080/23248378.2016.1220844>

Ouakka, S., Verlinden, O., & Kouroussis, G. (2022). Railway ground vibration and mitigation measures: Benchmarking of best practices. *Railway Engineering Science*, 30(1), 1–22. <https://doi.org/10.1007/s40534-021-00264-9>

Paul de Vos, S. (2017). *Railway induced vibration—State of the art report*. UIC-ETC (Railway Technical Publications).

Peterie, S. L., Miller, R. D., & Ivanov, J. (2014). Seismology and Its Applications in Kansas. *Public Information Circular*, 37.

Petyt, M. (2010). *Introduction to finite element vibration analysis*. Cambridge university press.

Pita, A. L., Teixeira, P. F., & Robuste, F. (2004). High speed and track deterioration: The role of vertical stiffness of the track. *Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit*, 218(1), 31–40. <https://doi.org/10.1243/095440904322804411>

Romero, A., Galvin, P., & Dominguez, J. (2010). Fully 3D analysis of HST-track-soil-structure dynamic interaction. *Proceedings of Isma 2010*.

Sandqvist, N., & Milicevic, M. (2020). *Soil-Structure Interaction Analysis of Portal Frame Railway Bridges: Numerical Analysis of Two Case Study Bridges* [Master Thesis]. KTH Royal Institute of Technology.

Sankeeth, S. (2022). *Numerical Analysis of the Vibration Behavior of the Sri Lankan Railway Track System* [BSc Thesis]. University of Moratuwa.

Sehner, M., Valdés Nava, L. E., Seidl-Nigsch, M., & Loy, H. (2023). Vibration Mitigation: Under-Ballast Mats in Heavy-Haul Applications. *Practice Periodical on Structural Design and Construction*, 28(4), 05023004. <https://doi.org/10.1061/PPSCFX.SCENG-1258>

Sheng, X. (2001). *Ground vibrations generated from trains* [PhD thesis]. University of Southampton.

- Sheng, X., Jones, C. J. C., & Petyt, M. (1999a). Ground Vibration Generated by a Harmonic Load Acting on a Railway Track. *Journal of Sound and Vibration*, 225(1), 3–28. <https://doi.org/10.1006/jsvi.1999.2232>
- Sheng, X., Jones, C. J. C., & Petyt, M. (1999b). Ground Vibration Generated by a Load Moving Along a Railway Track. *Journal of Sound and Vibration*, 228(1), 129–156. <https://doi.org/10.1006/jsvi.1999.2406>
- Sheng, X., Jones, C. J. C., & Thompson, D. J. (2005). Modelling ground vibration from railways using wavenumber finite- and boundary-element methods. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 461(2059), 2043–2070. <https://doi.org/10.1098/rspa.2005.1450>
- Sheng, X., Jones, C. J. C., & Thompson, D. J. (2006). Prediction of ground vibration from trains using the wavenumber finite and boundary element methods. *Journal of Sound and Vibration*, 293(3–5), 575–586. <https://doi.org/10.1016/j.jsv.2005.08.040>
- Smith, M., Ögren, M., & Hammar, O. et al. (2015). *Physiological reaction thresholds to vibration during sleep*. Euronoise 2015, Maastricht.
- Sol-Sánchez, M., Moreno-Navarro, F., & Rubio-Gámez, M. C. (2015). The use of elastic elements in railway tracks: A state of the art review. *Construction and Building Materials*, 75, 293–305. <https://doi.org/10.1016/j.conbuildmat.2014.11.027>
- vinkin, M. R. (2008). *Soil and Structure Vibrations from Construction and Industrial Sources*. 8.
- Thadsanamoorthy, P. (2023). *Investigation of Ground Vibrations due to Moving Trains* [MSc Thesis]. University of Moratuwa.
- Thompson, D. (2009). *Railway noise and vibration. Mechanisms, modelling and means of control*. Elsevier Ltd.
- Thompson, D. J., Jiang, J., Toward, M. G. R., Hussein, M. F. M., Ntotsios, E., Dijckmans, A., Coulier, P., Lombaert, G., & Degrande, G. (2016). Reducing railway-induced ground-borne vibration by using open trenches and soft-filled barriers. *Soil Dynamics and Earthquake Engineering*, 88, 45–59. <https://doi.org/10.1016/j.soildyn.2016.05.009>
- Thompson, D. J., Kouroussis, G., & Ntotsios, E. (2019). Modelling, simulation and evaluation of ground vibration caused by rail vehicles. *Vehicle System Dynamics*, 57(7), 936–983. <https://doi.org/10.1080/00423114.2019.1602274>

- Thornely-Taylor, R. M. (2004). The prediction of vibration, groundborne noise and structure-radiated noise using finite difference methods. *Proc 8th International Workshop on Railway Noise*.
- UIC. (2007). *Railway induced vibration—State of the art report*. International Union of Railways.
- UIC. (2011). *RIVAS Railway Induced Vibration Abatement Solutions Collaborative project*. International Union of Railways.
- Waddington, D., Woodcock, J., Smith, M. G., Janssen, S., & Persson Waye, K. (2015). CargoVibes: Human response to vibration due to freight rail traffic. *International Journal of Rail Transportation*, 3(4), 233–248. <https://doi.org/10.1080/23248378.2015.1076623>
- Wheel/Rail Noise* (No. Report 23). (1997). Transportation research board.
- Wilson, G. P., Saurenman, H. J., & Nelson, J. T. (1983). Control of ground-borne noise and vibration. *Journal of Sound and Vibration*, 87(2), 339–350. [https://doi.org/10.1016/0022-460X\(83\)90573-4](https://doi.org/10.1016/0022-460X(83)90573-4)
- Wu, Y., Du, X., Zhang, H., Wen, Z., & Jin, X. (2017). Experimental analysis of the mechanism of high-order polygonal wear of wheels of a high-speed train. *Journal of Zhejiang University-SCIENCE A*, 18(8), 579–592. <https://doi.org/10.1631/jzus.A1600741>
- Yang, Y. B., Hung, H. H., & Chang, D. W. (2003). Train-induced wave propagation in layered soils using finite/infinite element simulation. *Soil Dynamics and Earthquake Engineering*, 23(4), 263–278. [https://doi.org/10.1016/S0267-7261\(03\)00003-4](https://doi.org/10.1016/S0267-7261(03)00003-4)
- Yuan, H., Zhu, R., Huang, J., Li, J., & Zou, C. (2021). Ground vibration mitigation by using ballast mat. *Vibroengineering Procedia*, 37, 19–23. <https://doi.org/10.21595/vp.2021.21902>