

REFERENCES

- [1] S. Bose and A. Bandyopadhyay, "Chapter 1 - introduction to biomaterials," in *Characterization of Biomaterials*, A. Bandyopadhyay and S. Bose, Eds. Oxford: Academic Press, 2013, pp. 1–9. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/B9780124158009000012>
- [2] M. Navarro and T. Serra, "10 - biomimetic mineralization of ceramics and glasses," in *Biomineralization and Biomaterials*, C. Aparicio and M.-P. Ginebra, Eds. Boston: Woodhead Publishing, 2016, pp. 315–338. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/B9781782423386000119>
- [3] J. R. Jones, "Review of bioactive glass: From hench to hybrids," *Acta Biomaterialia*, vol. 9, no. 1, pp. 4457–4486, 2013. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1742706112003996>
- [4] R. Langer and J. P. Vacanti, "Tissue engineering," *Science*, vol. 260, no. 5110, pp. 920–926, 1993. [Online]. Available: <https://www.science.org/doi/abs/10.1126/science.8493529>
- [5] M. M. Stevens, "Biomaterials for bone tissue engineering," *Materials Today*, vol. 11, no. 5, pp. 18–25, 2008. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1369702108700865>
- [6] N. Uth, J. Mueller, B. Smucker, and A.-M. Yousefi, "Validation of scaffold design optimization in bone tissue engineering: finite element modeling versus designed experiments," *Biofabrication*, vol. 9, no. 1, p. 015023, 2017.
- [7] S. J. Hollister, "Porous scaffold design for tissue engineering," *Nature materials*, vol. 4, no. 7, pp. 518–524, 2005.
- [8] E. Chiarello, M. Cadossi, G. Tedesco, P. Capra, C. Calamelli, A. Shehu, and S. Giannini, "Autograft, allograft and bone substitutes in reconstructive orthopedic surgery," *Aging clinical and experimental research*, vol. 25, pp. 101–103, 2013.
- [9] F. D. Beaman, L. W. Bancroft, J. J. Peterson, and M. J. Kransdorf, "Bone graft materials and synthetic substitutes," *Radiologic Clinics*, vol. 44, no. 3, pp. 451–461, 2006.
- [10] J. D. Kretlow and A. G. Mikos, "Mineralization of synthetic polymer scaffolds for bone tissue engineering," *Tissue engineering*, vol. 13, no. 5, pp. 927–938, 2007.

- [11] C. Liu and J. Czernuszka, "Development of biodegradable scaffolds for tissue engineering: a perspective on emerging technology," *Materials science and technology*, vol. 23, no. 4, pp. 379–391, 2007.
- [12] G. Jell and M. M. Stevens, "Gene activation by bioactive glasses," *Journal of materials science: materials in medicine*, vol. 17, no. 11, pp. 997–1002, 2006.
- [13] O. Tsigkou, L. Hench, A. Boccaccini, J. Polak, and M. Stevens, "Enhanced differentiation and mineralization bioglass composite films in the absence of human fetal osteoblasts on pdlla containing of osteogenic supplements," *J Biomed Mater Res, A*, vol. 79, pp. 963–73, 2006.
- [14] L. L. Hench, "The story of bioglass®," *Journal of Materials Science: Materials in Medicine*, vol. 17, no. 11, pp. 967–978, 2006.
- [15] L. L. Hench, R. J. Splinter, W. Allen, and T. Greenlee, "Bonding mechanisms at the interface of ceramic prosthetic materials," *Journal of biomedical materials research*, vol. 5, no. 6, pp. 117–141, 1971.
- [16] L. L. Hench, "Bioactive materials for gene control," *New materials and technologies for healthcare*, vol. 25, 2011.
- [17] V. S. Yadav, S. C. Narula, R. K. Sharma, S. Tewari, and R. Yadav, "Clinical evaluation of guided tissue regeneration combined with autogenous bone or autogenous bone mixed with bioactive glass in intrabony defects," *Journal of oral science*, vol. 53, no. 4, pp. 481–488, 2011.
- [18] J. M. Gomez-Vega, E. Saiz, A. P. Tomsia, T. Oku, K. Suganuma, G. W. Marshall, and S. J. Marshall, "Novel bioactive functionally graded coatings on ti6al4v," *Advanced Materials*, vol. 12, no. 12, pp. 894–898, 2000.
- [19] J. Gomez-Vega, E. Saiz, and A. Tomsia, "Glass-based coatings for titanium implant alloys," *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, vol. 46, no. 4, pp. 549–559, 1999.
- [20] J. Gomez-Vega, E. Saiz, A. Tomsia, G. Marshall, and S. Marshall, "Bioactive glass coatings with hydroxyapatite and bioglass® particles on ti-based implants. 1. processing," *Biomaterials*, vol. 21, no. 2, pp. 105–111, 2000.
- [21] S. Lopez-Esteban, E. Saiz, S. Fujino, T. Oku, K. Suganuma, and A. P. Tomsia, "Bioactive glass coatings for orthopedic metallic implants," *Journal of the European Ceramic Society*, vol. 23, no. 15, pp. 2921–2930, 2003.

- [22] J. Pavon, E. Jiménez-Piqué, M. Anglada, E. Saiz, and A. Tomsia, “Delamination under hertzian cyclic loading of a glass coating on ti6al4v for implants,” *Journal of materials science*, vol. 41, pp. 5134–5145, 2006.
- [23] A. Pazo, E. Saiz, and A. Tomsia, “Silicate glass coatings on ti-based implants,” *Acta Materialia*, vol. 46, no. 7, pp. 2551–2558, 1998.
- [24] L. Hench, C. Pantano Jr, P. Buscemi, and D. Greenspan, “Analysis of bioglass fixation of hip prostheses,” *Journal of biomedical materials research*, vol. 11, no. 2, pp. 267–282, 1977.
- [25] H. Oonishi, L. Hench, J. Wilson, F. Sugihara, E. Tsuji, M. Matsuura, S. Kin, T. Yamamoto, and S. Mizokawa, “Quantitative comparison of bone growth behavior in granules of bioglass®, a-w glass-ceramic, and hydroxyapatite,” *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, vol. 51, no. 1, pp. 37–46, 2000.
- [26] J. A. Conejero, J. A. Lee, and J. A. Ascherman, “Cranial defect reconstruction in an experimental model using different mixtures of bioglass and autologous bone,” *Journal of Craniofacial Surgery*, vol. 18, no. 6, pp. 1290–1295, 2007.
- [27] J. Wilson and S. B. Low, “Bioactive ceramics for periodontal treatment: comparative studies in the patas monkey,” *Journal of Applied Biomaterials*, vol. 3, no. 2, pp. 123–129, 1992.
- [28] R. A. Martin, S. Yue, J. V. Hanna, P. Lee, R. J. Newport, M. E. Smith, and J. R. Jones, “Characterizing the hierarchical structures of bioactive sol–gel silicate glass and hybrid scaffolds for bone regeneration,” *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, vol. 370, no. 1963, pp. 1422–1443, 2012.
- [29] A. Pedone, T. Charpentier, G. Malavasi, and M. C. Menziani, “New insights into the atomic structure of 45s5 bioglass by means of solid-state nmr spectroscopy and accurate first-principles simulations,” *Chemistry of Materials*, vol. 22, no. 19, pp. 5644–5652, 2010.
- [30] R. G. Hill and D. S. Brauer, “Predicting the bioactivity of glasses using the network connectivity or split network models,” *Journal of Non-Crystalline Solids*, vol. 357, no. 24, pp. 3884–3887, 2011.
- [31] R. Hill, “An alternative view of the degradation of bioglass,” *Journal of Materials Science Letters*, vol. 15, no. 13, pp. 1122–1125, 1996.

- [32] Q. Chen, D. Mohn, and W. J. Stark, "Optimization of bioglass® scaffold fabrication process," *Journal of the American Ceramic Society*, vol. 94, no. 12, pp. 4184–4190, 2011.
- [33] O. P. Filho, G. P. La Torre, and L. L. Hench, "Effect of crystallization on apatite-layer formation of bioactive glass 45s5," *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials and The Japanese Society for Biomaterials*, vol. 30, no. 4, pp. 509–514, 1996.
- [34] M. Brink, "The influence of alkali and alkaline earths on the working range for bioactive glasses," *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials and The Japanese Society for Biomaterials*, vol. 36, no. 1, pp. 109–117, 1997.
- [35] H. Oudadesse, E. Dietrich, Y. Gal, P. Pellen, B. Bureau, A. Mostafa, and G. Cathelineau, "Apatite forming ability and cytocompatibility of pure and zn-doped bioactive glasses," *Biomedical Materials*, vol. 6, no. 3, p. 035006, 2011.
- [36] L. Moimas, M. Biasotto, R. Di Lenarda, A. Olivo, and C. Schmid, "Rabbit pilot study on the resorbability of three-dimensional bioactive glass fibre scaffolds," *Acta biomaterialia*, vol. 2, no. 2, pp. 191–199, 2006.
- [37] I. Elgayar, A. Aliev, A. Boccaccini, and R. Hill, "Structural analysis of bioactive glasses," *Journal of Non-Crystalline Solids*, vol. 351, no. 2, pp. 173–183, 2005.
- [38] P. Sepulveda, J. R. Jones, and L. L. Hench, "Bioactive sol-gel foams for tissue repair," *Journal of Biomedical Materials Research: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, vol. 59, no. 2, pp. 340–348, 2002.
- [39] J. R. Jones, L. M. Ehrenfried, and L. L. Hench, "Optimising bioactive glass scaffolds for bone tissue engineering," *Biomaterials*, vol. 27, no. 7, pp. 964–973, 2006.
- [40] Q. Fu, E. Saiz, M. N. Rahaman, and A. P. Tomsia, "Bioactive glass scaffolds for bone tissue engineering: state of the art and future perspectives," *Materials Science and Engineering: C*, vol. 31, no. 7, pp. 1245–1256, 2011.
- [41] Q. Fu, E. Saiz, and A. P. Tomsia, "Bioinspired strong and highly porous glass scaffolds," *Advanced functional materials*, vol. 21, no. 6, pp. 1058–1063, 2011.
- [42] A. Nommeots-Nomm, P. D. Lee, and J. R. Jones, "Direct ink writing of highly bioactive glasses," *Journal of the European Ceramic Society*, vol. 38, no. 3, pp. 837–844, 2018.

- [43] X. Shi, A. Nommeots-Nomm, N. M. Todd, A. Devlin-Mullin, H. Geng, P. D. Lee, C. A. Mitchell, and J. R. Jones, "Bioactive glass scaffold architectures regulate patterning of bone regeneration in vivo," *Applied Materials Today*, vol. 20, p. 100770, 2020.
- [44] H. H. Lu, S. F. El-Amin, K. D. Scott, and C. T. Laurencin, "Three-dimensional, bioactive, biodegradable, polymer–bioactive glass composite scaffolds with improved mechanical properties support collagen synthesis and mineralization of human osteoblast-like cells in vitro," *Journal of Biomedical Materials Research Part A: An Official Journal of The Society for Biomaterials, The Japanese Society for Biomaterials, and The Australian Society for Biomaterials and the Korean Society for Biomaterials*, vol. 64, no. 3, pp. 465–474, 2003.
- [45] A. Boccaccio, A. Ballini, C. Pappalettere, D. Tullo, S. Cantore, and A. Desiate, "Finite element method (fem), mechanobiology and biomimetic scaffolds in bone tissue engineering," *International journal of biological sciences*, vol. 7, no. 1, p. 112, 2011.
- [46] E. M. Valliant and J. R. Jones, "Softening bioactive glass for bone regeneration: sol–gel hybrid materials," *Soft Matter*, vol. 7, pp. 5083–5095, 2011. [Online]. Available: <http://dx.doi.org/10.1039/C0SM01348J>
- [47] B. M. Novak, "Hybrid nanocomposite materials between inorganic glasses and organic polymers," *Advanced Materials*, vol. 5, pp. 422–433, 1993.
- [48] F. Tallia, L. Russo, S. Li, A. L. H. Orrin, X. Shi, S. Chen, J. A. M. Steele, S. Meille, J. Chevalier, P. D. Lee, M. M. Stevens, L. Cipolla, and J. R. Jones, "Bouncing and 3d printable hybrids with self-healing properties," *Mater. Horiz.*, vol. 5, pp. 849–860, 2018. [Online]. Available: <http://dx.doi.org/10.1039/C8MH00027A>
- [49] S. Li, F. Tallia, A. A. Mohammed, M. M. Stevens, and J. R. Jones, "Scaffold channel size influences stem cell differentiation pathway in 3-d printed silica hybrid scaffolds for cartilage regeneration," *Biomater. Sci.*, vol. 8, pp. 4458–4466, 2020. [Online]. Available: <http://dx.doi.org/10.1039/C9BM01829H>
- [50] J. J. Chung, J. Yoo, B. S. Sum, S. Li, S. Lee, T. H. Kim, Z. Li, M. M. Stevens, T. K. Georgiou, Y. Jung *et al.*, "3d printed porous methacrylate/silica hybrid scaffold for bone substitution," *Advanced Healthcare Materials*, vol. 10, no. 12, p. 2100117, 2021.
- [51] S. Eqtesadi, A. Motealleh, P. Miranda, A. Pajares, A. Lemos, and J. M. Ferreira, "Robocasting of 45s5 bioactive glass scaffolds for bone tissue engineer-

- ing,” *Journal of the European Ceramic Society*, vol. 34, no. 1, pp. 107–118, 2014.
- [52] Q. Fu, E. Saiz, and A. P. Tomsia, “Direct ink writing of highly porous and strong glass scaffolds for load-bearing bone defects repair and regeneration,” *Acta biomaterialia*, vol. 7, no. 10, pp. 3547–3554, 2011.
- [53] L. A. Feldkamp, S. A. Goldstein, M. A. Parfitt, G. Jesion, and M. Kleerekoper, “The direct examination of three-dimensional bone architecture in vitro by computed tomography,” *Journal of Bone and Mineral Research*, vol. 4, pp. 3–11, 1989.
- [54] P. Rüegsegger, B. Koller, and R. Müller, “A microtomographic system for the nondestructive evaluation of bone architecture,” *Calcified Tissue International*, vol. 58, pp. 24–29, 1996.
- [55] P. I. Claro, E. P. Borges, G. R. Schleder, N. L. Archilha, A. Pinto, M. Carvalho, C. E. Driemeier, A. Fazzio, and R. F. Gouveia, “From micro-to nano-and time-resolved x-ray computed tomography: Bio-based applications, synchrotron capabilities, and data-driven processing,” *Applied Physics Reviews*, vol. 10, no. 2, 2023.
- [56] M. Dierolf, A. Menzel, P. Thibault, P. Schneider, C. M. Kewish, R. Wepf, O. Bunk, and F. Pfeiffer, “Ptychographic x-ray computed tomography at the nanoscale,” *Nature*, vol. 467, no. 7314, pp. 436–439, 2010.
- [57] Y. Hwu, G. Margaritondo, and A.-S. Chiang, “Q&a: Why use synchrotron x-ray tomography for multi-scale connectome mapping?” *BMC biology*, vol. 15, no. 1, pp. 1–9, 2017.
- [58] C. Rungsiyakull, Q. Li, G. Sun, W. Li, and M. V. Swain, “Surface morphology optimization for osseointegration of coated implants,” *Biomaterials*, vol. 31, pp. 7196–7204, 2010. [Online]. Available: <http://dx.doi.org/10.1016/j.biomaterials.2010.05.077>
- [59] M. Bartos, T. Suchy, Z. Tonar, R. Foltan, and M. Kalbacova, “Micro-ct in tissue engineering scaffolds design for bone regeneration : Principles and application,” *Ceramics - Silikaty*, vol. 62, pp. 194–199, 2018.
- [60] J. R. Jones, G. Poologasundarampillai, R. C. Atwood, D. Bernard, and P. D. Lee, “Non-destructive quantitative 3d analysis for the optimisation of tissue scaffolds,” *Biomaterials*, vol. 28, pp. 1404–1413, 2007.

- [61] G. F. D. Labate, G. Catapano, C. Vitale-Brovarone, and F. Baino, “Quantifying the micro-architectural similarity of bioceramic scaffolds to bone,” *Ceramics International*, vol. 43, no. 12, pp. 9443–9450, 2017.
- [62] M. Stauber and R. Müller, “Micro-computed tomography: A method for the non-destructive evaluation of the three-dimensional structure of biological specimens,” *Methods in Molecular Biology*, vol. 455, pp. 273–292, 2008.
- [63] D. Wildenschild and A. P. Sheppard, “X-ray imaging and analysis techniques for quantifying pore-scale structure and processes in subsurface porous medium systems,” *Advances in Water Resources*, vol. 51, pp. 217–246, 2013. [Online]. Available: <http://dx.doi.org/10.1016/j.advwatres.2012.07.018>
- [64] D. Kazantsev, W. M. Thompson, W. R. Lionheart, G. V. Eyndhoven, A. P. Kaestner, K. J. Dobson, P. J. Withers, and P. D. Lee, “4d-ct reconstruction with unified spatial-temporal patch-based regularization,” *Inverse Problems and Imaging*, vol. 9, pp. 447–467, 2015.
- [65] D. Kazantsev, E. Guo, A. Kaestner, W. R. Lionheart, J. Bent, P. J. Withers, and P. D. Lee, “Temporal sparsity exploiting nonlocal regularization for 4d computed tomography reconstruction,” *Journal of X-Ray Science and Technology*, vol. 24, pp. 207–219, 2016.
- [66] D. Kazantsev, E. Guo, A. B. Phillion, P. J. Withers, and P. D. Lee, “Model-based iterative reconstruction using higher-order regularization of dynamic synchrotron data,” *Measurement Science and Technology*, vol. 28, no. 9, p. 094004, aug 2017. [Online]. Available: <https://dx.doi.org/10.1088/1361-6501/aa7fa8>
- [67] J. R. Jones, S. Lin, S. Yue, P. D. Lee, J. V. Hanna, M. E. Smith, and R. J. Newport, “Bioactive glass scaffolds for bone regeneration and their hierarchical characterisation,” *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine*, vol. 224, pp. 1373–1387, 2010.
- [68] S. Yue, P. D. Lee, G. Poologasundarampillai, and J. R. Jones, “Evaluation of 3-d bioactive glass scaffolds dissolution in a perfusion flow system with x-ray microtomography,” *Acta Biomaterialia*, vol. 7, pp. 2637–2643, 2011. [Online]. Available: <http://dx.doi.org/10.1016/j.actbio.2011.02.009>
- [69] A. Nommeots-Nomm, C. Ligorio, A. J. Bodey, B. Cai, J. R. Jones, P. D. Lee, and G. Poologasundarampillai, “Four-dimensional imaging and quantification of viscous flow sintering within a 3d printed bioactive glass scaffold using synchrotron x-ray tomography,” *Materials Today Advances*, vol. 2, p. 100011,

2019. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S2590049819300281>
- [70] M. T. Souza, M. C. Crovace, C. Schröder, H. Eckert, O. Peitl, and E. D. Zanotto, “Effect of magnesium ion incorporation on the thermal stability, dissolution behavior and bioactivity in bioglass-derived glasses,” *Journal of Non-Crystalline Solids*, vol. 382, pp. 57–65, 2013. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0022309313005061>
- [71] J. Massera, M. Mayran, J. Rocherulle, and L. Hupa, “Crystallization behavior of phosphate glasses and its impact on the glasses ’ bioactivity,” *Journal of Materials Science*, vol. 50, pp. 3091–3102, 2015.
- [72] W. Panna, P. Wyszomirski, and P. Kohut, “Application of hot-stage microscopy to evaluating sample morphology changes on heating,” *Journal of Thermal Analysis and Calorimetry*, vol. 125, pp. 1053–1059, 2016.
- [73] A. Goel, E. R. Shaaban, J. Oliveira, M. Sá, M. J. Pascual, and J. M. Ferreira, “Sintering behavior and devitrification kinetics of iron containing clinopyroxene based magnetic glass-ceramics,” *Solid State Ionics*, vol. 186, no. 1, pp. 59–68, 2011. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0167273811000385>
- [74] A. Goel, S. Kapoor, R. R. Rajagopal, M. J. Pascual, H.-W. Kim, and J. M. Ferreira, “Alkali-free bioactive glasses for bone tissue engineering: A preliminary investigation,” *Acta Biomaterialia*, vol. 8, no. 1, pp. 361–372, 2012. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1742706111003795>
- [75] F. J. Hmood, J. Wilbig, D. Nicolaidis, A. Zocca, and J. Günster, “An approach to monitor the real-time deformation during heat treatment of 3d-printed glass,” *Ceramics International*, vol. 47, no. 14, pp. 20 045–20 050, 2021. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0272884221010531>
- [76] F. Xu, X.-F. Hu, H. Miao, and J.-H. Zhao, “In situ investigation of ceramic sintering by synchrotron radiation x-ray computed tomography,” *Optics and Lasers in Engineering*, vol. 48, no. 11, pp. 1082–1088, 2010, micro and Nano Metrology in Experimental Mechanics. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0143816609003108>
- [77] D. Bernard and J. Etourneau, “First direct 3d visualisation of microstructural evolutions during sintering through x-ray computed microtomography,” *Acta Materialia*, vol. 53, pp. 121–128, 2005.

- [78] D. Bouttes, O. Lambert, C. Claireaux, W. Woelffel, D. Dalmas, E. Gouillart, P. Lhuissier, L. Salvo, E. Boller, and D. Vandembroucq, "Hydrodynamic coarsening in phase-separated silicate melts," *Acta Materialia*, vol. 92, pp. 233–242, 2015.
- [79] J. Villanova, R. Daudin, P. Lhuissier, D. Jauffrès, S. Lou, C. L. Martin, S. Labouré, R. Tucoulou, G. Martínez-Criado, and L. Salvo, "Fast in situ 3d nanoimaging: a new tool for dynamic characterization in materials science," *Materials Today*, vol. 20, no. 7, pp. 354–359, 2017. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1369702117301025>
- [80] P. D. Lee and J. D. Hunt, "Hydrogen porosity in directional solidified aluminium-copper alloys: In situ observation," *Acta Materialia*, vol. 45, pp. 4155–4169, 1997.
- [81] A. Chaijaruwanich, R. Dashwood, P. Lee, and H. Nagaumi, "Pore evolution in a direct chill cast al–6wt.Materialia, vol. 54, no. 19, pp. 5185–5194, 2006. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1359645406004770>
- [82] A. S. Lina, T. H. Barrowsb, S. H. Cartmella, and R. E. Guldberg, "Microarchitectural and mechanical characterization of oriented porous polymer scaffolds," *Biomaterials*, vol. 24, pp. 481–489, 2003.
- [83] S. T. Ho and D. W. Hutmacher, "A comparison of micro ct with other techniques used in the characterization of scaffolds," *Biomaterials*, vol. 27, pp. 1362–1376, 2006.
- [84] F. Peyrin, "Evaluation of bone scaffolds by micro-ct," *Osteoporosis International*, vol. 22, pp. 2043–2048, 2011.
- [85] A. C. Jones, C. H. Arns, A. P. Sheppard, D. W. Hutmacher, B. K. Milthorpe, and M. A. Knackstedt, "Assessment of bone ingrowth into porous biomaterials using micro-ct," *Biomaterials*, vol. 28, pp. 2491–2504, 2007.
- [86] L. Möller, A. Krause, J. Dahlmann, I. Gruh, A. Kirschning, and G. Dräger, "Preparation and evaluation of hydrogel-composites from methacrylated hyaluronic acid, alginate, and gelatin for tissue engineering," *International Journal of Artificial Organs*, vol. 34, pp. 93–102, 2011.
- [87] R. C. Atwood, J. R. Jones, P. D. Lee, and L. L. Hench, "Analysis of pore interconnectivity in bioactive glass foams using x-ray microtomography," *Scripta Materialia*, vol. 51, pp. 1029–1033, 2004.

- [88] S. Bertoldi, S. Farè, and M. C. Tanzi, “Assessment of scaffold porosity: the new route of micro-ct,” *Journal of Applied Biomaterials Biomechanics*, vol. 9, pp. 165–175, 2011. [Online]. Available: <http://www.jabb.biz/Navigator.action?cmd=navigate&urlkey=Abstract&t=JABB&UidArticle=D0D94F2B-0B84-4ECF-BF6E-7686E4C812C9>
- [89] X. Chatzistavrou, P. Newby, and A. Boccaccini, “Bioactive glass and glass-ceramic scaffolds for bone tissue engineering,” in *Bioactive glasses*. Elsevier, 2011, pp. 107–128.
- [90] G. F. D. Labate, F. Baino, M. Terzini, A. Audenino, C. Vitale-Brovarone, P. Segers, R. Quarto, and G. Catapano, “Bone structural similarity score: a multiparametric tool to match properties of biomimetic bone substitutes with their target tissues,” *Journal of Applied Biomaterials Functional Materials*, vol. 14, pp. 0–0, 2016. [Online]. Available: <http://www.jab-fm.com/article/252290d5-90a4-4b22-9a1b-53371173325a>
- [91] F. Brun, G. Turco, A. Accardo, and S. Paoletti, “Automated quantitative characterization of alginate/hydroxyapatite bone tissue engineering scaffolds by means of micro-ct image analysis,” *Journal of Materials Science: Materials in Medicine*, 2011.
- [92] M. Sezgin and B. I. Sankur, “Survey over image thresholding techniques and quantitative performance evaluation,” *Journal of Electronic imaging*, vol. 13, no. 1, pp. 146–168, 2004.
- [93] J. Kittler and J. Illingworth, “Minimum error thresholding,” *Pattern Recognition*, vol. 19, pp. 41–47, 1986.
- [94] T. Ridler, S. Calvard *et al.*, “Picture thresholding using an iterative selection method,” *IEEE Trans. Syst. Man Cybern*, vol. 8, no. 8, pp. 630–632, 1978.
- [95] N. Otsu, “A threshold selection method from gray-level histograms,” *IEEE Transactions on Systems, Man, and Cybernetics*, vol. 9, pp. 62–66, 1979. [Online]. Available: <http://ieeexplore.ieee.org/document/4310076/>
- [96] T. Pun, “Entropic thresholding, a new approach,” *Computer graphics and image processing*, vol. 16, no. 3, pp. 210–239, 1981.
- [97] J. N. Kapur, P. K. Sahoo, and A. K. Wong, “A new method for gray-level picture thresholding using the entropy of the histogram,” *Computer Vision, Graphics, Image Processing*, vol. 29, pp. 273–285, 1985.

- [98] S. Rajagopalan, L. Lu, M. J. Yaszemski, and R. A. Robb, "Optimal segmentation of microcomputed tomographic images of porous tissue-engineering scaffolds," *Journal of Biomedical Materials Research - Part A*, vol. 75, pp. 877–887, 2005.
- [99] S. Beucher and F. Meyer, "The morphological approach to segmentation: the watershed transformation," *Mathematical Morphology in Image Processing*, pp. 433–481, 1993. [Online]. Available: <https://www.crcpress.com/Mathematical-Morphology-in-Image-Processing/Dougherty/p/book/9780824787240>
- [100] L. Vincent and P. Soille, "Watersheds in digital spaces: An efficient algorithm based on immersion simulations," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 13, 1991.
- [101] A. P. Mangan and R. T. Whitaker, "Partitioning 3d surface meshes using watershed segmentation," *IEEE Transactions on Visualization and Computer Graphics*, vol. 5, pp. 308–321, 1999.
- [102] N. A. Vrettos, H. Imakoma, and M. Okazaki, "Characterization of porous media by means of the voronoi-delaunay tessellation," *Chemical Engineering and Processing*, vol. 25, pp. 35–45, 1989.
- [103] D. Reem, "An algorithm for computing voronoi diagrams of general generators in general normed spaces," *6th International Symposium on Voronoi Diagrams in Science and Engineering, ISVD 2009*, pp. 144–152, 2009.
- [104] S. Jerban and S. Elkoun, "Individual pore and interconnection size analysis of macroporous ceramic scaffolds using high-resolution x-ray tomography," *Materials Characterization*, vol. 118, pp. 454–467, 2016. [Online]. Available: <http://dx.doi.org/10.1016/j.matchar.2016.06.030>
- [105] D. B. Aydogan and J. Hyttinen, "Characterization of microstructures using contour tree connectivity for fluid flow analysis," *Journal of the Royal Society Interface*, vol. 11, 2014.
- [106] B. M. Baker and C. S. Chen, "Deconstructing the third dimension – how 3d culture microenvironments alter cellular cues," *Journal of Cell Science*, vol. 125, pp. 3015–3024, 2012. [Online]. Available: <http://jcs.biologists.org/lookup/doi/10.1242/jcs.079509>
- [107] B. Otsuki, M. Takemoto, S. Fujibayashi, M. Neo, T. Kokubo, and T. Nakamura, "Pore throat size and connectivity determine bone and tissue ingrowth into porous implants: Three-dimensional micro-ct based structural analyses

- of porous bioactive titanium implants,” *Biomaterials*, vol. 27, pp. 5892–5900, 2006.
- [108] J. H. Cole and M. C. V. D. Meulen, “Whole bone mechanics and bone quality,” *Clinical Orthopaedics and Related Research*, vol. 469, pp. 2139–2149, 2011.
- [109] W. Oh and W. B. Lindquist, “Image thresholding by indicator kriging,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 21, pp. 590–602, 1999.
- [110] A. C. Jones, B. Milthorpe, H. Averdunk, A. Limaye, T. J. Senden, A. Sakellariou, A. P. Sheppard, R. M. Sok, M. A. Knackstedt, A. Brandwood, D. Rohner, and D. W. Hutmacher, “Analysis of 3d bone ingrowth into polymer scaffolds via micro-computed tomography imaging,” *Biomaterials*, vol. 25, pp. 4947–4954, 2004.
- [111] X. Liu, M. N. Rahaman, and Q. Fu, “Bone regeneration in strong porous bioactive glass (13-93) scaffolds with an oriented microstructure implanted in rat calvarial defects,” *Acta Biomaterialia*, vol. 9, pp. 4889–4898, 2013. [Online]. Available: <http://dx.doi.org/10.1016/j.actbio.2012.08.029>
- [112] J. R. Jones, P. D. Lee, and L. L. Hench, “Hierarchical porous materials for tissue engineering,” *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, vol. 364, pp. 263–281, 2006. [Online]. Available: <http://rsta.royalsocietypublishing.org/content/364/1838/263>
- [113] S. Lohfeld, S. Cahill, H. Doyle, and P. E. McHugh, “Improving the finite element model accuracy of tissue engineering scaffolds produced by selective laser sintering,” *Journal of Materials Science: Materials in Medicine*, vol. 26, pp. 1–12, 2015.
- [114] M. Mullender, A. J. E. Haj, Y. Yang, M. A. van Duin, E. H. Burger, and J. Klein-Nulend, “Mechanotransduction of bone cells in vitro: Mechanobiology of bone tissue,” *Medical and Biological Engineering and Computing*, vol. 42, pp. 14–21, 2004.
- [115] J. R. Jones, R. C. Atwood, G. Poologasundarampillai, S. Yue, and P. D. Lee, “Quantifying the 3d macrostructure of tissue scaffolds,” *Journal of Materials Science: Materials in Medicine*, vol. 20, pp. 463–471, 2009.
- [116] S. Tagliabue, E. Rossi, F. Baino, C. Vitale-Brovarone, D. Gastaldi, and P. Vena, “Micro-ct based finite element models for elastic properties of glass–ceramic scaffolds,” *Journal of the Mechanical Behavior of*

- Biomedical Materials*, vol. 65, pp. 248–255, 2017. [Online]. Available: <http://dx.doi.org/10.1016/j.jmbbm.2016.08.020>
- [117] S. V. Jaecques, H. V. Oosterwyck, L. Muraru, T. V. Cleynenbreugel, E. D. Smet, M. Wevers, I. Naert, and J. V. Sloten, “Individualised, micro ct-based finite element modelling as a tool for biomechanical analysis related to tissue engineering of bone,” *Biomaterials*, vol. 25, pp. 1683–1696, 2004.
 - [118] D. L. Ā, A. Chateau, M. pau Ginebra, and J. A. Planell, “Micro-finite element models of bone tissue-engineering scaffolds,” vol. 27, pp. 5326–5334, 2006.
 - [119] C. Sandino, J. A. Planell, and D. Lacroix, “A finite element study of mechanical stimuli in scaffolds for bone tissue engineering,” vol. 41, pp. 1005–1014, 2008.
 - [120] S. van der Walt, J. L. Schönberger, J. Nunez-Iglesias, F. Boulogne, J. D. Warner, N. Yager, E. Gouillart, T. Yu, and the scikit-image contributors, “scikit-image: image processing in python,” *PeerJ*, vol. 2, p. e453, 2014. [Online]. Available: <https://doi.org/10.7717/peerj.453>
 - [121] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, J. Vanderplas, A. Passos, D. Cournapeau, M. Brucher, M. Perrot, and Édouard Duchesnay, “Scikit-learn: Machine learning in python,” *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011. [Online]. Available: <http://jmlr.org/papers/v12/pedregosa11a.html>
 - [122] A. Buades, B. Coll, and J. michel Morel, “Non-local means denoising,” *Image Processing On Line*, vol. 1, pp. 208–212, 2011.
 - [123] R. Malladi, J. A. Sethian, and B. C. Vemuri, “Shape modeling with front propagation: A level set approach,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 17, pp. 158–175, 1995.
 - [124] I. Arganda-Carreras, V. Kaynig, C. Rueden, K. W. Eliceiri, J. Schindelin, A. Cardona, and H. S. Seung, “Trainable weka segmentation: A machine learning tool for microscopy pixel classification,” *Bioinformatics*, vol. 33, pp. 2424–2426, 2017.
 - [125] X. Yang, S. Tridandapani, J. J. Beitler, D. S. Yu, E. J. Yoshida, W. J. Curran, and T. Liu, “Ultrasound glcm texture analysis of radiation-induced parotid-gland injury in head-and-neck cancer radiotherapy: An in vivo study of late toxicity,” *Medical physics*, vol. 39, no. 9, pp. 5732–5739, 2012.

- [126] J. L. Johnson and R. M. German, “Theoretical modeling of densification during activated solid-state sintering,” *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, vol. 27, pp. 441–450, 1996.
- [127] R. L. Coble, “Sintering crystalline solids. i. intermediate and final state diffusion models,” *Journal of Applied Physics*, vol. 32, pp. 787–792, 1961.
- [128] L. F. Francis, “Chapter 5 - powder processes,” 2016.
- [129] H. Granel, C. Bossard, A.-M. Collignon, F. Wauquier, J. Lesieur, G. Y. Rochefort, E. Jallot, J. Lao, and Y. Wittrant, “Bioactive glass/polycaprolactone hybrid with a dual cortical/trabecular structure for bone regeneration,” *ACS Applied Bio Materials*, vol. 2, no. 8, pp. 3473–3483, 2019.
- [130] H. Park, A.-M. Collignon, W. C. Lepry, J. L. Ramirez-GarciaLuna, D. H. Rosenzweig, C. Chaussain, and S. N. Nazhat, “Acellular dense collagen-s53p4 bioactive glass hybrid gel scaffolds form more bone than stem cell delivered constructs,” *Materials Science and Engineering: C*, vol. 120, p. 111743, 2021.
- [131] S. P. Friedrichsdorf, V. E. Arana-Chavez, P. M. Cattaneo, R. Spin-Neto, and G. C. Dominguez, “Effect of the software binning and averaging data during microcomputed tomography image acquisition,” *Scientific Reports*, vol. 9, no. 1, p. 10562, 2019.
- [132] O. Ronneberger, P. Fischer, and T. Brox, “U-net: Convolutional networks for biomedical image segmentation,” in *Medical Image Computing and Computer-Assisted Intervention–MICCAI 2015: 18th International Conference, Munich, Germany, October 5-9, 2015, Proceedings, Part III 18*. Springer, 2015, pp. 234–241.
- [133] Y. Kim, Y. Kim, C. Yang, K. Park, G. X. Gu, and S. Ryu, “Deep learning framework for material design space exploration using active transfer learning and data augmentation,” *npj Computational Materials*, vol. 7, no. 1, p. 140, 2021.