

Reference

- [1] V. A. Gnatush and V. S. Doroshenko, "The growth of aluminum casting production at the beginning of the XXI century," *Metal and Casting of Ukraine*, vol. 310–311, no. 3–4, pp. 25–33, Jul. 2019, doi: 10.15407/pmach2019.03.025.
- [2] R. G. N. De. S. Munasinghe and G. I. P. De Silva, "Quality Enhancement of Foundry Products - A Case Study of Foundry Industry of Sri Lanka," *Engineer: Journal of the Institution of Engineers, Sri Lanka*, vol. 38, no. 1, p. 46, Jan. 2005, doi: 10.4038/engineer.v38i1.7207.
- [3] I. De Silva, *Foundry Industry in Sri Lanka*. 2020. [Online]. Available: <https://www.researchgate.net/publication/343049504>
- [4] S. P. Guluwita, R. G. N. De. S. Munasinghe, and W. L. W. Fernando, "Review Study of Historical Iron and Steel making in Sri Lanka and its Future Trends," *Engineer: Journal of the Institution of Engineers, Sri Lanka*, vol. 44, no. 1, p. 43, Jan. 2011, doi: 10.4038/engineer.v44i1.7016.
- [5] "Foundry Development and Services Institute - SriLanka." Accessed: Jan. 11, 2025. [Online]. Available: <https://www.fdsi.lk/>
- [6] Serope. Kalpakjian and S. R. . Schmid, *Manufacturing engineering and technology*. Pearson, 2020.
- [7] J. G. . Kaufman and E. L. . Rooy, *Aluminum alloy castings : properties, processes, and applications*. ASM International, 2004.
- [8] S. R. Tittagala and N. P. N. M. Navarathna, "DESIGN & CONSTRUCTION OF AN ENERGY-EFFICIENT FURNACE FOR MELTING NON-FERROUS ALLOYS IN THE LOCAL FOUNDRY INDUSTRY."
- [9] A. Adefemi, "Development of a 30Kg Aluminium Oil-Fired Crucible Furnace Using Locally Sourced Materials," *American Journal of Mechanics and Applications*, vol. 5, no. 3, p. 15, 2017, doi: 10.11648/j.ajma.20170503.11.
- [10] J. Haraldsson and M. T. Johansson, "Barriers to and drivers for improved energy efficiency in the Swedish aluminium industry and aluminium casting foundries," *Sustainability (Switzerland)*, vol. 11, no. 7, Apr. 2019, doi: 10.3390/su11072043.
- [11] M. Neri, A. M. Lezzi, G. P. Beretta, and M. Pilotelli, "Energy- and Exergy-Based Analysis for Reducing Energy Demand in Heat Processes for Aluminum Casting," *Journal of Energy Resources Technology, Transactions of the ASME*, vol. 141, no. 10, Oct. 2019, doi: 10.1115/1.4043389.
- [12] Olivier. Martin, *Light metals 2018*. Springer, 2018.

- [13] S. S. Bhandari, S. B. Badadal, V. G. Kinagi, H. S. Tuljapurkar, and Prof. S. H. Bansode, “Design and Fabrication of Crucible Furnaces by using Black Smithy Setup,” *International Journal of Engineering and Management Research*, vol. 8, no. 4, Aug. 2018, doi: 10.31033/ijemr.8.4.16.
- [14] M. B. Ndaliman, M. B. Ndaliman, and A. P. Pius, “Behavior of Aluminum Alloy Castings under Different Pouring Temperatures and Speeds Leonardo Electronic Journal of Practices and Technologies Behavior of Aluminum Alloy Castings under Different Pouring Temperatures and Speeds,” 2007, [Online]. Available: <https://www.researchgate.net/publication/26492966>
- [15] “Diecaster is Rebranding and Investing | Fall River Die Cast | Foundry Management & Technology.” Accessed: Jan. 12, 2025. [Online]. Available: <https://www.foundrymag.com/melt-pour/article/21931728/optimal-air-to-fuel-ratio-for-optimal-results>
- [16] “Design and Construction of A 50kg Capacity Furnace,” *Innovative Systems Design and Engineering*, Apr. 2021, doi: 10.7176/isde/12-2-03.
- [17] I. Bonefačić, I. Wolf, and P. Blecich, “Improvement of fuel oil spray combustion inside a 7 MW industrial furnace: A numerical study,” *Appl Therm Eng*, vol. 110, pp. 795–804, Jan. 2017, doi: 10.1016/j.applthermaleng.2016.08.218.
- [18] L. Wang, S. Sunden, and R.M. Manglik, “Plate Heat Exchangers,” 2007. [Online]. Available: <http://library.witpress.comwww.witpress.comWITPRESS>
- [19] O. Arsenyeva, L. Tovazhnyanskyy, P. Kapustenko, J. J. Klemeš, and P. S. Varbanov, “Review of Developments in Plate Heat Exchanger Heat Transfer Enhancement for Single-Phase Applications in Process Industries,” Jul. 01, 2023, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/en16134976.
- [20] B. R. Lamb, “Plate heat exchangers—a low-cost route to heat recovery,” *Journal of Heat Recovery Systems*, vol. 2, no. 3, pp. 247–255, Jan. 1982, doi: 10.1016/0198-7593(82)90018-2.
- [21] L. XUE, G. MA, F. ZHOU, and L. WANG, “Operation characteristics of air–air heat pipe inserted plate heat exchanger for heat recovery,” *Energy Build*, vol. 185, pp. 66–75, Feb. 2019, doi: 10.1016/j.enbuild.2018.12.036.
- [22] R. Brogan, “SHELL AND TUBE HEAT EXCHANGERS,” in *A-to-Z Guide to Thermodynamics, Heat and Mass Transfer, and Fluids Engineering*, Begellhouse. doi: 10.1615/AtoZ.s.shell_and_tube_heat_exchangers.
- [23] M. Picón-Núñez and J. E. Rumbo-Arias, “Improving thermal energy recovery systems using welded plate heat exchangers,” *Energy*, vol. 235, Nov. 2021, doi: 10.1016/j.energy.2021.121373.

- [24] P. Zhang, T. Ma, W. D. Li, G. Y. Ma, and Q. W. Wang, "Design and optimization of a novel high temperature heat exchanger for waste heat cascade recovery from exhaust flue gases," *Energy*, vol. 160, pp. 3–18, Oct. 2018, doi: 10.1016/j.energy.2018.06.216.
- [25] B. Egilegor *et al.*, "ETEKINA: Analysis of the potential for waste heat recovery in three sectors: Aluminium low pressure die casting, steel sector and ceramic tiles manufacturing sector," *International Journal of Thermofluids*, vol. 1–2, Feb. 2020, doi: 10.1016/j.ijft.2019.100002.
- [26] C. Zeng, S. Liu, and A. Shukla, "A review on the air-to-air heat and mass exchanger technologies for building applications," 2017, *Elsevier Ltd.* doi: 10.1016/j.rser.2016.11.052.
- [27] H. N. Chaudhry, B. R. Hughes, and S. A. Ghani, "A review of heat pipe systems for heat recovery and renewable energy applications," 2012, *Elsevier Ltd.* doi: 10.1016/j.rser.2012.01.038.
- [28] "Self-Powered Thermoelectric Waste Oil Burner," 2019. [Online]. Available: <https://www.engineeringtoolbox.com/fuel-oil>
- [29] A. K. Goßmann *et al.*, "A Low-power Liquid-fuelled Burner Using a Novel Atomization Concept," *Combustion Science and Technology*, vol. 191, no. 9, pp. 1711–1723, Sep. 2019, doi: 10.1080/00102202.2019.1639683.
- [30] I. A. Ibrahim, T. M. Farag, M. E. Abdel-baky, A. K. Abd El-samed, and H. M. Gad, "Experimental study of spray combustion characteristics of air-blast atomizer," *Energy Reports*, vol. 6, pp. 209–215, Nov. 2020, doi: 10.1016/j.egyr.2019.12.014.
- [31] I. A. Ibrahim, T. M. Farag, M. E. Abdel-baky, A. K. Abd El-samed, and H. M. Gad, "Experimental study of spray combustion characteristics of air-blast atomizer," *Energy Reports*, vol. 6, pp. 209–215, Nov. 2020, doi: 10.1016/j.egyr.2019.12.014.
- [32] I. S. Anufriev, E. P. Kopyev, I. S. Sadkin, and M. A. Mukhina, "Diesel and waste oil combustion in a new steam burner with low NOX emission," *Fuel*, vol. 290, Apr. 2021, doi: 10.1016/j.fuel.2020.120100.
- [33] C. T. Chong *et al.*, "Dual-fuel operation of biodiesel and natural gas in a model gas turbine combustor," *Energy and Fuels*, vol. 34, no. 3, pp. 3788–3796, 2020, doi: 10.1021/acs.energyfuels.9b04371.
- [34] "PROPERTY TABLES AND CHARTS (SI UNITS)-HEAT and MASS TRANSFER."
- [35] M. Leitner, T. Leitner, A. Schmon, K. Aziz, and G. Pottlacher, "Thermophysical Properties of Liquid Aluminum," *Metall Mater Trans A Phys Metall Mater Sci*, vol. 48, no. 6, pp. 3036–3045, Jun. 2017, doi: 10.1007/s11661-017-4053-6.

- [36] A. Sharma, K. Rathod, S. Gupta, and S. Prakash, "Energy-Efficient Melting Technologies in Foundry Industry," 2016. [Online]. Available: <https://www.researchgate.net/publication/311303999>
- [37] "Crucibles and their Furnaces."
- [38] D. J. Gingery, "BUILDING A GAS FIRED CRUCIBLE FURNACE."
- [39] Yunus A., Cengel, Afshin J., and Ghajar, "Heat and Mass Transfer," 2017.