

8 REFERENCES

- Akbari, S., & Singh, R. (2012). Hydrological modelling of catchments using MIKE SHE. In *2012 International Conference on Advances in Engineering, Science and Management (ICAESM)* (pp. 335–340).
- Bisri, M., Limantara, L. M., Prasetyorini, L., & Chasanawati, D. (2017). Application of the Kineros model for predicting the effect of land use on the surface run-off Case study in Brantas sub-watershed, Klojen District, Malang City, East Java Province of Indonesia. *Journal of Water and Land Development*, 35(1). <https://doi.org/10.1515/jwld-2017-0062>
- Bobba, A. G., Singh, V. P., & Bengtsson, L. (2000). Application of environmental models to different hydrological systems. *Ecological Modelling*, 125(1), 15–49. [https://doi.org/10.1016/S0304-3800\(99\)00175-1](https://doi.org/10.1016/S0304-3800(99)00175-1)
- Buytaert, W., De Bièvre, B., Wyseure, G., & Deckers, J. (2004). The use of the linear reservoir concept to quantify the impact of changes in land use on the hydrology of catchments in the Andes. *Hydrology and Earth System Sciences*, 8(1), 108–114. <https://doi.org/10.5194/hess-8-108-2004>
- Canfield, H. E., & Goodrich, D. C. (2003). Studies of Scale and Processes in Hydrologic Modeling on the Lucky Hills Watershed. *ResearchGate*. Retrieved from https://www.researchgate.net/publication/255585422_Studies_of_Scale_and_Processes_in_Hydrologic_Modeling_on_the_Lucky_Hills_Watershed

- Cheng, S. (2010). The best relationship between lumped hydrograph parameters and urbanized factors. *Natural Hazards*, 56(3), 853–867. <https://doi.org/10.1007/s11069-010-9596-4>
- Chow, V., Maidment, D., & Mays, L. (1988). *Applied Hydrology* (1 edition). New York: McGraw-Hill Science/Engineering/Math.
- Chu, X., & Steinman, A. (2009). Event and Continuous Hydrologic Modeling with HEC-HMS. *Journal of Irrigation and Drainage Engineering*, 135(1), 119–124. [https://doi.org/10.1061/\(ASCE\)0733-9437\(2009\)135:1\(119\)](https://doi.org/10.1061/(ASCE)0733-9437(2009)135:1(119))
- Costa, M. H., Botta, A., & Cardille, J. A. (2003). Effects of large-scale changes in land cover on the discharge of the Tocantins River, Southeastern Amazonia. *Journal of Hydrology*, 283(1–4), 206–217. [https://doi.org/10.1016/S0022-1694\(03\)00267-1](https://doi.org/10.1016/S0022-1694(03)00267-1)
- Cunderlik, J., & Simonovic, S. (2004). Calibration, Verification and Sensitivity Analysis of the HEC-HMS Hydrologic Model. *Water Resources Research Report*. Retrieved from <http://ir.lib.uwo.ca/wrrr/11>
- Daofeng, L., Ying, T., Changming, L., & Fanghua, H. (2004). Impact of land-cover and climate changes on runoff of the source regions of the Yellow River. *Journal of Geographical Sciences*, 14(3), 330–338. <https://doi.org/10.1007/BF02837414>
- De Silva, M. M. G. T., Weerakoon, S. B., & Herath, S. (2014). Modeling of Event and Continuous Flow Hydrographs with HEC–HMS: Case Study in the Kelani River Basin, Sri Lanka. *Journal of Hydrologic Engineering*, 19(4), 800–806. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846)

- Diskin, M. H., & Simon, E. (1977). A procedure for the selection of objective functions for hydrologic simulation models. *Journal of Hydrology*, 34(1–2), 129–149. [https://doi.org/10.1016/0022-1694\(77\)90066-X](https://doi.org/10.1016/0022-1694(77)90066-X)
- Elfert, S., & Bormann, H. (2010). Simulated impact of past and possible future land use changes on the hydrological response of the Northern German lowland “Hunte” catchment. *Journal of Hydrology*, 383(3–4), 245–255. <https://doi.org/10.1016/j.jhydrol.2009.12.040>
- Eriyagama, N., & Smakhtin, V. (2010). Observed and projected climatic changes, their impacts and adaptation options for Sri Lanka: a review. *International Water Management Institute, Conference Papers*.
- Faurès, J.-M., Goodrich, D. C., Woolhiser, D. A., & Sorooshian, S. (1995). Impact of small-scale spatial rainfall variability on runoff modeling. *Journal of Hydrology*, 173(1–4), 309–326. [https://doi.org/10.1016/0022-1694\(95\)02704-S](https://doi.org/10.1016/0022-1694(95)02704-S)
- Felipe, G., & Baquero, M. (n.d.). DIAGNOSTIC EVALUATION OF WATERSHED MODELS. *ResearchGate*. Retrieved from https://www.researchgate.net/publication/265011220_DIAGNOSTIC_EVALUATION_OF_WATERSHED_MODELS
- Gibson S. A., Pak J. H., & Fleming M. J. (n.d.). Modeling Watershed and Riverine Sediment Processes with HEC-HMS and HEC-RAS. *Watershed Management 2010*. [https://doi.org/10.1061/41143\(394\)120](https://doi.org/10.1061/41143(394)120)

- Green, I. R. A., & Stephenson, D. (1986). Criteria for comparison of single event models. *Hydrological Sciences Journal*, 31(3), 395–411. <https://doi.org/10.1080/02626668609491056>
- Guinot, V., Cappelaere, B., Delenne, C., & Ruelland, D. (2011). Towards improved criteria for hydrological model calibration: theoretical analysis of distance- and weak form-based functions. *Journal of Hydrology*, 401(1–2), 1–13. <https://doi.org/10.1016/j.jhydrol.2011.02.004>
- Hafezparast, M. (2013). A Conceptual Rainfall-Runoff Model Using the Auto Calibrated NAM Models in the Sarisoo River. *Journal of Waste Water Treatment & Analysis*, 04(01). <https://doi.org/10.4172/2157-7587.1000148>
- Halwatura, D., & Najim, M. M. M. (2013). Application of the HEC-HMS model for runoff simulation in a tropical catchment. *Environmental Modelling & Software*, 46, 155–162. <https://doi.org/10.1016/j.envsoft.2013.03.006>
- Helton, J. C., & Davis, F. J. (2002). Illustration of Sampling-Based Methods for Uncertainty and Sensitivity Analysis. *Risk Analysis*, 22(3), 591–622. <https://doi.org/10.1111/0272-4332.00041>
- Himesh, Rao, & Mahajan. (n.d.). *CALIBRATION AND VALIDATION OF WATER QUALITY MODEL (Cae I River)*.
- Jiang, L., Chen, Y., & Wang, H. (2015). Urban flood simulation based on the SWMM model. *Proceedings of the International Association of Hydrological Sciences*, 368, 186–191. <https://doi.org/10.5194/piahs-368-186-2015>

- Kanchanamala, D. P. H. M., Herath, H. M. H. K., & Nandalal, K. D. W. (2016a). Impact of Catchment Scale on Rainfall Runoff Modeling: Kalu Ganga River Catchment upto Ratnapura. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 49(2), 1. <https://doi.org/10.4038/engineer.v49i2.7003>
- Kanchanamala, D. P. H. M., Herath, H. M. H. K., & Nandalal, K. D. W. (2016b). Impact of Catchment Scale on Rainfall Runoff Modeling: Kalu Ganga River Catchment upto Ratnapura. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 49(2), 1. <https://doi.org/10.4038/engineer.v49i2.7003>
- Krause, P., Boyle, D. P., & Bäse, F. (2005). Comparison of different efficiency criteria for hydrological model assessment. *Advances in Geosciences*, 5, 89–97. <https://doi.org/10.5194/adgeo-5-89-2005>
- Krysanova, V., Bronstert, A., & Müller-Wohlfeil, D.-I. (1999). Modelling river discharge for large drainage basins: from lumped to distributed approach. *Hydrological Sciences Journal*, 44(2), 313–331. <https://doi.org/10.1080/02626669909492224>
- Legates, D. R., & McCabe, G. J. (1999). Evaluating the use of “goodness-of-fit” Measures in hydrologic and hydroclimatic model validation. *Water Resources Research*, 35(1), 233–241. <https://doi.org/10.1029/1998WR900018>
- Madsen, H. (2000). Automatic calibration of a conceptual rainfall–runoff model using multiple objectives. *Journal of Hydrology*, 235(3–4), 276–288. [https://doi.org/10.1016/S0022-1694\(00\)00279-1](https://doi.org/10.1016/S0022-1694(00)00279-1)
- McCuen, R. H. (1973). The role of sensitivity analysis in hydrologic modeling. *Journal of Hydrology*, 18(1), 37–53. [https://doi.org/10.1016/0022-1694\(73\)90024-3](https://doi.org/10.1016/0022-1694(73)90024-3)

- Nandalal, H. K., & Ratmayake, U. R. (2016). Event Based Modeling of a Watershed Using HEC-HMS. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 43(2), 28. <https://doi.org/10.4038/engineer.v43i2.6979>
- Ondieki, C. M. (1997). [No Title]. *Environmental Monitoring and Assessment*, 45(3), 285–299. <https://doi.org/10.1023/A:1005751331595>
- Pechlivanidis, I., Jackson, B., McIntyre, N., & Wheeler, H. (2011). Catchment scale hydrological modelling: A review of model types, calibration approaches and uncertainty analysis methods in the context of recent developments in technology and applications. *ResearchGate*, 13(3), 193–214.
- Perera, K. R. J., & Wijesekera, N. T. S. (2016). Identification of the Spatial Variability of Runoff Coefficients of Three Wet Zone Watersheds of Sri Lanka. *Engineer: Journal of the Institution of Engineers, Sri Lanka*, 44(3), 1. <https://doi.org/10.4038/engineer.v44i3.6960>
- Rathod, P., Borse, K., & Manekar, V. (2015a). Simulation of Rainfall -Runoff Process Using HEC-HMS.
- Rathod, P., Borse, K., & Manekar, V. L. (2015b). Simulation of Rainfall -Runoff Process Using HEC-HMS. In *ResearchGate*. Retrieved from https://www.researchgate.net/publication/291274149_Simulation_of_Rainfall_-_Runoff_Process_Using_HEC-HMS
- Razmkhah, H. (2016). Comparing performance of different loss methods in rainfall-runoff modeling. *Water Resources*, 43(1), 207–224. <https://doi.org/10.1134/S0097807816120058>

- Reed, S., Koren, V., Smith, M., Zhang, Z., Moreda, F., Seo, D.-J., & DMIP Participants, and. (2004). Overall distributed model intercomparison project results. *Journal of Hydrology*, 298(1–4), 27–60. <https://doi.org/10.1016/j.jhydrol.2004.03.031>
- Roy, D. D., Begam, S., Ghosh, S., & Jana, S. (2013). Calibration and validation of HEC-HMS model for a river basin in eastern India. *ResearchGate*, 8(1), 40–56.
- Rulin, O., Liliang, R., Weiming, C., & Zhongbo, Y. (2008). Application of hydrological models in a snowmelt region of Aksu River Basin. *Water Science and Engineering*, 1(4), 1–13. <https://doi.org/10.3882/j.issn.1674-2370.2008.04.001>
- S. B. Weerakoon, M. M. G. T. De Silva, & Srikantha Herath. (2014). Modeling of Event and Continuous Flow Hydrographs with HEC–HMS: Case Study in the Kelani River Basin, Sri Lanka. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000846](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000846)
- Sardoi, E. R., Rostami, N., Sigaroudi, S. K., & Taheri, S. (2012). Calibration of loss estimation methods in HEC-HMS for simulation of surface runoff (case study: Amirkabir dam watershed, Iran). *ResearchGate*, 6(1), 343–348.
- Sarkar, A., & Kumar, R. (2012). Artificial Neural Networks for Event Based Rainfall-Runoff Modeling. *Journal of Water Resource and Protection*, 04(10), 891. <https://doi.org/10.4236/jwarp.2012.410105>
- Singh, W. R., & Jain, M. K. (2015). Continuous Hydrological Modeling using Soil Moisture Accounting Algorithm in Vamsadhara River Basin, India. *Journal of Water Resource and Hydraulic Engineering*, 4(4), 398–408. <https://doi.org/10.5963/JWRHE0404011>

- Sudheer, K. P., Chaubey, I., Garg, V., & Migliaccio, K. W. (2007). Impact of time-scale of the calibration objective function on the performance of watershed models. *Hydrological Processes*, 21(25), 3409–3419. <https://doi.org/10.1002/hyp.6555>
- Tang, W. Y., Kassim, A. H. M., & Abubakar, S. H. (1996). Comparative studies of various missing data treatment methods - Malaysian experience. *Atmospheric Research*, 42(1–4), 247–262. [https://doi.org/10.1016/0169-8095\(95\)00067-4](https://doi.org/10.1016/0169-8095(95)00067-4)
- Tramblay, Y., Bouvier, C., Martin, C., Didon-Lescot, J.-F., Todorovik, D., & Domergue, J.-M. (2010). Assessment of initial soil moisture conditions for event-based rainfall–runoff modelling. *Journal of Hydrology*, 387(3–4), 176–187. <https://doi.org/10.1016/j.jhydrol.2010.04.006>
- USACE 2000. (n.d.). *United States Army Corps of Engineers, Hydrologic Engineering Centre (USACE 2000), Technical Reference Manual, Davis, California* (No. CPD-74B).
- Valent, P., Szolgay, J., & Rivero, C. (2012). Assessment of The Uncertainties of a Conceptual Hydrologic Model By Using Artificially Generated Flows. *Slovak Journal of Civil Engineering*, (4), 35. <https://doi.org/10.2478/v10189-012-0020-9>
- Wagner, T., & Kollat, J. (2007). Numerical and visual evaluation of hydrological and environmental models using the Monte Carlo analysis toolbox. *Environmental Modelling & Software*, 22(7), 1021–1033. <https://doi.org/10.1016/j.envsoft.2006.06.017>
- Wheeler, H. S. (2002). Progress in and prospects for fluvial flood modelling. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and*

Engineering Sciences, 360(1796), 1409–1431.

<https://doi.org/10.1098/rsta.2002.1007>

Wood, E. F., Sivapalan, M., Beven, K., & Band, L. (1988). Effects of spatial variability and scale with implications to hydrologic modeling. *Journal of Hydrology*, 102(1–4), 29–47. [https://doi.org/10.1016/0022-1694\(88\)90090-X](https://doi.org/10.1016/0022-1694(88)90090-X)

Zhang, H. L., Wang, Y. J., Wang, Y. Q., Li, D. X., & Wang, X. K. (2013). The effect of watershed scale on HEC-HMS calibrated parameters: a case study in the Clear Creek watershed in Iowa, USA. *Hydrology and Earth System Sciences Discussions*, 10(1), 965–998. <https://doi.org/10.5194/hessd-10-965-2013>