

REFERENCES

- [1] T. Wang, S. Gong, X. Zhu, and S. Wang, “Person re-identification by discriminative selection in video ranking,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 38, pp. 2501–2514, 2016.
- [2] W. Zhang, S. Hu, K. Liu, and Z. Zha, “Learning compact appearance representation for video-based person re-identification,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 29, pp. 2442–2452, 2017.
- [3] D. Zhang, W. Wu, H. Cheng, R. Zhang, Z. Dong, and Z. Cai, “Image-to-video person re-identification with temporally memorized similarity learning,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 28, pp. 2622–2632, 2018.
- [4] W. Zhang, X. Yu, and X. He, “Learning bidirectional temporal cues for video-based person re-identification,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 28, pp. 2768–2776, 2018.
- [5] J. Meng, W. Zheng, J. Lai, and L. Wang, “Deep graph metric learning for weakly supervised person re-identification,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 44, pp. 6074–6095, 2021.
- [6] L. Wu, Y. Wang, H. Yin, M. Wang, and L. Shao, “Few-shot deep adversarial learning for video-based person re-identification,” *IEEE Transactions on Image Processing*, vol. 29, pp. 1233–1245, 2019.
- [7] H. Liu, J. Feng, M. Qi, J. Jiang, and S. Yan, “End-to-end comparative attention networks for person re-identification,” *IEEE Transactions on Image Processing*, vol. 26, pp. 3492–3506, 2016.
- [8] G. Chen, J. Lu, M. Yang, and J. Zhou, “Spatial-temporal attention-aware learning for video-based person re-identification,” *IEEE Transactions on Image Processing*, vol. 28, pp. 4192–4205, 2019.
- [9] S. Xu, Y. Cheng, K. Gu, Y. Yang, S. Chang, and P. Zhou, “Jointly attentive spatial-temporal pooling networks for video-based person re-identification,” in *2017 IEEE International Conference on Computer Vision (ICCV)*, 2017, pp. 4743–4752.
- [10] C. Wang, G. Zhang, and W. Zhou, “Deep progressive attention for person re-identification,” *Journal of Electronic Imaging*, vol. 30, no. 4, pp. 043 028–043 028, 2021.

- [11] X. Ning, K. Gong, W. Li, L. Zhang, X. Bai, and S. Tian, “Feature refinement and filter network for person re-identification,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 31, pp. 3391–3402, 2021.
- [12] Z. Wang, L. He, X. Tu, *et al.*, “Robust video-based person re-identification by hierarchical mining,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 32, pp. 8179–8191, 2021.
- [13] R. Zhang, J. Li, H. Sun, *et al.*, “Scan: Self-and-collaborative attention network for video person re-identification,” *IEEE Transactions on Image Processing*, vol. 28, pp. 4870–4888, 2018.
- [14] S. Chen, H. Da, D. Wang, X. Zhang, Y. Yan, and S. Zhu, “Hasi: Hierarchical attention-aware spatio-temporal interaction for video-based person re-identification,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 34, pp. 4973–4988, 2024.
- [15] Y. Li, Z. Guo, H. Zhang, M. Li, and G. Ji, “Decoupled pose and similarity based graph neural network for video person re-identification,” *IEEE Signal Processing Letters*, vol. 29, pp. 264–268, 2022.
- [16] Y. Wang, L. Li, J. Yang, and J. Dang, “Person re-identification based on attention mechanism and adaptive weighting,” *DYNA*, vol. 96, 2021.
- [17] T. Chai, Z. Chen, A. Li, J. Chen, X. Mei, and Y. Wang, “Video person re-identification using attribute-enhanced features,” *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 32, pp. 7951–7966, 2021.
- [18] Y. Feng, F. Chen, J. Yu, *et al.*, “Cross-modality spatial-temporal transformer for video-based visible-infrared person re-identification,” *IEEE Transactions on Multimedia*, vol. 26, pp. 6582–6594, 2024.
- [19] X. Yang, X. Wang, L. Liu, N. Wang, and X. Gao, “Stfe: A comprehensive video-based person re-identification network based on spatio-temporal feature enhancement,” *IEEE Transactions on Multimedia*, vol. 26, pp. 7237–7249, 2024.
- [20] W. Hou, W. Wang, Y. Yan, D. Wu, and Q. Xia, “A three-stage framework for video-based visible-infrared person re-identification,” *IEEE Signal Processing Letters*, vol. 31, pp. 1254–1258, 2024.
- [21] Y. Du, C. Lei, Z. Zhao, Y. Dong, and F. Su, “Video-based visible-infrared person re-identification with auxiliary samples,” *IEEE Transactions on Information Forensics and Security*, vol. 19, pp. 1313–1325, 2023.
- [22] Y. Peng, S. Hou, C. Cao, X. Liu, Y. Huang, and Z. He, “Deep learning based occluded person re-identification: A survey,” *ACM Transactions on Multimedia Computing, Communications and Applications*, vol. 20, pp. 1–27, 2022.

- [23] X. Zhu, B. Wu, D. Huang, and W. Zheng, “Fast open-world person re-identification,” *IEEE Transactions on Image Processing*, vol. 27, pp. 2286–2300, 2018.
- [24] J. Dai, P. Zhang, D. Wang, H. Lu, and H. Wang, “Video person re-identification by temporal residual learning,” *IEEE Transactions on Image Processing*, vol. 28, pp. 1366–1377, 2018.
- [25] X. Liu, P. Zhang, C. Yu, H. Lu, and X. Yang, “Watching you: Global-guided reciprocal learning for video-based person re-identification,” in *2021 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*, 2021, pp. 13 329–13 338.
- [26] E. Ristani, F. Solera, R. Zou, R. Cucchiara, and C. Tomasi, “Performance measures and a data set for multi-target, multi-camera tracking,” in *European Conference on Computer Vision workshop on Benchmarking Multi-Target Tracking*, 2016.
- [27] L. Zheng, L. Shen, L. Tian, S. Wang, J. Wang, and Q. Tian, “Scalable person re-identification: A benchmark,” in *2015 IEEE International Conference on Computer Vision (ICCV)*, 2015, pp. 1116–1124. DOI: [10.1109/ICCV.2015.133](https://doi.org/10.1109/ICCV.2015.133).
- [28] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.
- [29] J. Hu, L. Shen, and G. Sun, “Squeeze-and-excitation networks,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2018, pp. 7132–7141.
- [30] S. Woo, J. Park, J.-Y. Lee, and I. S. Kweon, “Cbam : Convolutional block attention module,” in *Proceedings of the European Conference on Computer Vision (ECCV)*, 2018, pp. 3–19.
- [31] Z. Zhong, L. Zheng, G. Kang, S. Li, and Y. Yang, “Random erasing data augmentation,” *arXiv preprint arXiv:1708.04896*, 2017.
- [32] C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens, and Z. Wojna, “Rethinking the inception architecture for computer vision,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 2818–2826.
- [33] A. Hermans, L. Beyer, and B. Leibe, “In defense of the triplet loss for person re-identification,” *arXiv preprint arXiv:1703.07737*, 2017.
- [34] D. P. Kingma and J. Ba, “Adam: A method for stochastic optimization,” *arXiv preprint arXiv:1412.6980*, 2015.

- [35] Z. Zhong, L. Zheng, D. Cao, S. Li, and Y. Yang, “Re-ranking person re-identification with k-reciprocal encoding,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2017, pp. 1318–1327.
- [36] L. Zheng, L. Shen, L. Tian, S. Wang, J. Wang, and Q. Tian, “Scalable person re-identification: A benchmark,” in *Proceedings of the IEEE International Conference on Computer Vision (ICCV)*, 2015, pp. 1116–1124.
- [37] Y. Sun, L. Zheng, Y. Yang, and Q. Tian, “Beyond part models: Person retrieval with refined part pooling (and a strong convolutional baseline),” in *Proceedings of the European Conference on Computer Vision (ECCV)*, 2018, pp. 480–496.
- [38] G. Wang, J. Lai, P. Huang, and X. Xie, *Spatial-temporal person re-identification*, 2018. arXiv: [1812.03282](https://arxiv.org/abs/1812.03282) [cs.CV]. [Online]. Available: <https://arxiv.org/abs/1812.03282>.