

References

- [1] Javier Alonso-Mora, Samitha Samaranayake, Alex Wallar, Emilio Frazzoli, and Daniela Rus. On-demand high-capacity ride-sharing via dynamic trip-vehicle assignment. *Proceedings of the National Academy of Sciences*, 114(3):462–467, 2017.
- [2] M. Ota, H. Vo, C. Silva, and J. Freire. Stars: Simulating taxi ride sharing at scale. *IEEE Transactions on Big Data*, 3(3):349–361, Sep. 2017.
- [3] Keld Helsgaun. An effective implementation of the lin–kernighan traveling salesman heuristic. *European Journal of Operational Research*, 126(1):106 – 130, 2000.
- [4] Michel Gendreau and Jean-Yves Potvin. *Tabu Search*, pages 165–186. Springer US, Boston, MA, 2005.
- [5] Jon Rigelsford. Intelligent optimisation techniques: Genetic algorithms, tabu search, simulated annealing and neural networks. *Industrial Robot: An International Journal*, 27(5):null, 2000.
- [6] Michael Held and Richard M. Karp. The traveling-salesman problem and minimum spanning trees: Part ii. *Math. Program.*, 1(1):6–25, December 1971.
- [7] Niels A.H. Agatz, Alan L. Erera, Martin W.P. Savelsbergh, and Xing Wang. Dynamic ride-sharing: A simulation study in metro atlanta. *Transportation Research Part B: Methodological*, 45(9):1450 – 1464, 2011. Select Papers from the 19th ISTTT.
- [8] R. Li, L. Qin, J. X. Yu, and R. Mao. Optimal multi-meeting-point route search. *IEEE Transactions on Knowledge and Data Engineering*, 28(3):770–784, March 2016.

- [9] Mitja Stiglic, Niels Agatz, Martin Savelsbergh, and Mirko Gradisar. The benefits of meeting points in ride-sharing systems. *Transportation Research Part B: Methodological*, 82:36 – 53, 2015.
- [10] J.A. Hoogeveen. Analysis of christofides’ heuristic: Some paths are more difficult than cycles. *Operations Research Letters*, 10(5):291 – 295, 1991.
- [11] Hyung-Chan An, Robert Kleinberg, and David B. Shmoys. Improving christofides’ algorithm for the s-t path TSP. *CoRR*, abs/1110.4604, 2011.
- [12] Fumei Lam and Alantha Newman. Traveling salesman path problems. *Mathematical Programming*, 113(1):39–59, May 2008.
- [13] Camelia-M. Pinte, Petrică C. Pop, and Camelia Chira. The generalized traveling salesman problem solved with ant algorithms. *Complex Adaptive Systems Modeling*, 5(1):8, Aug 2017.
- [14] John R. Current and David A. Schilling. The covering salesman problem. *Transportation Science*, 23(3):208–213, 1989.
- [15] Carlos E. Ferreira and Fernando M. de Oliveira Filho. Some formulations for the group steiner tree problem. *Discrete Applied Mathematics*, 154(13):1877 – 1884, 2006. Traces of the Latin American Conference on Combinatorics, Graphs and Applications.
- [16] Naveen Garg, Goran Konjevod, and R Ravi. A polylogarithmic approximation algorithm for the group steiner tree problem. *Journal of Algorithms*, 37(1):66–84, 2000.
- [17] Mehdi Sharifzadeh, Mohammad Kolahdouzan, and Cyrus Shahabi. The optimal sequenced route query. *The VLDB Journal*, 17(4):765–787, Jul 2008.
- [18] Feifei Li, Dihan Cheng, Marios Hadjieleftheriou, George Kollios, and Shang-Hua Teng. On trip planning queries in spatial databases. In Claudia Bauzer Medeiros, Max J. Egenhofer, and Elisa Bertino, editors, *Advances*

in *Spatial and Temporal Databases*, pages 273–290, Berlin, Heidelberg, 2005. Springer Berlin Heidelberg.

- [19] Yaron Kanza, Roy Levin, Eliyahu Safra, and Yehoshua Sagiv. Interactive route search in the presence of order constraints. *Proc. VLDB Endow.*, 3(1-2):117–128, September 2010.
- [20] Roy Levin and Yaron Kanza. Tars: traffic-aware route search. *GeoInformatica*, 18(3):461–500, Jul 2014.
- [21] Haiquan Chen, Wei-Shinn Ku, Min-Te Sun, and Roger Zimmermann. The partial sequenced route query with traveling rules in road networks. *Geoinformatica*, 15(3):541–569, July 2011.
- [22] Jacques Desrosiers, Yvan Dumas, and François Soumis. A dynamic programming solution of the large-scale single-vehicle dial-a-ride problem with time windows. *American Journal of Mathematical and Management Sciences*, 6(3-4):301–325, 1986.
- [23] Stefan Ropke, Jean-François Cordeau, and Gilbert Laporte. Models and branch-and-cut algorithms for pickup and delivery problems with time windows. *Networks*, 49(4):258–272.
- [24] J. K. Lenstra and A. H. G. Rinnooy Kan. Some simple applications of the travelling salesman problem. *Journal of the Operational Research Society*, 26(4):717–733, 1975.
- [25] Christine L. Valenzuela and Antonia J. Jones. Estimating the held-karp lower bound for the geometric tsp. *European Journal of Operational Research*, 102(1):157 – 175, 1997.
- [26] Xin Li, Sangen Hu, Wenbo Fan, and Kai Deng. Modeling an enhanced ridesharing system with meet points and time windows. *PLOS ONE*, 13(5):1–19, 05 2018.

- [27] Ulrich Matchi Aïvodji, Sébastien Gambs, Marie-José Huguet, and Marc-Olivier Killijian. Meeting points in ridesharing: A privacy-preserving approach. *Transportation Research Part C: Emerging Technologies*, 72:239 – 253, 2016.
- [28] Paul Czioska and Monika Sester. Determination of efficient meeting points in ride-sharing scenarios. *AGILE International Conference on Geographic Information Science*, 2015.
- [29] Radosław Grymin and Szymon Jagiełło. Fast branch and bound algorithm for the travelling salesman problem. In Khalid Saeed and Władysław Homenda, editors, *Computer Information Systems and Industrial Management*, pages 206–217, Cham, 2016. Springer International Publishing.
- [30] Michael Held, Philip Wolfe, and Harlan P. Crowder. Validation of subgradient optimization. *Mathematical Programming*, 6(1):62–88, Dec 1974.
- [31] Tlc trip record data. <https://www1.nyc.gov/site/tlc/about/tlc-trip-record-data.page>. Accessed: 2019-07-01.