

REFERENCES

- Afzal, A., Kim, K. Y., & Seo, J. W. (2017). Effects of latin hypercube sampling on surrogate modeling and optimization. *International Journal of Fluid Machinery and Systems*, 10(3), 240–253. <https://doi.org/10.5293/IJFMS.2017.10.3.240>
- Ahn, K. U., Kim, Y. J., Park, C. S., Kim, I., & Lee, K. (2014). BIM interface for full vs. semi-automated building energy simulation. *Energy and Buildings*, 68(PART B), 671–678. <https://doi.org/10.1016/j.enbuild.2013.08.063>
- Alsharif, R., Arashpour, M., Golafshani, E., Rashidi, A., & Li, H. (2023a). Multi-objective optimization of shading devices using ensemble machine learning and orthogonal design of experiments. *Energy and Buildings*, 283, 112840. <https://doi.org/10.1016/j.enbuild.2023.112840>
- Alwan, Z., & Ilhan Jones, B. (2022). IFC-based embodied carbon benchmarking for early design analysis. *Automation in Construction*, 142(December 2021), 104505. <https://doi.org/10.1016/j.autcon.2022.104505>
- Amoruso, F. M., Dietrich, U., & Schuetze, T. (2019). Integrated BIM-parametric workflow-based analysis of daylight improvement for sustainable renovation of an exemplary apartment in Seoul, Korea. *Sustainability (Switzerland)*, 11(9). <https://doi.org/10.3390/su11092699>
- ANSI/ASHRAE. (2021). Standard 169-2020, Climatic data for building design standards. *ANSI/ASHRAE Standard 169-2020, 8400*, 1–387.
- Anwar, M. W., Ali, Z., Javed, A., Din, E. U., & Sajid, M. (2021). Analysis of the effect of passive measures on the energy consumption and zero-energy prospects of residential buildings in Pakistan. *Building Simulation*, 14(4), 1325–1342. <https://doi.org/10.1007/s12273-020-0729-8>
- Bhamare, D. K., Rathod, M. K., & Banerjee, J. (2019). Passive cooling techniques for building and their applicability in different climatic zones—The state of art. *Energy and Buildings*, 198, 467–490. <https://doi.org/10.1016/j.enbuild.2019.06.023>

- Bracht, M. K., Melo, A. P., & Lamberts, R. (2021). A metamodel for building information modeling-building energy modeling integration in early design stage. *Automation in Construction*, 121(September 2020), 103422. <https://doi.org/10.1016/j.autcon.2020.103422>
- Chakrabarti, C. G., & Chakrabarty, I. (2005). Shannon entropy: axiomatic characterization and application. *International Journal of Mathematics and Mathematical Sciences*, 2005(17), 2847–2854. <https://doi.org/10.1155/IJMMS.2005.2847>
- Chang, Y. T., & Hsieh, S. H. (2020). A review of building information modeling research for green building design through building performance analysis. *Journal of Information Technology in Construction*, 25, 1–40. <https://doi.org/10.36680/j.itcon.2020.001>
- Charoenkit, S., & Yiemwattana, S. (2016). Living walls and their contribution to improved thermal comfort and carbon emission reduction: A review. *Building and Environment*, 105, 82–94. <https://doi.org/https://doi.org/10.1016/j.buildenv.2016.05.031>
- Chen, X., Yang, H., & Sun, K. (2017). Developing a meta-model for sensitivity analyses and prediction of building performance for passively designed high-rise residential buildings. *Applied Energy*, 194, 422–439. <https://doi.org/10.1016/j.apenergy.2016.08.180>
- Chen, Y., Mae, M., Taniguchi, K., Kojima, T., Mori, H., Trihamdani, A. R., Morita, K., & Sasajima, Y. (2021). Performance of passive design strategies in hot and humid regions. Case study: Tangerang, Indonesia. *Journal of Asian Architecture and Building Engineering*, 20(4), 458–476. <https://doi.org/10.1080/13467581.2020.1798775>
- Cheung, C. K., Fuller, R. J., & Luther, M. B. (2005). Energy-efficient envelope design for high-rise apartments. *Energy and Buildings*, 37(1), 37–48. <https://doi.org/10.1016/J.ENBUILD.2004.05.002>

- Chong, A., Xu, W., Chao, S., & Ngo, N. (2019a). *Energy & Buildings Continuous-time Bayesian calibration of energy models using BIM and energy data*. 194, 177–190. <https://doi.org/10.1016/j.enbuild.2019.04.017>
- CIBSE. (2015). Environmental Design: CIBSE Guide A. *CIBSE Guide*, 239–254.
- Crawley, D. B., Linda, K., & Lawrie. (2022). *Development of Global Typical Meteorological Years (TMYx)*. Climate.Onebuilding.Org. <http://climate.onebuilding.org>
- Dahanayake, K. C., & Chow, C. L. (2018). Comparing reduction of building cooling load through green roofs and green walls by EnergyPlus simulations. *Building Simulation*, 11(3), 421–434. <https://doi.org/10.1007/s12273-017-0415-7>
- Dahanayake, K. W. D. K. C., & Chow, C. L. (2017). Studying the potential of energy saving through vertical greenery systems: Using EnergyPlus simulation program. *Energy and Buildings*, 138, 47–59. <https://doi.org/10.1016/j.enbuild.2016.12.002>
- Dias, D., Machado, J., Leal, V., & Mendes, A. (2014). Impact of using cool paints on energy demand and thermal comfort of a residential building. *Applied Thermal Engineering*. <https://doi.org/10.1016/j.applthermaleng.2013.12.056>
- Elaouzy, Y., & El Fadar, A. (2022). Energy, economic and environmental benefits of integrating passive design strategies into buildings: A review. *Renewable and Sustainable Energy Reviews*, 167, 112828. <https://doi.org/10.1016/J.RSER.2022.112828>
- Elshafei, G., Negm, A., Bady, M., Suzuki, M., & Ibrahim, M. G. (2017). Numerical and experimental investigations of the impacts of window parameters on indoor natural ventilation in a residential building. *Energy and Buildings*, 141, 321–332. <https://doi.org/https://doi.org/10.1016/j.enbuild.2017.02.055>
- Energy Efficiency Building Code of Sri Lanka. (2021). Sri Lanka Sustainable Energy Authority. In *Web : www.energy.gov.lk +94* (Vol. 11).

- Filho, J. P. B., & Santos, T. V. O. (2014a). *Thermal analysis of roofs with thermal insulation layer and reflective coatings in subtropical and equatorial climate regions in Brazil*. 84, 466–474.
- Freewan, A. A. Y. (2014a). Impact of external shading devices on thermal and daylighting performance of offices in hot climate regions. *Solar Energy*, 102, 14–30. <https://doi.org/10.1016/J.SOLENER.2014.01.009>
- Gamero-Salinas, J., Monge-Barrio, A., Kishnani, N., López-Fidalgo, J., & Sánchez-Ostiz, A. (2021). Passive cooling design strategies as adaptation measures for lowering the indoor overheating risk in tropical climates. *Energy and Buildings*, 252, 111417. <https://doi.org/10.1016/j.enbuild.2021.111417>
- Garcia Sanchez, D., Lacarrière, B., Musy, M., & Bourges, B. (2014). Application of sensitivity analysis in building energy simulations: Combining first- and second-order elementary effects methods. *Energy and Buildings*, 68(PART C), 741–750. <https://doi.org/10.1016/j.enbuild.2012.08.048>
- González-Torres, M., Pérez-Lombard, L., Coronel, J. F., Maestre, I. R., & Yan, D. (2022). A review on buildings energy information: Trends, end-uses, fuels and drivers. *Energy Reports*, 8, 626–637. <https://doi.org/10.1016/J.EGYR.2021.11.280>
- Hamdy, M., Hasan, A., & Siren, K. (2011). Applying a multi-objective optimization approach for Design of low-emission cost-effective dwellings. *Building and Environment*, 46(1), 109–123. <https://doi.org/https://doi.org/10.1016/j.buildenv.2010.07.006>
- Harkouss, F., Fardoun, F., & Biwole, P. H. (2018a). Passive design optimization of low energy buildings in different climates. *Energy*, 165, 591–613. <https://doi.org/10.1016/j.energy.2018.09.019>
- Heiselberg, P., Brohus, H., Hesselholt, A., Rasmussen, H., Seinre, E., & Thomas, S. (2009). Application of sensitivity analysis in design of sustainable buildings. *Renewable Energy*, 34(9), 2030–2036. <https://doi.org/10.1016/j.renene.2009.02.016>

- Hou, F., Ma, J., Kwok, H. H. L., & Cheng, J. C. P. (2022). Prediction and optimization of thermal comfort, IAQ and energy consumption of typical air-conditioned rooms based on a hybrid prediction model. *Building and Environment*, 225(November). <https://doi.org/10.1016/j.buildenv.2022.109576>
- Huang, K. T., & Hwang, R. L. (2016). Future trends of residential building cooling energy and passive adaptation measures to counteract climate change: The case of Taiwan. *Applied Energy*, 184, 1230–1240. <https://doi.org/10.1016/j.apenergy.2015.11.008>
- Ilhan, B., & Yaman, H. (2016). Green building assessment tool (GBAT) for integrated BIM-based design decisions. *Automation in Construction*, 70, 26–37. <https://doi.org/10.1016/j.autcon.2016.05.001>
- Jayasinghe, M. T. R., & Attalage, R. (1999). *Passive Techniques for Residential Buildings in Low Altitudes of Sri Lanka*. January.
- Jayasinghe, M. T. R., & Priyanvada, A. K. M. (2002). Thermally comfortable passive houses for tropical uplands. *Energy for Sustainable Development*, 6(4), 45–54. [https://doi.org/10.1016/S0973-0826\(08\)60446-9](https://doi.org/10.1016/S0973-0826(08)60446-9)
- Jin, R., Zhong, B., Ma, L., Hashemi, A., & Ding, L. (2019). Integrating BIM with building performance analysis in project life-cycle. *Automation in Construction*, 106(May), 102861. <https://doi.org/10.1016/j.autcon.2019.102861>
- Judkoff, R., Wortman, D., O'Doherty, B., & Burch, J. (2008). A methodology for validating building energy analysis simulations. *NREL Technical Report 550-42059*, April, 1–192.
- Jung, Y., Heo, Y., & Lee, H. (2021). Multi-objective optimization of the multi-story residential building with passive design strategy in South Korea. *Building and Environment*, 203(April), 108061. <https://doi.org/10.1016/j.buildenv.2021.108061>
- Karunathilake, W. K. U. V., Halwatura, R. U., & Pathirana, S. M. (2018). Optimization of thermal comfort in Sri Lankan residential buildings. *MERCon 2018 - 4th*

International Multidisciplinary Moratuwa Engineering Research Conference, 150–155. <https://doi.org/10.1109/MERCon.2018.8421978>

Kota, S., Haberl, J. S., Clayton, M. J., & Yan, W. (2014). Building Information Modeling (BIM)-based daylighting simulation and analysis. *Energy and Buildings*, 81, 391–403. <https://doi.org/10.1016/j.enbuild.2014.06.043>

Krüger, E., & Givoni, B. (2008). Thermal monitoring and indoor temperature predictions in a passive solar building in an arid environment. *Building and Environment*, 43(11), 1792–1804. <https://doi.org/10.1016/j.buildenv.2007.10.019>

Kumanayake, R., & Luo, H. (2018). A tool for assessing life cycle CO₂ emissions of buildings in Sri Lanka. *Building and Environment*, 128, 272–286. <https://doi.org/10.1016/j.buildenv.2017.11.042>

Liu, S., Kwok, Y. T., Lau, K. K. L., Ouyang, W., & Ng, E. (2020). Effectiveness of passive design strategies in responding to future climate change for residential buildings in hot and humid Hong Kong. *Energy and Buildings*, 228. <https://doi.org/10.1016/j.enbuild.2020.110469>

Liu, S., Kwok, Y. T., Lau, K., & Ng, E. (2021). Applicability of different extreme weather datasets for assessing indoor overheating risks of residential buildings in a subtropical high-density city. *Building and Environment*, 194(February), 107711. <https://doi.org/10.1016/j.buildenv.2021.107711>

Liu, S., Wang, Y., Liu, X., Yang, L., Zhang, Y., & He, J. (2023). How does future climatic uncertainty affect multi-objective building energy retrofit decisions? Evidence from residential buildings in subtropical Hong Kong. *Sustainable Cities and Society*, 92(December 2022), 104482. <https://doi.org/10.1016/j.scs.2023.104482>

Mahar, W. A., Verbeeck, G., & Reiter, S. (2020). *Sensitivity Analysis of Passive Design Strategies for Residential Buildings in Cold Semi-Arid Climates*. 4.

- Malys, L., Musy, M., & Inard, C. (2014). A hydrothermal model to assess the impact of green walls on urban microclimate and building energy consumption. *Building and Environment*, 73, 187–197. <https://doi.org/10.1016/j.buildenv.2013.12.012>
- Manso, M., & Castro-Gomes, J. (2015). Green wall systems: A review of their characteristics. *Renewable and Sustainable Energy Reviews*, 41, 863–871. <https://doi.org/https://doi.org/10.1016/j.rser.2014.07.203>
- Mehjabeen Ratree, S., Farah, N., & Shadat, S. (2020). *Vernacular Architecture of South Asia: Exploring Passive Design Strategies of Traditional Houses in Warm Humid Climate of Bangladesh and Sri Lanka*. May, 216–226. <https://doi.org/10.38027/n212020iccaua316262>
- Mendis, M. S., Rajapaksha, M., & Halwatura, R. U. (2020). Unleashing the potentials of traditional construction technique in bio-climatic building designs: A case of Ambalam, Sri Lanka. *International Journal of Environmental Science and Development*, 11(6), 298–304. <https://doi.org/10.18178/ijesd.2020.11.6.1266>
- Muñoz, P., González, C., Recio, R., & Gencel, O. (2022). The role of specific heat capacity on building energy performance and thermal discomfort. *Case Studies in Construction Materials*, 17(May). <https://doi.org/10.1016/j.cscm.2022.e01423>
- Nandapala, K., Chandra, M. S., & Halwatura, R. U. (2020a). A study on the feasibility of a new roof slab insulation system in tropical climatic conditions. *Energy and Buildings*, 208, 109653. <https://doi.org/10.1016/j.enbuild.2019.109653>
- Neale, J., Shamsi, M. H., Mangina, E., Finn, D., & O'Donnell, J. (2022). Accurate identification of influential building parameters through an integration of global sensitivity and feature selection techniques. *Applied Energy*, 315(March), 118956. <https://doi.org/10.1016/j.apenergy.2022.118956>
- Nguyen, A. T., & Reiter, S. (2014). A climate analysis tool for passive heating and cooling strategies in hot humid climate based on Typical Meteorological Year data sets. *Energy and Buildings*, 68(PART C), 756–763. <https://doi.org/10.1016/j.enbuild.2012.08.050>

- Nguyen, A. T., Tran, Q. B., Tran, D. Q., & Reiter, S. (2011a). An investigation on climate responsive design strategies of vernacular housing in Vietnam. *Building and Environment*, 46(10), 2088–2106. <https://doi.org/10.1016/j.buildenv.2011.04.019>
- Ohene, E., Hsu, S. C., & Chan, A. P. C. (2022). Feasibility and retrofit guidelines towards net-zero energy buildings in tropical climates: A case of Ghana. *Energy and Buildings*, 269(June). <https://doi.org/10.1016/j.enbuild.2022.112252>
- Ohlsson, K. E. A., & Olofsson, T. (2021). Benchmarking the practice of validation and uncertainty analysis of building energy models. *Renewable and Sustainable Energy Reviews*, 142(December 2020), 110842. <https://doi.org/10.1016/j.rser.2021.110842>
- Østergård, T., Jensen, R. L., & Maagaard, S. E. (2018). A comparison of six metamodeling techniques applied to building performance simulations. *Applied Energy*, 211, 89–103. <https://doi.org/https://doi.org/10.1016/j.apenergy.2017.10.102>
- Pathirana, S., Rodrigo, A., & Halwatura, R. (2019). Effect of building shape, orientation, window to wall ratios and zones on energy efficiency and thermal comfort of naturally ventilated houses in tropical climate. *International Journal of Energy and Environmental Engineering*, 10(1), 107–120. <https://doi.org/10.1007/s40095-018-0295-3>
- Prathapasinghe, D., Perera, M. P. R. I., & Ariyawansa, R. G. (2018). *Evolution of Condominium Market in Sri Lanka: A Review and Predict.* https://en.wikipedia.org/wiki/List_of_house_types,
- Prieto, A., Knaack, U., Auer, T., & Klein, T. (2018). Passive cooling & climate responsive façade design exploring the limits of passive cooling strategies to improve the performance of commercial buildings in warm climates. *Energy and Buildings*, 175, 30–47. <https://doi.org/10.1016/j.enbuild.2018.06.016>
- Rad, M. A. H., Jalaei, F., Golpour, A., Varzande, S. S. H., & Guest, G. (2021). BIM-based approach to conduct Life Cycle Cost Analysis of resilient buildings at the

- conceptual stage. *Automation in Construction*, 123(January), 103480. <https://doi.org/10.1016/j.autcon.2020.103480>
- Rajapaksha, I., Nagai, H., & Okumiya, M. (2003). A ventilated courtyard as a passive cooling strategy in the warm humid tropics. *Renewable Energy*, 28(11), 1755–1778. [https://doi.org/10.1016/S0960-1481\(03\)00012-0](https://doi.org/10.1016/S0960-1481(03)00012-0)
- Ramaji, I. J., Messner, J. I., & Mostavi, E. (2020). IFC-Based BIM-to-BEM Model Transformation. *Journal of Computing in Civil Engineering*, 34(3). [https://doi.org/10.1061/\(asce\)cp.1943-5487.0000880](https://doi.org/10.1061/(asce)cp.1943-5487.0000880)
- Rana, M. J., Hasan, M. R., Sobuz, M. H. R., & Sutan, N. M. (2021). Evaluation of passive design strategies to achieve NZEB in the corporate facilities: the context of Bangladeshi subtropical monsoon climate. *International Journal of Building Pathology and Adaptation*, 39(4), 619–654. <https://doi.org/10.1108/IJBPA-05-2020-0037>
- Röck, M., Saade, M. R. M., Balouktsi, M., Rasmussen, F. N., Birgisdottir, H., Frischknecht, R., Habert, G., Lützkendorf, T., & Passer, A. (2020). Embodied GHG emissions of buildings – The hidden challenge for effective climate change mitigation. *Applied Energy*, 258, 114107. <https://doi.org/10.1016/J.APENERGY.2019.114107>
- Royapoor, M., & Roskilly, T. (2015). Building model calibration using energy and environmental data. *Energy and Buildings*, 94, 109–120. <https://doi.org/10.1016/j.enbuild.2015.02.050>
- Saltelli, A., Ratto, M., Andres, T., Campolongo, F., Cariboni, J., Gatelli, D., Saisana, M., & Tarantola, S. (2008). *Global Sensitivity Analysis: The Primer*. Wiley.
- Santy, Matsumoto, H., Tsuzuki, K., & Susanti, L. (2017). Bioclimatic analysis in pre-design stage of passive house in Indonesia. *Buildings*, 7(1). <https://doi.org/10.3390/buildings7010024>
- Seghier, T. E., Lim, Y. W., Harun, M. F., Ahmad, M. H., Samah, A. A., & Majid, H. A. (2022). BIM-based retrofit method (RBIM) for building envelope thermal

- performance optimization. *Energy and Buildings*, 256. <https://doi.org/10.1016/j.enbuild.2021.111693>
- Shen, Y., & Pan, Y. (2023). BIM-supported automatic energy performance analysis for green building design using explainable machine learning and multi-objective optimization. *Applied Energy*, 333(December 2022). <https://doi.org/10.1016/j.apenergy.2022.120575>
- Shiveswarran, R., Athukorala, N., & Jayasinghe, M. T. R. (2023). Embodied Energy and Lifecycle Assessment of EPS based Light-weight Panel Apartments in Tropical Uplands. *Lecture Notes in Civil Engineering*, 266(September), 783–798. https://doi.org/10.1007/978-981-19-2886-4_55
- Singh, M. M., Deb, C., & Geyer, P. (2022a). Early-stage design support combining machine learning and building information modelling. *Automation in Construction*, 136(January), 104147. <https://doi.org/10.1016/j.autcon.2022.104147>
- Singh, M. M., Singaravel, S., Klein, R., & Geyer, P. (2020). Quick energy prediction and comparison of options at the early design stage. *Advanced Engineering Informatics*, 46(September), 101185. <https://doi.org/10.1016/j.aei.2020.101185>
- Sri Lanka Sustainable Energy Authority. (2019). *Guideline for Sustainable Energy Residences in Sri Lanka*.
- Srinivasan, V., & Shocker, A. D. (1973). Linear programming techniques for multidimensional analysis of preferences. *Psychometrika*, 38(3), 337–369. <https://doi.org/10.1007/BF02291658>
- Sun, X., Gou, Z., & Lau, S. S. Y. (2018). Cost-effectiveness of active and passive design strategies for existing building retrofits in tropical climate: Case study of a zero energy building. *Journal of Cleaner Production*, 183, 35–45. <https://doi.org/10.1016/j.jclepro.2018.02.137>
- Thapa, S., Rijal, H. B., Pasut, W., Singh, R., Indraganti, M., Bansal, A. K., & Panda, G. K. (2023). Simulation of thermal comfort and energy demand in buildings of sub-Himalayan eastern India - Impact of climate change at mid (2050) and distant

- (2080) future. *Journal of Building Engineering*, 68(January).
<https://doi.org/10.1016/j.jobbe.2023.106068>
- Trucano, T. G., Swiler, L. P., Igusa, T., Oberkampf, W. L., & Pilch, M. (2006). Calibration, validation, and sensitivity analysis: What's what. *Reliability Engineering & System Safety*, 91(10–11), 1331–1357.
<https://doi.org/10.1016/J.RESS.2005.11.031>
- Truong, H., Francisco, A., Khosrowpour, A., Taylor, J. E., & Mohammadi, N. (2017). Method for visualizing energy use in building information models. *Energy Procedia*, 142, 2541–2546. <https://doi.org/10.1016/j.egypro.2017.12.089>
- Tzeng, G.-H., & Huang, J.-J. (2011). *Multiple Attribute Decision Making*. Chapman and Hall/CRC. <https://doi.org/10.1201/b11032>
- Udawatttha, C., & Halwatura, R. (2018a). Thermal performance and structural cooling analysis of brick, cement block, and mud concrete block. *Advances in Building Energy Research*, 12(2), 150–163.
<https://doi.org/10.1080/17512549.2016.1257438>
- U.S. Green Building Council. (2016). *LEED 2009 for New Construction and Major Renovations Rating System*. www.usgbc.org
- Weerasinghe, A. S., Ramachandra, T., & Rotimi, J. O. B. (2021). Comparative life-cycle cost (LCC) study of green and traditional industrial buildings in Sri Lanka. *Energy and Buildings*, June, 1–26. <https://doi.org/10.1038/s41598-022-07229-w>
- Weerasuriya, A. U., Zhang, X., Gan, V. J. L., & Tan, Y. (2019a). A holistic framework to utilize natural ventilation to optimize energy performance of residential high-rise buildings. *Building and Environment*, 153(February), 218–232.
<https://doi.org/10.1016/j.buildenv.2019.02.027>
- Wong, I., & Baldwin, A. N. (2016a). Investigating the potential of applying vertical green walls to high-rise residential buildings for energy-saving in sub-tropical region. *Building and Environment*, 97, 34–39.
<https://doi.org/10.1016/j.buildenv.2015.11.028>

- World Bank. (2022). *Urban Development*.
<https://www.worldbank.org/en/topic/urbandevelopment/overview#1>
- Yan, H., Ji, G., & Yan, K. (2022). Data-driven prediction and optimization of residential building performance in Singapore considering the impact of climate change. *Building and Environment*, 226(November), 109735.
<https://doi.org/10.1016/j.buildenv.2022.109735>
- Yew, M. C., Sulong, N. H. R., Chong, W. T., Poh, S. C., Ang, B. C., & Tan, K. H. (2013). *Integration of thermal insulation coating and moving-air-cavity in a cool roof system for attic temperature reduction*. 75, 241–248.
<https://doi.org/10.1016/j.enconman.2013.06.024>
- Zhang, D., Zhang, J., Guo, J., & Xiong, H. (2019). A Semantic and Social Approach for Real-Time Green Building Rating in BIM-Based Design. *Sustainability*, 11(14). <https://doi.org/10.3390/su11143973>
- Zhang, J., Liu, N., & Wang, S. (2021). Generative design and performance optimization of residential buildings based on parametric algorithm. *Energy and Buildings*, 244, 111033. <https://doi.org/10.1016/j.enbuild.2021.111033>
- Zhong, X., Hu, M., Deetman, S., Steubing, B., Lin, H. X., Hernandez, G. A., Harpprecht, C., Zhang, C., Tukker, A., & Behrens, P. (2021). Global greenhouse gas emissions from residential and commercial building materials and mitigation strategies to 2060. *Nature Communications*, 12(1).
<https://doi.org/10.1038/s41467-021-26212-z>
- Zhuang, D., Zhang, X., Lu, Y., Wang, C., Jin, X., Zhou, X., & Shi, X. (2021). A performance data integrated BIM framework for building life-cycle energy efficiency and environmental optimization design. *Automation in Construction*, 127(December 2020), 103712. <https://doi.org/10.1016/j.autcon.2021.103712>