

BIBLIOGRAPHY

- Arrosyad, M. I., Suryadin, A., & Prayitno, H. J. (2020). FLIP FABRIC AND NAME BOARD (CASE STUDY IN PANGKALPINANG CITY, BANGKA BELITUNG ISLANDS). *Dinamika Jurnal Ilmiah Pendidikan Dasar*, 12(1), 44. <https://doi.org/10.30595/dinamika.v12i1.6551>
- Bediako, J.K., Wei, W., Yun, Y.-S. (2016). Low-cost renewable adsorbent developed from waste textile fabric and its application to heavy metal adsorption. *J. Taiwan Inst. Chem. Eng.* 63, 250–258
- Bora, R., & Padmini, D. T. (2020). Study on Properties of Calotropis Cotton Blended Fabric. *Journal of Natural Fibers*, 1–10. <https://doi.org/10.1080/15440478.2020.1838993>
- Boschmeier, E., Archodoulaki, V.-M., Schwaighofer, A., Lendl, B., & Bartl, A. (2023). A novel quantification tool for elastane in textiles using thermal treatment. *Polymer Testing*, 118, 107920. <https://doi.org/10.1016/j.polymertesting.2022.107920>
- Bukhari, M. A., Carrasco-Gallego, R., & Ponce-Cueto, E. (2018). Developing a national programme for textiles and clothing recovery. *Waste Management & Research*, 36(4), 321–331. <https://doi.org/10.1177/0734242x18759190>
- Can, Y. (2019). Sound insulation performance of short cotton fiber waste/recycled acrylonitrile butadiene styrene composites. *Acta Phys. Pol. A* 135, 772–77
- De Rosa IM, Kenny JM, Puglia D, Santulli C, Sarasini F. Morphological, thermal and mechanical characterization of okra (*abelmoschus esculentus*) fibers as potential reinforcement in polymer composites. *Composite Science and Technology*. 2010; 70(1):116-122. doi:10.1016/j.compscitech.2009.09.013
- De Silva, R., Wang, X., & Byrne, N. (2014). Recycling textiles: the use of ionic liquids in the separation of cotton polyester blends. *RSC Adv.*, 4(55), 29094–29098. <https://doi.org/10.1039/c4ra04306e>

- Ellen MacArthur Foundation. (2017). A NEW TEXTILES ECONOMY: REDESIGNING FASHION'S FUTURE. https://www.ellenmacarthurfoundation.org/assets/downloads/publications/A-New-Textiles-Economy_Full-Report.pdf
- Hanoğlu, A., Çay, A., Yanık, J. (2019). Production of biochars from textile fibers through torrefaction and their characterisation. *Energy* 166, 664–673
- Herrero, M., Rovira, J., Nadal, M., & Domingo, J. L. (2019). Risk assessment due to dermal exposure of trace elements and indigo dye in jeans: Migration to artificial sweat. *Environmental Research*, 172, 310–318. <https://doi.org/10.1016/j.envres.2019.02.030>
- Karaosman, H., Morales-Alonso, G., & Brun, A. (2016). From a Systematic Literature Review to a Classification Framework: Sustainability Integration in Fashion Operations. *Sustainability*, 9(1), 30. <https://doi.org/10.3390/su9010030>
- Leonas, K. K. (2016). The Use of Recycled Fibers in Fashion and Home Products. *Textile Science and Clothing Technology*, 55–77. https://doi.org/10.1007/978-981-10-2146-6_2
- Lindman, B., Karlström, G., & Stigsson, L. (2010). On the mechanism of dissolution of cellulose. *Journal of Molecular Liquids*, 156(1), 76–81. <https://doi.org/10.1016/j.molliq.2010.04.016>
- Lv, F., Yao, D., Wang, Y., Wang, C., Zhu, P., & Hong, Y. (2015). Recycling of waste nylon 6/spandex blended fabrics by melt processing. *Composites Part B: Engineering*, 77, 232–237. <https://doi.org/10.1016/j.compositesb.2015.03.038>
- Ma, J., et al. (2018). Fast adsorption of heavy metal ions by waste cotton fabrics based double network hydrogel and influencing factors insight. *J. Hazard. Mater.* 344, 1034–1042
- Macfarlane, D. R., Mega Kar, Pringle, J. M., & Wiley-Vch. (2017). *Fundamentals of ionic liquids from chemistry to applications*. Weinheim, Germany Wiley-Vch.

- Mir, I. S., Cheema, P. P. S., & Singh, S. P. (2021). Implementation analysis of solid waste management in Ludhiana city of Punjab. *Environmental Challenges*, 2, 100023. <https://doi.org/10.1016/j.envc.2021.100023>
- Mohammad, A., Dr Inamuddin, & Springerlink (Online Service. (2012). *Green Solvents II : Properties and Applications of Ionic Liquids*. Springer Netherlands on lignocellulosic fibers of Brazil: Part III – Morphology
- Peña-Pichardo, P., et al. (2018). Recovery of cotton fibers from waste Blue-Jeans and its use in polyester concrete. *Constr. Build. Mater.* 177, 409–416
- Pinheiro, E., & de Francisco, A. (2016). Management and Characterization of Textile Solid Waste in a Local Productive Arrangement. *Fibers and Textiles in Eastern Europe*, 24(4(118)), 8–13. <https://doi.org/10.5604/12303666.1201128>
- Portella, E. H., Romanzini, D., Angrizani, C. C., Amico, S. C., Zattera, A. J., Portella, E. H., Romanzini, D., Angrizani, C. C., Amico, S. C., & Zattera, A. J. (2016). Influence of Stacking Sequence on the Mechanical and Dynamic Mechanical Properties of Cotton/Glass Fiber Reinforced Polyester Composites. *Materials Research*, 19(3), 542–547. <https://doi.org/10.1590/1980-5373-MR-2016-0058>
- Raj, M., Fatima, S., Tandon, N. (2020). Recycled materials as a potential replacement to synthetic sound absorbers: a study on denim shoddy and waste jute fibers. *Appl. Acoust.* 159, 107070.
- Rajput, D., et al. (2012). Reuse of cotton and recycle paper mill waste as building material. *Constr. Build. Mater.* 34, 470–475
- Rashmi Nayak, J., Bochen, J., & Gołaszewska, M. (2022). Experimental studies on the effect of natural and synthetic fibers on properties of fresh and hardened mortar. *Construction and Building Materials*, 347, 128550. <https://doi.org/10.1016/j.conbuildmat.2022.128550>
- Reichart, E., & Drew, D. (2019, January 10). By the numbers: The economic, social and environmental impacts of “Fast fashion.” World Resources Institute. <https://www.wri.org/insights/numbers-economic-social-and-environmental-impacts-fast-fashion>
- Romanzini D, Ornaghi Jr. HL, Amico SC, Zattera AJ. Preparation and characterization of ramie-glass fiber reinforced polymer matrix hybrid composites. *Materials*

Research. 2012;15(3):415-420. <http://dx.doi.org/10.1590/S1516-14392012005000050>

Sandin, G., & Peters, G. M. (2018). Environmental impact of textile reuse and recycling – A review. *Journal of Cleaner Production*, 184(184), 353–365. <https://doi.org/10.1016/j.jclepro.2018.02.266>

Satyanarayana KG, Guimarães JL, Wypych F. Studies on lignocellulosic fibers of Brazil. Part I: Source, production, morphology, properties and applications. *Composites Part A-Applied Science and Manufacturing*. 2007;38(7):1694-1709. doi:10.1016/j.compositesa.2007.02.006

Schmidt, A. S., Watson, D. I., Roos, S., Askham, C., & Pia Bruun Poulsen. (2016). Gaining benefits from discarded textiles. <https://doi.org/10.6027/tn2016-537>

Senthilkumar, M., & Anbumani, N. (2010). Dynamics of Elastic Knitted Fabrics for Sports Wear. *Journal of Industrial Textiles*, 41(1), 13–24. <https://doi.org/10.1177/1528083710387175>

Sgriccia N, Hawley MC, Misra M. Characterization of natural fiber surfaces and natural fiber composites. *Composites Part A-Applied Science and Manufacturing*. 2008; 39(10):1632-1637. doi:10.1016/j.compositesa.2008.07.007

Shamsuri, A. A. (2011). IONIC LIQUIDS: PREPARATIONS AND LIMITATIONS. *MAKARA of Science Series*, 14(2). <https://doi.org/10.7454/mss.v14i2.677>

Shirvanimoghaddam, K., Motamed, B., Ramakrishna, S., & Naebe, M. (2020). Death by waste: Fashion and textile circular economy case. *Science of the Total Environment*, 718(1), 137317. <https://doi.org/10.1016/j.scitotenv.2020.137317>

SMM, A., S, I., & S, A. (2020). Reviewing the Production Process, Physical and Chemical Properties of Spandex Fibers. *Advance Research in Textile*

- Engineering. <https://austinpublishinggroup.com/textile-engineering/fulltext/arte-v5-id1051.php#:~:text=of%20spandex%20fibers.->
- The waste hierarchy as described in the EU Waste Framework... (n.d.). ResearchGate. https://www.researchgate.net/figure/The-waste-hierarchy-as-described-in-the-EU-Waste-Framework-Directive-14_fig3_339796148
- Tomczak F, Satyanarayana KG, Sydenstricker TH. Studies on lignocellulosic fibers of Brazil: Part III – Morphology and properties of Brazilian curauá fibers. *Composites Part A: Applied Science and Manufacturing*. 2007; 38(10):2227-2236. doi:10.1016/j.compositesa.2007.06.00
- Ütebay, B., Çelik, P., & Çay, A. (2020). Textile Wastes: Status and Perspectives. *Waste in Textile and Leather Sectors*. <https://doi.org/10.5772/intechopen.92234>
- Wang, H., Li, Z., Liu, Y., Zhang, X., & Zhang, S. (2009). Degradation of poly(ethylene terephthalate) using ionic liquids. *Green Chemistry*, 11(10), 1568. <https://doi.org/10.1039/b906831g>
- Wang, L., Huang, S., & Wang, Y. (2022). Recycling of Waste Cotton Textile Containing Elastane Fibers through Dissolution and Regeneration. *Membranes*, 12(4), 355. <https://doi.org/10.3390/membranes12040355>
- Xia, G., Han, W., Zhi Ping Xu, Zhang, J., Kong, F., Zhang, J., Zhang, X., & Jia, F. (2021). *Complete recycling and valorization of waste textiles for value-added transparent films via an ionic liquid*. 9(5), 106182–106182. <https://doi.org/10.1016/j.jece.2021.106182>
- Yalcin-Enis, I., Kucukali-Ozturk, M., & Sezgin, H. (2019). Risks and Management of Textile Waste. *Nanoscience and Biotechnology for Environmental Applications*, 22, 29–53. https://doi.org/10.1007/978-3-319-97922-9_2
- Yalcin-Enis, I., Kucukali-Ozturk, M., & Sezgin, H. (2019). Risks and Management of Textile Waste. *Nanoscience and Biotechnology for Environmental Applications*, 22, 29–53. https://doi.org/10.1007/978-3-319-97922-9_2

- Yin, Y., Yao, D., Wang, C., & Wang, Y. (2013b). Removal of spandex from nylon/spandex blended fabrics by selective polymer degradation. *Textile Research Journal*, 84(1), 16–27. <https://doi.org/10.1177/0040517513487790>
- Zamani, B. (2014). *Towards Understanding Sustainable Textile Waste Management: Environmental impacts and social indicators*.
- Zhang, S., Lu, X., Zhou, Q., Li, X., Zhang, X. and Li, S. (2009). *Ionic Liquids*. Elsevier.