

REFERENCES

- [1] A. Pirastru, S. Di Tella, M. Cazzoli, F. Esposito, G. Baselli, F. Baglio, and V. Blasi, “The impact of emotional valence and stimulus habituation on fmri signal reliability during emotion generation,” *NeuroImage*, vol. 284, p. 120457, 11 2023.
- [2] R. A. Poldrack, “The role of fmri in cognitive neuroscience: where do we stand?” *Current Opinion in Neurobiology*, vol. 18, no. 2, pp. 223–227, 2008.
- [3] S. Anders, M. Lotze, M. Erb, W. Grodd, and N. Birbaumer, “Brain activity underlying emotional valence and arousal: A response-related fmri study,” *Human brain mapping*, vol. 23, no. 4, pp. 200–209, 2004.
- [4] J. Kim, J. Wang, D. H. Wedell, and S. V. Shinkareva, “Identifying core affect in individuals from fmri responses to dynamic naturalistic audiovisual stimuli,” *PLOS ONE*, vol. 11, no. 9, p. e0161589, 2016.
- [5] H. Vu, H.-C. Kim, M. Jung, and J.-H. Lee, “fmri volume classification using a 3d convolutional neural network robust to shifted and scaled neuronal activations,” *NeuroImage*, vol. 223, p. 117328, 2020.
- [6] A. Perrone, C. C. Guo, A. Basti, J. M. Shine, and A. Zalesky, “Dynamic brain connectivity predicts emotional arousal during naturalistic movie-watching,” *PLoS computational biology*, vol. 21, p. e1012994, 04 2025.
- [7] M. Constantinou, A. Yankouskaya, and H. Burianová, “Valence effects on episodic memory in young and old adults following exposure to emotional stimuli,” *The European journal of neuroscience*, vol. 61, p. e70041, 03 2025.
- [8] D. Barron, M. Salehi, M. Browning, C. Harmer, and E. Duff, “Exploring the prediction of emotional valence and pharmacologic effect across fmri studies of antidepressants,” *NeuroImage: Clinical*, vol. 20, 08 2018.
- [9] K. Kay, A. Rokem, J. Winawer, R. Dougherty, and B. Wandell, “GlmDenoise: a fast, automated technique for denoising task-based fmri data,” *Frontiers in Neuroscience*, vol. Volume 7 - 2013, 2013. [Online]. Available: <https://www.frontiersin.org/journals/neuroscience/articles/10.3389/fnins.2013.00247>
- [10] J. S. Prince, I. Charest, J. W. Kurzawski, J. A. Pyles, M. J. Tarr, and K. N. Kay, “Improving the accuracy of single-trial fmri response estimates using glmSingle,” *eLife*, vol. 11, p. e77599, nov 2022. [Online]. Available: <https://doi.org/10.7554/eLife.77599>

- [11] C. Gao, C. E. Weber, D. H. Wedell, and S. V. Shinkareva, “An fmri study of affective congruence across visual and auditory modalities,” *Journal of Cognitive Neuroscience*, vol. 32, no. 7, pp. 1251–1262, 2020.
- [12] V. Yousofzadeh, Z. Akhtar, A. M. Amiri, and T. H. Falk, “An automated framework for emotional fmri data analysis using covariance matrix,” in *2017 IEEE Global Conference on Signal and Information Processing (GlobalSIP)*, 2017, pp. 760–763.
- [13] V. Putkinen, S. Nazari-Farsani, K. Seppälä, T. Karjalainen, L. Sun, H. K. Karlsson, M. Hudson, T. T. Heikkilä, J. Hirvonen, and L. Nummenmaa, “Decoding music-evoked emotions in the auditory and motor cortex,” *Cerebral Cortex*, vol. 31, no. 5, pp. 2549–2560, 2021.
- [14] H.-Y. Chan, A. Smidts, V. C. Schoots, A. G. Sanfey, and M. A. Boksem, “Decoding dynamic affective responses to naturalistic videos with shared neural patterns,” *NeuroImage*, vol. 216, p. 116618, 2020.
- [15] M. Nath and J. Sahambi, “Independent component analysis of functional mri data,” 11 2008.
- [16] Z. Shi, L. Pan, H. Tang, and Y.-Y. Tang, “An improved gradient learning algorithm for spatial independent component analysis of functional mri data.”
- [17] V. Calhoun, G. Pearlson, and T. Adali, “Independent component analysis applied to fmri data: A generative model for validating results,” *Journal of VLSI Signal Processing*, vol. 37, pp. 281–291, 06 2004.
- [18] X. wu, L. Yao, Z.-y. Long, and H. Wu, “Improved infomax algorithm of independent component analysis applied to fmri data,” *Proceedings of SPIE - The International Society for Optical Engineering*, 05 2004.
- [19] X. Chen, W. Zeng, Y. Shi, J. Deng, and Y. Ma, “Intrinsic prior knowledge driven cica fmri data analysis for emotion recognition classification,” *IEEE Access*, vol. 7, pp. 59 944–59 950, 2019.
- [20] V. Calhoun and T. Adali, “Unmixing fmri with independent component analysis,” *Engineering in Medicine and Biology Magazine, IEEE*, vol. 25, pp. 79 – 90, 04 2006.
- [21] P. St. Jacques, P. Kragel, and D. Rubin, “Dynamic neural networks supporting memory retrieval,” *NeuroImage*, vol. 57, pp. 608–16, 07 2011.

- [22] S. Calderoni, F. Carota, S. L. Buglass, and B. Wicker, “Enhanced mirror neuron network activity and effective connectivity during live interaction among female subjects,” *NeuroImage*, vol. 243, p. 118601, 2022.
- [23] A. Frid, L. M. Manevitz, and N. E. Nawa, “Classifying the valence of autobiographical memories from fmri data,” *Annals of mathematics and artificial intelligence*, vol. 88, pp. 1261–1274, 2020.
- [24] A. Ranjan, V. Singh, A. Singh, A. Thakur, and R. Mishra, “Classifying brain state in sentence polarity exposure: An ann model for fmri data,” *Review of Intelligent Artificial*, vol. 34, no. 3, pp. 361–368, 2020.
- [25] S. Yoshida, “Decoding of emotional visual stimuli using fmri brain signal,” in *2016 IEEE/ACIS 15th International Conference on Computer and Information Science (ICIS)*, 2016, pp. 1–4.
- [26] P. J. Lang, M. M. Bradley, B. N. Cuthbert *et al.*, “International affective picture system (iaps): Affective ratings of pictures and instruction manual,” NIMH, Center for the Study of Emotion & Attention, Gainesville, FL, Tech. Rep., 2005.
- [27] C.-C. Chang and C.-J. Lin, “Libsvm: a library for support vector machines,” *ACM transactions on intelligent systems and technology (TIST)*, vol. 2, no. 3, pp. 1–27, 2011.
- [28] B. D. Toolbox, “Atr-dni,” 2014.
- [29] H.-C. Kim, P. A. Bandettini, and J.-H. Lee, “Deep neural network predicts emotional responses of the human brain from functional magnetic resonance imaging,” *NeuroImage*, vol. 186, pp. 607–627, 2019.
- [30] A. Fournel and E. Reynaud, “Exploring whole brain fmri data with unsupervised artificial neural networks,” in *2011 International Workshop on Pattern Recognition in NeuroImaging*. IEEE, 2011, pp. 53–56.
- [31] P. Bandettini, “Introduction to functional magnetic resonance imaging (fmri),” <https://www.coursera.org/learn/functional-mri>, n.d., coursera Online Course, accessed April 2025.
- [32] A. Rokem and K. Kay, “Fractional ridge regression: a fast, interpretable reparameterization of ridge regression,” *GigaScience*, vol. 9, no. 12, p. g1aa133, 11 2020. [Online]. Available: <https://doi.org/10.1093/gigascience/g1aa133>
- [33] V. Calhoun, T. Adali, G. Pearlson, and P. JJ, “A method for making group inferences using independent component analysis of functional mri data: Exploring the visual system,” *Neuroimage*, vol. 13, pp. 88–88, 06 2001.