

REFERENCES

- Abu Dabous, S., Zeiada, W., Al-Ruzouq, R., Hamad, K., & Al-Khayyat, G. (2021). Distress-based evidential reasoning method for pavement infrastructure condition assessment and rating. *International Journal of Pavement Engineering*, 22(4), 455–466. <https://doi.org/10.1080/10298436.2019.1622012>
- Agha, N., Hussain, A., Ali, A. S., & Qiu, Y. (2023). Performance Evaluation of Hot Mix Asphalt (HMA) Containing Polyethylene Terephthalate (PET) Using Wet and Dry Mixing Techniques. *Polymers*, 15(5). <https://doi.org/10.3390/polym15051211>
- Ainabekov, N. B., Daurenbek, N. M., & Sagitova, G. F. (2024). *USE OF CARBON BLACK AS A MODIFIER FOR PETROLEUM BITUMEN*. 4(142), 163–174.
- Airey, G. D., Hunter, A. E., & Rahimzadeh, B. (2002). The influence of geometry and sample preparation on dynamic shear rheometer testing. In *Performance of Bituminous and Hydraulic Materials in Pavements Proceedings of the Fourth European Symposium, Bitmat4, Nottingham, UK, 11-12 April 2002* (1st ed., pp. 3–12). Routledge. <https://doi.org/https://doi.org/10.1201/9780203743928>
- Al-Mansour, A. I., & Shokri, A. A. (2022). Correlation of Pavement Distress and Roughness Measurement. *Applied Sciences (Switzerland)*, 12, 124–134. <https://doi.org/https://doi.org/10.3390/app12083748> Academic
- Ali, M., Ali, N., Sajjad, A., Mahmood, S., Tabesh, T., & Ghafari, N. (2020). Investigating the high - temperature performance and activation energy of carbon black - modified asphalt binder. *SN Applied Sciences*, 2(2), 1–12. <https://doi.org/10.1007/s42452-020-2102-z>
- Aliyu Yaro, S. N., Sutanto, D. M. H., Usman, D. A., Jagaba, A. H., & Sakadadi, M. Y. (2022). The Influence of Waste Rice Straw Ash as Surrogate Filler for Asphalt Concrete Mixtures. *Construction*, 2(1), 118–125. <https://doi.org/10.15282/construction.v2i1.7624>
- Ameli, A., Babagoli, R., Norouzi, N., Jalali, F., & Poorheydari Mamaghani, F. (2020). Laboratory evaluation of the effect of coal waste ash (CWA) and rice husk ash (RHA) on performance of asphalt mastics and Stone matrix asphalt (SMA) mixture. *Construction and Building Materials*, 236, 117557. <https://doi.org/10.1016/j.conbuildmat.2019.117557>
- Arabani, M., Effati, M., Safari, M., Shalchian, M. M., & Hassanjani, M. H. (2024). The Comprehensive Review on the Mechanisms and Performance of Different Bio-Extenders in the Bitumen. *International Journal of Pavement Research and Technology*. <https://doi.org/10.1007/s42947-024-00457-5>
- Arabani, M., & Hassanjani, M. H. (2024). The influence of olive kernel ash obtained from canning factory as a bitumen modifier. *Construction and Building Materials*, 441(April), 137532. <https://doi.org/10.1016/j.conbuildmat.2024.137532>
- Arabani, M., Sadeghnejad, M., Haghanipour, J., & Hassanjani, M. H. (2024). The influence of rice bran oil and nano-calcium oxide into bitumen as sustainable modifiers. *Case Studies in Construction Materials*, 21(May), e03458. <https://doi.org/10.1016/j.cscm.2024.e03458>

- Arabani, M., & Tahami, S. A. (2017). Assessment of mechanical properties of rice husk ash modified asphalt mixture. *Construction and Building Materials*, 149, 350–358. <https://doi.org/10.1016/j.conbuildmat.2017.05.127>
- Arabiourrutia, M., Lopez, G., Artetxe, M., Alvarez, J., Bilbao, J., & Olazar, M. (2020). Waste tyre valorization by catalytic pyrolysis – A review. *Renewable and Sustainable Energy Reviews*, 129(June), 109932. <https://doi.org/10.1016/j.rser.2020.109932>
- Ariyaratne, B. H. T., Shantha, Y. G. P. B., Ranasoma, K. L. I., & Karunathilaka, M. P. I. T. (2024). Utilization of Pyrolytic Carbon Black Derived from Scrap Tyres for Enhance Bitumen Properties. *2nd International Conference on Engineering-2024*.
- ASTM_International. (2006a). *Standard Test Method for Penetration of Bituminous Materials*. ASTM D5-06 West Conshohocken; PA; USA.
- ASTM_International. (2006b). *Standard Test Method for Softening Point of Bitumen (Ring-and-Ball Apparatus)*. ASTM D36, West Conshohocken, PA, USA. <https://doi.org/10.1520/D0005-06>
- ASTM_International. (2009). *Standard Test Method for Density of Semi-Solid Bituminous Materials (Pycnometer Method)*. ASTM D70, West Conshohocken, PA, USA. <https://doi.org/10.1520/D0070-18A>
- ASTM_International. (2012). *Standard Test Method for Indirect Tensile Strength of Asphalt Mixtures*. ASTM D3203, West Conshohocken, PA, USA. https://doi.org/10.1520/D3203_D3203M-17
- ASTM_International. (2014). *Standard Test Method for Bulk Specific Gravity and Density of Non-Absorptive Compacted Asphalt Mixtures*. ASTM D2726, West Conshohocken, PA, USA. <https://doi.org/10.1520/D2726-11>
- ASTM_International. (2015). *Standard Test Method for Marshall Stability and Flow of Asphalt Mixtures*. ASTM D6927, West Conshohocken, PA, USA. <https://doi.org/10.1520/D6927-15>
- ASTM_International. (2018). *Standard Test Method for Theoretical Maximum Specific Gravity and Density of Asphalt Mixtures*. ASTM D2041, West Conshohocken, PA, USA. <https://doi.org/10.1520/D2041-03A>
- ASTM_International. (2022). ASTM D6521-22- Standard Practice for Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV). In *ASTM International*. <https://doi.org/10.1520/D6521-22>
- ASTM_International. (2023). ASTM D6433 Standard Practice for Roads and Parking Lots Pavement Condition Index Surveys. In *ASTM International: Vol. 04.03*. <https://doi.org/10.1520/D6433-20>
- ASTM_International. (2024). *Standard Test Method for Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer*. ASTM D7175. <https://doi.org/10.1520/D7175-23>
- ASTM D 113. (2007). Standard Test Method for Ductility of Bituminous Materials. American Society for Testing and Materials. USA. In *American Society for Testing and Materials: Vol. i*. ASTM D113, West Conshohocken, PA, USA. <https://doi.org/10.1520/D0113-17>

- ASTM D 6926. (2014). Standard Practice for Preparation of Bituminous Specimens Using Marshall. In *Annual Book of American Society for Testing materials/ ASTM Standards: Vol. i*. ASTM D6926, West Conshohocken, PA, USA. <https://doi.org/10.1520/D6926-20>
- Ayyadurai, A., Saravanan, M. M., & Devi, M. (2023). *Effect on stability of asphalt using COVID-19 single use face mask and saline tube waste*. 10(103).
- Bakheit, I., & Xiaoming, H. (2019). Modification of the dry method for mixing crumb rubber modifier with aggregate and asphalt based on the binder mix design. *Construction and Building Materials*, 220, 278–284. <https://doi.org/10.1016/j.conbuildmat.2019.06.050>
- Bera, M., Gupta, P., & Maji, P. K. (2018). *Structural / Load-Bearing Characteristics of Polymer – Carbon Composites Structural / Load-Bearing Characteristics of Polymer – Carbon Composites* (Issue October). Springer Singapore. <https://doi.org/10.1007/978-981-13-2688-2>
- Blaauw, S. A., Maina, J. W., & Grobler, L. J. (2020). Life cycle inventory of bitumen in South Africa. *Transportation Engineering*, 2(September), 100019. <https://doi.org/10.1016/j.treng.2020.100019>
- Boyapati, B., & Prasanna Kumar, R. (2015). Prioritisation of pavement maintenance based on pavement condition index. *Indian Journal of Science and Technology*, 8(14), 1–5. <https://doi.org/10.17485/ijst/2015/v8i14/64320>
- Cardona, N., Campuzano, F., Betancur, M., Jaramillo, L., & Martínez, J. D. (2018). Possibilities of carbon black recovery from waste tyre pyrolysis to be used as additive in rubber goods -a review-. *IOP Conference Series: Materials Science and Engineering*, 437(1). <https://doi.org/10.1088/1757-899X/437/1/012012>
- Casado-Barrasa, R., Lastra-González, P., Indacochea-Vega, I., & Castro-Fresno, D. (2019). Assessment of carbon black modified binder in a sustainable asphalt concrete mixture. *Construction and Building Materials*, 211, 363–370. <https://doi.org/10.1016/j.conbuildmat.2019.03.255>
- Catherine Billotte, Romana, L., Flory, A., Kaliaguine, S., & Ruiz, E. (2024). Recycled from waste tires carbon black high-density polyethylene composite: Multi-scale mechanical properties and polymer aging. *Polymer Composite*, 1–14. <https://doi.org/doi:10.1002/pc.28585>
- Chaala, A., Roy, C., & Ait-Kadi, A. (1996). Rheological properties of bitumen modified with pyrolytic carbon black. *Fuel*, 75(13), 1575–1583. [https://doi.org/10.1016/0016-2361\(96\)00143-3](https://doi.org/10.1016/0016-2361(96)00143-3)
- Chavez, F., Marcobal, J., & Gallego, J. (2019). Laboratory evaluation of the mechanical properties of asphalt mixtures with rubber incorporated by the wet, dry, and semi-wet process. *Construction and Building Materials*, 205, 164–174. <https://doi.org/10.1016/j.conbuildmat.2019.01.159>
- CIDA_SCA05. (2009). Standard specification for construction and maintenance of roads and bridges. In *Ministry of Construction and Engineering Services* ., Institute for Construction and training and development.
- Czajczyńska, D., Czajka, K., Krzyżyńska, R., & Jouhara, H. (2020). Waste tyre pyrolysis – Impact of the process and its products on the environment. *Thermal Science and Engineering Progress*, 20(August), 100690.

<https://doi.org/10.1016/j.tsep.2020.100690>

- Czajczyńska, D., Krzyżyńska, R., Jouhara, H., & Spencer, N. (2017). Use of pyrolytic gas from waste tire as a fuel: A review. *Energy*, 134(2017), 1121–1131. <https://doi.org/10.1016/j.energy.2017.05.042>
- Dissanayake, D. M. K. W., Jayasinghe, C., & Jayasinghe, M. T. R. (2017). A comparative embodied energy analysis of a house with recycled expanded polystyrene (EPS) based foam concrete wall panels. *Energy and Buildings*, 135, 85–94. <https://doi.org/10.1016/j.enbuild.2016.11.044>
- Driscoll, K., Harkema, J., Jarabek, A., Epa, U. S., Morgan, D., Nauss, K., Olin, S., Vu, V., Epa, U. S., Warheit, D., Epa, U. S., Sciences, H., Silica, S. A., Company, G., & Automobilindustrie, V. Der. (2000). *THE RELEVANCE OF THE RAT LUNG RESPONSE TO PARTICLE OVERLOAD FOR HUMAN RISK ASSESSMENT*. 1–17.
- Duarte, G. M., & Faxina, A. L. (2021). Asphalt concrete mixtures modified with polymeric waste by the wet and dry processes: A literature review. *Construction and Building Materials*, 312(October). <https://doi.org/10.1016/j.conbuildmat.2021.125408>
- Dwivedi, C., Manjare, S., & Rajan, S. K. (2020). Recycling of waste tire by pyrolysis to recover carbon black: Alternative & environment-friendly reinforcing filler for natural rubber compounds. *Composites Part B: Engineering*, 200(July), 108346. <https://doi.org/10.1016/j.compositesb.2020.108346>
- El Hakea, A. H., & Fakhr, M. W. (2023). Recent computer vision applications for pavement distress and condition assessment. *Automation in Construction*, 146(November 2022). <https://doi.org/10.1016/j.autcon.2022.104664>
- Emtiaz, M., Imtiyaz, M. N., Majumder, M., Idris, I. I., Mazumder, R., & Rahaman, M. M. (2023). A Comprehensive Literature Review on Polymer-Modified Asphalt Binder. *CivilEng*, 4(3), 901–932. <https://doi.org/10.3390/civileng4030049>
- Farahmandjou, M., & Golabiyan, N. (2015). New pore structure of nano-alumina (Al₂O₃) prepared by sol gel method. *Ceramic Processing Research*, March, 2–6.
- Feng, Z. G., Rao, W. Y., Chen, C., Tian, B., Li, X. J., Li, P. L., & Guo, Q. L. (2016). Performance evaluation of bitumen modified with pyrolysis carbon black made from waste tyres. *Construction and Building Materials*, 111, 495–501. <https://doi.org/10.1016/j.conbuildmat.2016.02.143>
- Feng, Z., Zhao, P., Li, X., & Zhu, L. (2021). Preparation and properties of bitumen modified with waste rubber pyrolytic carbon black. *Construction and Building Materials*, 282, 122697. <https://doi.org/10.1016/j.conbuildmat.2021.122697>
- Gan, Y., Li, C., Chen, A., Li, Y., Meng, X., Deng, Q., Wang, W., & Yu, T. (2023). Factors Affecting the Properties of PCB-Modified Asphalt. *Journal of Materials in Civil Engineering*, 35(11), 1–14. <https://doi.org/10.1061/jmcee7.mteng-15644>
- Geckil, T., Ahmedzade, P., & Alatas, T. (2018). Effect of Carbon Black on the High and Low Temperature Properties of Bitumen. *International Journal of Civil Engineering*, 16(2), 207–218. <https://doi.org/10.1007/s40999-016-0120-4>
- Geoff Hammond, C. J. (2008). *Inventory of Carbon & Energy (Ice)*.

- Guerrieri, M., & Parla, G. (2022). Flexible and stone pavements distress detection and measurement by deep learning and low-cost detection devices. *Engineering Failure Analysis*, 141(August), 1–18. <https://doi.org/10.1016/j.engfailanal.2022.106714>
- Guo, M., Liang, M., & Du, X. (2023). Evaluation on Feasibility of Carbon Black and Hindered Amine Light Stabilizer as UV-Resistant Additives of Asphalt Binder. *Journal of Testing and Evaluation*, 51(6). <https://doi.org/10.1520/JTE20220611>
- Hoang, A. T., Nguyen, T. H., & Nguyen, H. P. (2020). Scrap tire pyrolysis as a potential strategy for waste management pathway: a review. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, 00(00), 1–18. <https://doi.org/10.1080/15567036.2020.1745336>
- Ibrahim, M. R., Katman, H. Y., Karim, M. R., & Mahrez, A. (2009). Properties of Rubberised Bitumen Mixes Prepared with Wet and Dry Mixing Process. *Proc. Eastern Asia Soc. Transp. Stud*, 6, 1–11.
- International Carbon Black Association. (2016). Carbon Black User ' s Guide. *Carbon Black User's Guide*, 36. <http://www.carbon-black.org/images/docs/2016-ICBA-Carbon-Black-User-Guide.pdf>
- Jackson, P., Robinson, K., Puxty, G., & Attalla, M. (2009). In situ Fourier Transform-Infrared (FT-IR) analysis of carbon dioxide absorption and desorption in amine solutions. *Energy Procedia*, 1(1), 985–994. <https://doi.org/10.1016/j.egypro.2009.01.131>
- Jahanbakhsh, H., Karimi, M. M., Jahangiri, B., & Nejad, F. M. (2018). Induction heating and healing of carbon black modified asphalt concrete under microwave radiation. *Construction and Building Materials*, 174, 656–666. <https://doi.org/10.1016/j.conbuildmat.2018.04.002>
- Jerin, T., Mahzabin, S., & Siddique, S. (2020). *Modified Asphalt with Carbon Black from Scrap Tire Pyrolysis*. 2018, 309–318.
- Jitsangiam, P., Nusit, K., Teeratitayangkul, P., Ping Ong, G., & Thienchai, C. (2023). Development of a modified Marshall mix design for Hot-mix asphalt concrete mixed with recycled plastic based on dry mixing processes. *Construction and Building Materials*, 404(August), 133127. <https://doi.org/10.1016/j.conbuildmat.2023.133127>
- Kakade, V., Ahmed, S., Bharath, G., & Reddy, S. R. (2024). A literature review on moisture resistance performance of bitumen modifiers. *Innovative Infrastructure Solutions*, 9(5), 1–29. <https://doi.org/10.1007/s41062-024-01448-y>
- Khabazipur, A., & Eaves, N. (2024). On the fractal dimension of carbon black particles in pyrolysis flow reactors. *Journal of Aerosol Science*, 178(February), 106357. <https://doi.org/10.1016/j.jaerosci.2024.106357>
- Kim, U. J., Furtado, C. A., Liu, X., Chen, G., & Eklund, P. C. (2005). Raman and IR Spectroscopy of Chemically Processed Single-Walled Carbon Nanotubes. *Journal of the American Chemical Society*, 127(44), 15437–15445. <https://doi.org/10.1021/ja052951o>
- Klinsky, L. M. G., Kaloush, K. E., Faria, V. C., & Bardini, V. S. S. (2018). Performance characteristics of fiber modified hot mix asphalt. *Construction and*

- Kommineni, R., Boddapu, H., & Thomas, S. (2018). Scope of Pyrolysis Process as a Sustainable Method to Dispose Waste Tires: A Review. *Energy, Environment, and Sustainability*, 247–260. https://doi.org/10.1007/978-981-10-7185-0_14
- Koreňová, Z., Juma, M., Annus, J., Markoš, J., & Jelemenský, L. (2006). Kinetics of pyrolysis and properties of carbon black from a scrap tire. *Chemical Papers*, 60(6), 422–426. <https://doi.org/10.2478/s11696-006-0077-x>
- Lei, Z., Bahia, H., & Yi-Qiu, T. (2015). Effect of bio-based and refined waste oil modifiers on low temperature performance of asphalt binders. *Construction and Building Materials*, 86, 95–100. <https://doi.org/10.1016/j.conbuildmat.2015.03.106>
- Lewandowski, W. M., Januszewicz, K., & Kosakowski, W. (2019). Efficiency and proportions of waste tyre pyrolysis products depending on the reactor type—A review. *Journal of Analytical and Applied Pyrolysis*, 140(March), 25–53. <https://doi.org/10.1016/j.jaap.2019.03.018>
- Li, C., Fan, Z., Wu, S., Li, Y., Gan, Y., & Zhang, A. (2018). Effect of carbon black nanoparticles from the pyrolysis of discarded tires on the performance of asphalt and its mixtures. *Applied Sciences (Switzerland)*, 8(4), 1–16. <https://doi.org/10.3390/app8040624>
- Li, C., Li, Z., Gan, Y., & Deng, Q. (2023). Optimization and characterization of composite modified asphalt with pyrolytic carbon black and chicken feather fiber. *Reviews on Advanced Materials Science*, 62(1). <https://doi.org/10.1515/rams-2023-0143>
- Li, Y., Abdelmagid, A. A. A., Qiu, Y., Yang, E., & Chen, Y. (2022). Study on the Aging Mechanism and Microstructure Analysis of Rice-Husk-Ash-and Crumb-Rubber-Powder-Modified Asphalt. *Polymers*, 14(10). <https://doi.org/10.3390/polym14101969>
- Li, Y., Li, J., Bai, T., Chen, A., Gu, D., & Gao, Y. (2024). Mechanism and Performance of SBS Polymer Dry-Modified Asphalt Mixture with PCB and TPO from Waste Tires. *Journal of Materials in Civil Engineering*, 36(6). <https://doi.org/10.1061/jmcee7.mteng-16018>
- Liew, J. J., Cheah, C. B., Khaw, K. L. P., Siddique, R., & Tangchirapat, W. (2024). Blended cement and mortar with various low-calcium ground coal bottom ash content: Engineering characteristics, embodied carbon and cost analysis. *Construction and Building Materials*, 425(March), 135987. <https://doi.org/10.1016/j.conbuildmat.2024.135987>
- Liu, J., Hao, P., Dou, Z., Wang, J., & Ma, L. (2021). Rheological, healing and microstructural properties of unmodified and crumb rubber modified asphalt incorporated with graphene/carbon black composite. *Construction and Building Materials*, 305(August), 124512. <https://doi.org/10.1016/j.conbuildmat.2021.124512>
- LIU, Q., Li, H., & Li, J. (2020). Basic Properties of Pyrolysis carbon black of Waste Tyres and Application of Pyrolysis carbon black in Transition Layer Rubber of All Steel Radial Tire. *Research and Application of Materials Science*, 2(1), 4–7.

<https://doi.org/10.33142/msra.v2i1.1977>

- Loise, V., Calandra, P., Policicchio, A., Madeo, L., Oliviero Rossi, C., Porto, M., Abe, A., Agostino, R. G., & Caputo, P. (2024). The efficiency of bio-char as bitumen modifier. *Heliyon*, 10(1), e23192. <https://doi.org/10.1016/j.heliyon.2023.e23192>
- Loise, V., Caputo, P., Porto, M., Calandra, P., Angelico, R., & Rossi, C. O. (2019). applied sciences A Review on Bitumen Rejuvenation : Mechanisms , Materials , Methods and Perspectives. *Applied Sciences (Switzerland)*. <https://doi.org/doi:10.3390/app9204316>
- Ma, F., Zhu, C., Fu, Z., Li, C., Hou, Y., Jiang, X., & Wu, M. (2023). Analysis of rheological behavior and anti-aging properties of SBS modified asphalt incorporating UV absorbent and naphthenic oil (NPO). *Construction and Building Materials*, 377, 130958. <https://doi.org/https://doi.org/10.1016/j.conbuildmat.2023.130958>
- Ma, Y., Zhao, H., Zhang, X., Fan, C., Zhuang, T., Sun, C., & Zhao, S. (2022). Structure optimization of pyrolysis carbon black from waste tire and its application in natural rubber composites. *Applied Surface Science*, 593, 1–24. <https://doi.org/https://doi.org/10.1016/j.apsusc.2022.153389>
- Mai Alawneh, & Soliman, H. (2023). Using Imaging Techniques to Analyze the Microstructure of Asphalt Concrete Mixtures: Literature Review. *Applied Sciences (Switzerland)*. <https://doi.org/https://doi.org/10.3390/app13137813>
- Malinowski, S., Wróbel, M., Bandura, L., Woszek, A., & Franus, W. (2022). Use of New Green Bitumen Modifier for Asphalt Mixtures Recycling. *Materials*, 15(17). <https://doi.org/10.3390/ma15176070>
- Mampearachchi, W. K., Mihirani, G. S., Binduhewa, B. W. P., & Lalithya, G. D. D. (2012). Review of asphalt binder grading systems for hot mix asphalt pavements in Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 40(4), 311–320. <https://doi.org/10.4038/jnsfsr.v40i4.5045>
- Martínez, J. D., Puy, N., Murillo, R., García, T., Navarro, M. V., & Mastral, A. M. (2013). Waste tyre pyrolysis - A review. *Renewable and Sustainable Energy Reviews*, 23, 179–213. <https://doi.org/10.1016/j.rser.2013.02.038>
- Mavukwana, A. enkosi, & Sempuga, C. (2022). Recent developments in waste tyre pyrolysis and gasification processes. *Chemical Engineering Communications*, 209(4), 485–511. <https://doi.org/10.1080/00986445.2020.1864624>
- Mazumder, M., Ahmed, R., Wajahat Ali, A., & Lee, S. J. (2018). SEM and ESEM techniques used for analysis of asphalt binder and mixture: A state of the art review. *Construction and Building Materials*, 186, 313–329. <https://doi.org/10.1016/j.conbuildmat.2018.07.126>
- Meegahage, J. N. (2015). *Review of penetration grading system and suitability of the viscosity grading system for asphalt binders in Sri Lankan highways*. University of Moratuwa, Sri Lanka.
- Mishra, B., & Gupta, M. K. (2020). Use of plastic waste in bituminous mixes by wet and dry methods. *Proceedings of the Institution of Civil Engineers: Municipal Engineer*, 173(2), 87–97. <https://doi.org/10.1680/jmuen.18.00014>
- Mistry, R., Karmakar, S., & Kumar Roy, T. (2019). Experimental evaluation of rice

- husk ash and fly ash as alternative fillers in hot-mix asphalt. *Road Materials and Pavement Design*, 20(4), 979–990. <https://doi.org/10.1080/14680629.2017.1422791>
- Mohamed, A. A., Wong, S. Y., Leong, L. T., Farooqi, M. A., Jaya, R. P., Al-Saffar, Z. H., & Yaacob, H. (2021). Durability Phenomena of Bitumen and Bituminous Pavement Materials. *The Open Civil Engineering Journal*, 15(1), 279–289. <https://doi.org/10.2174/1874149502115010279>
- Naghawi, H., Allouzi, R., Alklub, A., & Masarwah, K. (2018). Plastic Waste Utilization as Asphalt Binder Modifier in Asphalt Concrete Pavement. *International Journal of Civil and Environmental Engineering*, 12(February). <https://doi.org/10.5281/zenodo.1317348>
- Nawela, N. M. R. S. P., & Samaranyake, J. (2024). *Suitability of Plastic Modified Asphalt Concrete (PMAC) in Sri Lankan Context BT - Proceedings of the 14th International Conference on Sustainable Built Environment* (R. Dissanayake, P. Mendis, S. De Silva, S. Fernando, C. Konthesingha, U. Attanayake, & P. Gajanayake (eds.); pp. 91–103). Springer Nature Singapore.
- Nizamuddin, S., Boom, Y. J., & Giustozzi, F. (2021). Sustainable polymers from recycled waste plastics and their virgin counterparts as bitumen modifiers: A comprehensive review. *Polymers*, 13(19). <https://doi.org/10.3390/polym13193242>
- Nkosi, N., & Muzenda, E. (2014). A review and discussion of waste tyre pyrolysis and derived products. *Lecture Notes in Engineering and Computer Science*, 2, 979–985.
- Okoye, C. O., Jones, I., Zhu, M., Zhang, Z., & Zhang, D. (2021). Manufacturing of carbon black from spent tyre pyrolysis oil – A literature review. *Journal of Cleaner Production*, 279, 123336. <https://doi.org/10.1016/j.jclepro.2020.123336>
- Olalekan, S. T., Olatunde, A. A., Kolapo, S. K., Omolola, J. M., Olukemi, O. A., Ayanniyi Mufutau, A., Olaosebikan, O. O., & Saka, A. A. (2024). Durability of bitumen binder reinforced with polymer additives: Towards upgrading Nigerian local bitumen. *Heliyon*, 10(10), e30825. <https://doi.org/10.1016/j.heliyon.2024.e30825>
- Oreto, C., Russo, F., Veropalumbo, R., Viscione, N., Acqua, G., & Biancardo, S. (2021). Life Cycle Assessment of Sustainable Asphalt Pavement Solutions Involving Recycled Aggregates and Polymers. *Materials*, 14(6), 3867.
- Pang, L., Zhang, X., Wu, S., Ye, Y., & Li, Y. (2018). Influence of water solute exposure on the chemical evolution and rheological properties of asphalt. *Materials*, 11(6). <https://doi.org/10.3390/ma11060983>
- Penki, R., & Rout, S. K. (2021). Next-generation bitumen: a review on challenges and recent developments in bio-bitumen preparation and usage. *Springer Nature*, 13, 9583–9600. <https://doi.org/https://doi.org/10.1007/s13399-021-01803-4>
- Provatorova, G., & Vikhrev, A. (2020). Modification of bitumen for road construction. *IOP Conference Series: Materials Science and Engineering*, 896(1). <https://doi.org/10.1088/1757-899X/896/1/012088>
- Rikmann, E., Mäeorg, U., & Liiv, J. (2024). *applied sciences Recycling of Low-*

Quality Carbon Black Produced by Tire Pyrolysis.

- Rodgers, W. J., Gunay, B., & Woodside, A. (2010). Rheological and electrical properties of modified bitumen. *In Proceedings of the Institution of Civil Engineers-Transport*, 163, 175–182. <https://doi.org/10.1680/tran.2010.163.4.175>
- Rohayzi, N. F., Katman, H. Y. B., Ibrahim, M. R., Norhisham, S., & Rahman, N. A. (2023). Potential Additives in Natural Rubber-Modified Bitumen: A Review. *Polymers*, 15(8), 1–23. <https://doi.org/10.3390/polym15081951>
- Rowhani, A., & Rainey, T. J. (2016). Scrap tyre management pathways and their use as a fuel - A review. *Energies*, 9(11), 1–26. <https://doi.org/10.3390/en9110888>
- Sáez Del Bosque, I. F., Martínez-Ramírez, S., & Blanco-Varela, M. T. (2014). FTIR study of the effect of temperature and nanosilica on the nano structure of C-S-H gel formed by hydrating tricalcium silicate. *Construction and Building Materials*, 52, 314–323. <https://doi.org/10.1016/j.conbuildmat.2013.10.056>
- Salehi, S., Arashpour, M., Kodikara, J., & Guppy, R. (2022). Comparative life cycle assessment of reprocessed plastics and commercial polymer modified asphalts. *Journal of Cleaner Production*, 337(January), 130464. <https://doi.org/10.1016/j.jclepro.2022.130464>
- Santos, J., Pham, A., Stasinopoulos, P., & Giustozzi, F. (2021). Recycling waste plastics in roads: A life-cycle assessment study using primary data. *Science of the Total Environment*, 751, 141842. <https://doi.org/10.1016/j.scitotenv.2020.141842>
- Sathiskumar, C., & Karthikeyan, S. (2019). Recycling of waste tires and its energy storage application of by-products –a review. *Sustainable Materials and Technologies*, 22, e00125. <https://doi.org/10.1016/j.susmat.2019.e00125>
- Selvaranjan, K., Gamage, J. C. P. H., De Silva, G. I. P., & Navaratnam, S. (2021). Development of sustainable mortar using waste rice husk ash from rice mill plant: Physical and thermal properties. *Journal of Building Engineering*, 43(March), 102614. <https://doi.org/10.1016/j.jobbe.2021.102614>
- Shafabakhsh, G., Akbari, M., & Bahrami, H. (2020). Evaluating the Fatigue Resistance of the Innovative Modified-Reinforced Composite Asphalt Mixture. *Advances in Civil Engineering*, 2020. <https://doi.org/10.1155/2020/8845647>
- Sienkiewicz, M., Kucinska-Lipka, J., Janik, H., & Balas, A. (2012). Progress in used tyres management in the European Union: A review. *Waste Management*, 32(10), 1742–1751. <https://doi.org/10.1016/j.wasman.2012.05.010>
- Sitinamaluwa, H. S., & Mampearachchi, W. K. (2014). Development of a polymer-modified bitumen specification based on empirical tests - case study for Sri Lanka. *Road Materials and Pavement Design*, 15(3), 712–720. <https://doi.org/10.1080/14680629.2014.909873>
- Soheil Heydari, N. H. S. J., Bayat, H., & Hajimohammadi, A. (2024). Assessment of Binder Modification in Dry-Added Waste Plastic. *Polymers*. <https://doi.org/10.3390/polym16141987> Academic
- Song, K. (2017). Micro- and nano-fillers used in the rubber industry. *In Progress in Rubber Nanocomposites*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100409-8.00002-4>

- Sugatri, R. I., Wirasadewa, Y. C., Saputro, K. E., Muslih, E. Y., Ikono, R., & Nasir, M. (2018). Recycled carbon black from waste of tire industry: thermal study. *Microsystem Technologies*, 24(1), 749–755. <https://doi.org/10.1007/s00542-017-3397-6>
- Sun, C., Hao, R., Sun, H., Lu, T., Tang, Q., Wu, Y., & Wang, Y. (2023). Case Studies in Construction Materials Investigation on chemically modified carbon black in enhancing asphalt performance. *Case Studies in Construction Materials*, 19(September), e02488. <https://doi.org/10.1016/j.cscm.2023.e02488>
- Tang, C., Zhu, J., Li, Z., Zhu, R., Zhou, Q., Wei, J., He, H., & Tao, Q. (2015). Surface chemistry and reactivity of SiO₂ polymorphs: A comparative study on α -quartz and α -cristobalite. *Applied Surface Science*, 355, 1161–1167. <https://doi.org/10.1016/j.apsusc.2015.07.214>
- Tanzadeh, R., & Shafabakhsh, G. (2020a). Relationship between the surface free energy and stiffness modulus of bitumen modified with micro-nano-carbon black from end-of-life tires. *International Journal of Adhesion and Adhesives*, 100(March), 102606. <https://doi.org/10.1016/j.ijadhadh.2020.102606>
- Tanzadeh, R., & Shafabakhsh, G. (2020b). Surface free energy and adhesion energy evaluation of modified bitumen with recycled carbon black (micro-nano) from gases and petrochemical waste. *Construction and Building Materials*, 245, 118361. <https://doi.org/10.1016/j.conbuildmat.2020.118361>
- Verma, M., & Saboo, N. (2024). Use of antioxidants to retard aging of bitumen: A review. *Environmental Science and Pollution Research*, 31(36), 48839–48863. <https://doi.org/10.1007/s11356-024-34431-2>
- Wagner, H., Jebsen, C., & Wilhelm, C. (2019). Monitoring cellular C:N ratio in phytoplankton by means of FTIR-spectroscopy. *Journal of Phycology*, 55(3), 543–551. <https://doi.org/10.1111/jpy.12858>
- Wang, F., Zhu, H., Li, Y., Gu, D., Gao, Y., Feng, J., Shu, B., Li, C., Wu, S., Liu, Q., & Xu, Z. (2022). Microwave heating mechanism and Self-healing performance of scrap tire pyrolysis carbon black modified bitumen. *Construction and Building Materials*, 341(January). <https://doi.org/10.1016/j.conbuildmat.2022.127873>
- Wang, H., Lu, G., Feng, S., Wen, X., & Yang, J. (2019). Characterization of bitumen modified with pyrolytic carbon black from scrap tires. *Sustainability (Switzerland)*, 11(6), 1–13. <https://doi.org/10.3390/su11061631>
- Wang, M.-J., Gray, C. A., Reznick, S. A., Mahmud, K., & Kutsovsky, Y. (2004). Carbon Black. *John Wiley & Sons, Inc.*, 4, 21–24. <https://doi.org/10.1002/0471238961.0301180204011414.a01.pub2>
- Wong, H., Hong, H.-J., Leung, L.-M., Fong, T.-C., & Shen, Y.-F. (2019). Study of behavior of plastic modified bitumen by incorporating carbon black. *The 2019 World Congress on Advances in Nano, Bio, Robotics and Energy (ANBRE19) Jeju Island, Korea, September 17 - 21, 2019*.
- Xia, T., Zhang, A., Xu, J., Li, Y., Deng, W., & Liu, X. (2023). Nonmonotonic Variation of Rutting Resistance and Fatigue Life for Polyethylene Modified Bitumen with Different Carbon Black Loading. *Journal of Materials in Civil*

- Engineering*, 35(4), 1–9. [https://doi.org/10.1061/\(asce\)mt.1943-5533.0004669](https://doi.org/10.1061/(asce)mt.1943-5533.0004669)
- Xiao, Z., Pramanik, A., Basak, A. K., Prakash, C., & Shankar, S. (2022). Material recovery and recycling of waste tyres-A review. *Cleaner Materials*, 5(December 2021), 100115. <https://doi.org/10.1016/j.clema.2022.100115>
- Xing, C., Liu, L., & Sheng, J. (2020). A new progressed mastic aging method and effect of fillers on SBS modified bitumen aging. *Construction and Building Materials*, 238, 117732. <https://doi.org/10.1016/j.conbuildmat.2019.117732>
- Xu, J., Yu, J., He, W., Huang, J., Xu, J., & Li, G. (2021). Wet compounding with pyrolytic carbon black from waste tyre for manufacture of new tyre – A mini review. *Waste Management and Research*, 39(12), 1440–1450. <https://doi.org/10.1177/0734242X211004746>
- Xu, J., Yu, J., Xu, J., Sun, C., He, W., Huang, J., & Li, G. (2020). High-value utilization of waste tires: A review with focus on modified carbon black from pyrolysis. *Science of the Total Environment*, 742, 140235. <https://doi.org/10.1016/j.scitotenv.2020.140235>
- Xu, X., Yuan, L., Cong, P., Wang, Z., Guo, H., Zhou, X., & Shao, T. (2024). Rheological and healing properties of bitumen containing carbon black microcapsules. *Fuel*, 373(July). <https://doi.org/10.1016/j.fuel.2024.132399>
- Yu, X., Li, D., Leng, Z., Yao, H., & Wang, S. (2023). Weathering characteristics of asphalt modified by hybrid of micro-nano tire rubber and SBS. *Construction and Building Materials*, 389(February), 131785. <https://doi.org/10.1016/j.conbuildmat.2023.131785>
- Zafar, M. S., Shah, S. N. R., Memon, M. J., Rind, T. A., & Soomro, M. A. (2019). Condition Survey for Evaluation of Pavement Condition Index of a Highway. *Civil Engineering Journal (Iran)*, 5(6), 1367–1383. <https://doi.org/10.28991/cej-2019-03091338>
- Zerin, N. H., Rasul, M. G., Jahirul, M. I., & Sayem, A. S. M. (2023). End-of-life tyre conversion to energy: A review on pyrolysis and activated carbon production processes and their challenges. *Science of the Total Environment*, 905(August), 166981. <https://doi.org/10.1016/j.scitotenv.2023.166981>
- Zhang, P., Ouyang, L., Yang, L., Yang, Y., Lu, G., & Huang, T. (2021). Laboratory investigation of carbon black/bio-oil composite modified asphalt. *Materials*, 14(17). <https://doi.org/10.3390/ma14174910>
- Zhao, W., & Yang, Q. (2023). Life cycle assessment and multi-index performance evaluation of semi-flexible pavement after composite modification by using fly ash, rubber particles, warm mixing asphalt and recycled asphalt pavement. *Construction and Building Materials*, 364(August 2022), 129945. <https://doi.org/10.1016/j.conbuildmat.2022.129945>
- Zhou, J., Yu, T., Wu, S., Xie, Z., & Yang, Y. (2010). Inverse gas chromatography investigation of rubber reinforcement by modified pyrolytic carbon black from scrap tires. *Industrial and Engineering Chemistry Research*, 49(4), 1691–1696. <https://doi.org/10.1021/ie9009217>