

7 References

- Akbari, H. and Rose, L.S. (2008) 'Urban Surfaces and Heat Island Mitigation Potentials', *Journal of the Human-Environment System*, 11(2), pp. 85–101. Available at: <https://doi.org/10.1618/JHES.11.85>.
- Alexander, D.A. (2015) 'The environmental importance of front gardens', <http://dx.doi.org/10.1680/muen.2006.159.4.239>, 159(4), pp. 239–244. Available at: <https://doi.org/10.1680/MUEN.2006.159.4.239>.
- Anastasiou, E.K., Liapis, A. and Papachristoforou, M. (2017) 'Life Cycle Assessment of Concrete Products for Special Applications Containing EAF Slag', *Procedia Environmental Sciences*, 38, pp. 469–476. Available at: <https://doi.org/10.1016/J.PROENV.2017.03.138>.
- Anderson, L.M. and Cordell, H.K. (1985) 'Residential Property Values Improved by Landscaping with Trees', *Southern Journal of Applied Forestry*, 9(3), pp. 162–166. Available at: <https://doi.org/10.1093/SJAF/9.3.162>.
- Backstrom, M. (2000) 'Ground temperature in porous pavement during freezing and thawing', *Journal of Transportation Engineering*, 126(5), pp. 375–381. Available at: [https://doi.org/10.1061/\(ASCE\)0733-947X\(2000\)126:5\(375\)](https://doi.org/10.1061/(ASCE)0733-947X(2000)126:5(375)).
- Bean, E.Z. *et al.* (2004) 'STUDY ON THE SURFACE INFILTRATION RATE OF PERMEABLE PAVEMENTS'.

- Boonen, E. and Smets, S. (2019) 'High-quality materials for road paving of natural stone: results of the PREMANAT research project', *OCW mededelingen = Bulletin CRR* [Preprint], (120).
- Borgwardt, S. (2006) 'LONG-TERM IN-SITU INFILTRATION PERFORMANCE OF PERMEABLE CONCRETE BLOCK PAVEMENT'.
- Brattebo, B.O. and Booth, D.B. (2003) 'Long-term stormwater quantity and quality performance of permeable pavement systems', *Water Research*, 37(18), pp. 4369–4376. Available at: [https://doi.org/10.1016/S0043-1354\(03\)00410-X](https://doi.org/10.1016/S0043-1354(03)00410-X).
- Bretz, S., Akbari, H. and Rosenfeld, A. (1998) 'Practical issues for using solar-reflective materials to mitigate urban heat islands', *Atmospheric Environment*, 32(1), pp. 95–101. Available at: [https://doi.org/10.1016/S1352-2310\(97\)00182-9](https://doi.org/10.1016/S1352-2310(97)00182-9).
- Cahill, T., Adams, M. and Marm, C. (2003) 'POROUS ASPHALT: THE RIGHT CHOICE FOR POROUS PAVEMENTS', *HMAT: Hot Mix Asphalt Technology*, 8(5).
- Caronge, M.A. et al. (2020) 'Development of eco-friendly paving block incorporating co-burning palm oil-processed tea waste ash', *IOP Conference Series: Earth and Environmental Science*, 419(1). Available at: <https://doi.org/10.1088/1755-1315/419/1/012158>.
- Chandrappa, A.K. and Biligiri, K.P. (2016) 'Pervious concrete as a sustainable pavement material-Research findings and future prospects: A state-of-the-art review', *Construction and Building Materials*, 111, pp. 262–274. Available at: <https://doi.org/10.1016/J.CONBUILDMAT.2016.02.054>.
- Chen, J.H., Yang, L.R. and Tai, H.W. (2016) 'Process reengineering and improvement for building precast production', *Automation in Construction*, 68, pp. 249–258. Available at: <https://doi.org/10.1016/J.AUTCON.2016.05.015>.
- Chen, J.S., Yang, C.H. and Lee, C. te (2019) 'Field evaluation of porous asphalt course for life-cycle cost analysis', *Construction and Building Materials*, 221, pp. 20–26. Available at: <https://doi.org/10.1016/J.CONBUILDMAT.2019.06.072>.
- Chopra, M.B., Stuart, E. and Wanielista, M.P. (2010) 'Pervious Pavement Systems in Florida—Research Results', *Low Impact Development 2010: Redefining Water in the City - Proceedings of the 2010 International Low Impact Development Conference*, pp. 193–206. Available at: [https://doi.org/10.1061/41099\(367\)18](https://doi.org/10.1061/41099(367)18).
- Citra, A.D.P., Purwanto, P. and Soenoko, H.R. (2020) 'Life Cycle Assessment and Quality of Utilization of Paint Waste as a Raw Material of

- Paving Block', *Journal of Ecological Engineering*, Vol. 21(nr 2), pp. 89–94. Available at: <https://doi.org/10.12911/22998993/116342>.
- Colandini, V., Legret M., Brosseaud Y., Baladès J., (1995) 'Metallic pollution in clogging materials of urban porous pavements', *Elsevier* [Preprint].
- Collins, K.A., Hunt, W.F. and Hathaway, J.M. (2008) 'Hydrologic Comparison of Four Types of Permeable Pavement and Standard Asphalt in Eastern North Carolina', *Journal of Hydrologic Engineering*, 13(12), pp. 1146–1157. Available at: [https://doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:12\(1146\)](https://doi.org/10.1061/(ASCE)1084-0699(2008)13:12(1146)).
- Dierkes, C. Kuhlmann L., Kandasamy J., Angelis G., (2007) 'Pollution Retention Capability and Maintenance of Permeable Pavements'.
- Dinesh, S., Dinesh, A. and Kirubakaran, K. (2016) 'UTILISATION OF WASTE PLASTIC IN MANUFACTURING OF BRICKS AND PAVER BLOCKS', *International Journal of Applied Engineering Research*, 11(3).
- Dreelin, EA., Fowler, L. and Carroll, C.R.. (2006) 'A test of porous pavement effectiveness on clay soils during natural storm events', *Water research*, 40(4), pp. 799–805. Available at: <https://doi.org/10.1016/J.WATRES.2005.12.002>.
- Fassman, E.A. and Blackbourne, S. (2010) 'Urban Runoff Mitigation by a Permeable Pavement System over Impermeable Soils', *Journal of Hydrologic Engineering*, 15(6), pp. 475–485. Available at: [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0000238](https://doi.org/10.1061/(ASCE)HE.1943-5584.0000238).
- Ganjian, E., Jalull, G. and Sadeghi-Pouya, H. (2015) 'Using waste materials and by-products to produce concrete paving blocks', *Construction and Building Materials*, 77, pp. 270–275. Available at: <https://doi.org/10.1016/J.CONBUILDMAT.2014.12.048>.
- Garrett, Eckbo. (1964) *Urban landscape design*. McGraw-Hill.
- Gerrits, C. and James, W. (2002) 'Restoration of Infiltration Capacity of Permeable Pavers', *Global Solutions for Urban Drainage*, pp. 1–16. Available at: [https://doi.org/10.1061/40644\(2002\)77](https://doi.org/10.1061/40644(2002)77).
- Gilbert, J.K. and Clausen, J.C. (2006) 'Stormwater runoff quality and quantity from asphalt, paver, and crushed stone driveways in Connecticut', *Water Research*, 40(4), pp. 826–832. Available at: <https://doi.org/10.1016/J.WATRES.2005.12.006>.
- Goh, S.W., You Z., (2012) 'Mechanical Properties of Porous Asphalt Pavement Materials with Warm Mix Asphalt and RAP'. Available at: [https://doi.org/10.1061/\(ASCE\)TE](https://doi.org/10.1061/(ASCE)TE).
- Gomez-Ullate, E., Castillo-Lopez E., Castro-Fresno D., Bayon J.R., (2010) 'Analysis and Contrast of Different Pervious Pavements for Management of Storm-Water in a Parking Area in Northern Spain', *Water*

Resources Management 2010 25:6, 25(6), pp. 1525–1535. Available at: <https://doi.org/10.1007/S11269-010-9758-X>.

- González-Angullo, N., Castro D., Rodríguez-Hernández, J., Davies, J. W., (2008) ‘Runoff infiltration to permeable paving in clogged conditions’, *Urban Water Journal*, 5(2), pp. 117–124. Available at: <https://doi.org/10.1080/15730620701723538>.
- GrassPave (2021) *GrassPave | Grass Paver | Permeable Grass Surface | ACF Env.* Available at: <https://acfenvironmental.com/products/stormwater-management/permeable-porous-paving/grass-pave2-grass-paver/> (Accessed: 30 September 2021).
- Grimmond, S. (2007) ‘Urbanization and global environmental change: local effects of urban warming’, *Geographical Journal*, 173(1), pp. 83–88. Available at: https://doi.org/10.1111/J.1475-4959.2007.232_3.X.
- Harvey, J., Saboori A., Dauvergne M., Steyn W., Jullien A., Li H., (2014) ‘COMPARISON OF NEW PAVEMENT CONSTRUCTION GHG AND ENERGY IMPACTS IN DIFFERENT REGIONS’.
- Hess, T. and Ibe, C. (2011) *Evaluation of the performance of permeable pavement at Lamb Drove FINAL - PDF Free Download*. Department of Environmental Science and Technology, Cranfield University.
- Holmes, R.R., Hart, M.L. and Kevern, J.T. (2017) ‘Enhancing the Ability of Pervious Concrete to Remove Heavy Metals from Stormwater’, *Journal of Sustainable Water in the Built Environment*, 3(2), p. 04017004. Available at: <https://doi.org/10.1061/JSWBAY.0000823>.
- Hossain, M. and Scofield, L.A. (1991) ‘Porous pavement for control of highway run-off’, (FHWA/AZ91-352).
- Hunt, B., Stevens, S. and Mayes, D. (2002) ‘Permeable Pavement Use and Research at Two Sites in Eastern North Carolina’, *Global Solutions for Urban Drainage*, pp. 1–10. Available at: [https://doi.org/10.1061/40644\(2002\)39](https://doi.org/10.1061/40644(2002)39).
- Hunt, W.F. and Collins, K.A. (2008) ‘Permeable Pavement: Research Update and Design Implications’, *NORTH CAROLINA COOPERATIVE EXTENSION SERVICE* [Preprint]. Available at: https://nacto.org/docs/usdg/urban_waterways_permeable_pavement_hunt.pdf (Accessed: 23 September 2021).
- Ichinose, T., Matsumoto, F. and Kataoka, K. (2008) ‘Counteracting Urban Heat Islands in Japan’, *Urban Energy Transition*, pp. 365–380. Available at: <https://doi.org/10.1016/B978-0-08-045341-5.00015-3>.
- Iserning, T., Koster, H. and Scazzrca, I. (1990) ‘Experiences with Porous Asphalt in Switzerland’, *Transportation Research Record*, Trans-
porta(1265).

- Jayasuriya, N. and Kadurupokune, N. (2010) 'Comparative performance of permeable and porous Pavements'.
- Kayhanian, M., Anderson D., Harvey J., Jones D., Muhunthan B., (2012) 'Permeability measurement and scan imaging to assess clogging of pervious concrete pavements in parking lots', *Journal of Environmental Management*, 95(1), pp. 114–123. Available at: <https://doi.org/10.1016/J.JENVMAN.2011.09.021>.
- Kelly, D.A. (2018) 'Impact of paved front gardens on current and future urban flooding', *Journal of Flood Risk Management*, 11, pp. S434–S443. Available at: <https://doi.org/10.1111/JFR3.12231>.
- Kia, A., Wong, H. and Cheeseman, C. (2017) 'Clogging in permeable concrete: A review', *Journal of environmental management*, 193, pp. 221–233. Available at: <https://doi.org/10.1016/J.JENVMAN.2017.02.018>.
- Kim, G.M. Jang J. G., Khalid H. R., Lee H. K., (2017) 'Water purification characteristics of pervious concrete fabricated with CSA cement and bottom ash aggregates', *Construction and Building Materials*, 136, pp. 1–8. Available at: <https://doi.org/10.1016/J.CONBUILDMAT.2017.01.020>.
- Kumar, A. and Kumar, S. (2013) 'Development of paving blocks from synergistic use of red mud and fly ash using geopolymerization', *Construction and Building Materials*, 38, pp. 865–871. Available at: <https://doi.org/10.1016/J.CONBUILDMAT.2012.09.013>.
- Kusumastuti, C., Chandra H. P., Wibisono K., Hartono A.C., (2019) 'Eco Drainage System for Surface Runoff Reduction in Indonesia', *Civil Engineering Dimension*, 21(1), pp. 29–35. Available at: <https://doi.org/10.9744/CED.21.1.29-35>.
- Lee, H.S., Lee, J.Y. and Yu, M.Y. (2003) 'Influence of iron oxide pigments on the properties of concrete interlocking blocks', *Cement and Concrete Research*, 33(11), pp. 1889–1896. Available at: [https://doi.org/10.1016/S0008-8846\(03\)00209-6](https://doi.org/10.1016/S0008-8846(03)00209-6).
- Lee, J.G. and Heaney, J.P. (2003) 'Estimation of Urban Imperviousness and its Impacts on Storm Water Systems', *Journal of Water Resources Planning and Management*, 129(5), pp. 419–426. Available at: [https://doi.org/10.1061/\(ASCE\)0733-9496\(2003\)129:5\(419\)](https://doi.org/10.1061/(ASCE)0733-9496(2003)129:5(419)).
- Lee, M., Tia M., Chuang S., Huang Y., Chiang C., (2013) 'Pollution and Purification Study of the Pervious Concrete Pavement Material', *Journal of Materials in Civil Engineering*, 26(8), p. 04014035. Available at: [https://doi.org/10.1061/\(ASCE\)MT.1943-5533.0000916](https://doi.org/10.1061/(ASCE)MT.1943-5533.0000916).
- Low, H. and Heyden, T. (2015) 'The decline of the British front garden - BBC News', *BBC News Magazine*, 15 May. Available at:

- <https://www.bbc.com/news/magazine-32780242> (Accessed: 21 September 2021).
- Lucke, T. and Beecham, S. (2011) 'Field investigation of clogging in a permeable pavement system', *http://dx.doi.org/10.1080/09613218.2011.602182*, 39(6), pp. 603–615. Available at: <https://doi.org/10.1080/09613218.2011.602182>.
- Mashudi, I., Suardana N.P.G., Thanaya I.N.A., Adnyana, I.W.B., Kencanawati, C.I.P.K. (2020) 'Compressive strength and truck run over ability of plastic/sand paving block composites', *IOP Conference Series: Materials Science and Engineering*, 839(1), p. 012011. Available at: <https://doi.org/10.1088/1757-899X/839/1/012011>.
- McCain, G.N. and Suozzo, M. (2010) 'A Laboratory Study on the Effects of Winter Surface Applications on the Hydraulic Conductivity of Porous Concrete Pavements 2 3', *undefined* [Preprint].
- McCain Jr, G.N. and Dewoolkar, M.M. (2010) 'Effects of Winter Surface Applications on Hydraulic Conductivity of Porous Concrete Pavements'.
- Mohajerani, A., Bakaric, J. and Jeffrey-Bailey, T. (2017) 'The urban heat island effect, its causes, and mitigation, with reference to the thermal properties of asphalt concrete', *Journal of Environmental Management*, 197, pp. 522–538. Available at: <https://doi.org/10.1016/J.JENVMAN.2017.03.095>.
- Mullaney, J. and Lucke, T. (2014a) 'Practical Review of Pervious Pavement Designs', *CLEAN – Soil, Air, Water*, 42(2), pp. 111–124. Available at: <https://doi.org/10.1002/CLEN.201300118>.
- Mullaney, J. and Lucke, T. (2014b) 'Practical Review of Pervious Pavement Designs', *CLEAN – Soil, Air, Water*, 42(2), pp. 111–124. Available at: <https://doi.org/10.1002/CLEN.201300118>.
- Murphy, J.M., Sexton D.M.H., Jenkins G.J., Jenkins G.J., (2009) *UK Climate Projections Science Report: Climate Change Projections*. Available at: https://www.researchgate.net/publication/313212734_UK_Climate_Projections_Science_Report_Climate_Change_Projections (Accessed: 21 September 2021).
- Nicholls, J.C. and Carswell, I.G. (2001) 'THE DESIGN OF POROUS ASPHALT MIXTURES TO PERFORMANCE-RELATED CRITERIA', *TRL REPORT 497* [Preprint].
- Olayinka, S.A., Adekunle, O.S. and Musa, H.A. (2020) 'Exploring the Effect of Landscaping on Property Value in Meeting the Contemporary Sub-Sahara Environment', *Env. Design & Construction Mgt. (JECM-4)*, 18(4).

- Parangi, B., Gagan and Hallur, M.S. (2020) 'REUSE OF PLASTICS WASTE FOR THE PRODUCTION OF FLOOR TILES', *Journal of Seybold Report*, 15(8 2020).
- Pawsey, M.R. (1982) 'Providing Campus Environmental Coherence by Landscaping.', *Planning for Higher Education*, 11(1), pp. 25–29.
- Penteado, C.S.G., Viviani De Carvalho, E. and Lintz, R.C.C. (2016) 'Reusing ceramic tile polishing waste in paving block manufacturing', *Journal of Cleaner Production*, 112, pp. 514–520. Available at: <https://doi.org/10.1016/J.JCLEPRO.2015.06.142>.
- Pezzaniti, D., Beecham, S. and Kandasamy, J. (2009) 'Influence of clogging on the effective life of permeable pavements', *Proceedings of the Institution of Civil Engineers: Water Management*, 162(3), pp. 211–220. Available at: <https://doi.org/10.1680/WAMA.2009.00034>.
- Pratt, C. (1990) 'Permeable pavements for stormwater quality enhancement', *cedb.asce.org* [Preprint].
- Pratt, C.J. (1997) 'Design Guidelines for Porous/Permeable pavements', in *Sustaining Urban water resources in the 21st century*.
- Pratt, C.J., Mantle, J.D.G. and Schofield, P.A. (1995) 'UK research into the performance of permeable pavement, reservoir structures in controlling stormwater discharge quantity and quality', *Water Science and Technology*, 32(1), pp. 63–69. Available at: [https://doi.org/10.1016/0273-1223\(95\)00539-Y](https://doi.org/10.1016/0273-1223(95)00539-Y).
- Puehmeier, T. and Newman, A.P. (2008) 'Oil Retaining and Treating Geotextile for Pavement Applications'.
- Rachmat, M. and Salsabilla, T.N. (2019) 'Analysis of hexagonal paving block as a better paving shape', *IOP Conference Series: Materials Science and Engineering*, 527(1), p. 012068. Available at: <https://doi.org/10.1088/1757-899X/527/1/012068>.
- Ramesh Kumar, G. and Kumar Sharma, U. (2014) 'Standard Test Methods for Determination of Abrasion Resistance of Concrete', *International Journal of Civil Engineering Research*, 5(2), pp. 155–162.
- Rankin, K. and Ball, J.E. (2004) 'A Review of the Performance of Permeable Pavers'.
- Sanderson, M. (2010) 'Changes in the frequency of extreme rainfall events for selected towns and cities'.
- Sangiorgi, C., Eskandarsefat S., Tataranni P., Simone A., Vignali V., Lantieri C., Dondi G., (2017) 'A complete laboratory assessment of crumb rubber porous asphalt', *Construction and Building Materials*, 132, pp. 500–507. Available at: <https://doi.org/10.1016/J.CONBUILDMAT.2016.12.016>.
- Sartipi, M. and Sartipi, F. (2019) 'Stormwater retention using pervious concrete pavement: Great Western Sydney case study', *Case Studies in*

- Construction Materials*, 11, p. e00274. Available at: <https://doi.org/10.1016/J.CSCM.2019.E00274>.
- Schaefer, V., Eskandarsefat S., Tataranni P., Simone A., Vignali V., Lantieri C., Dondi G., (2006) *MIX DESIGN DEVELOPMENT FOR PERVIOUS CONCRETE IN COLD WEATHER CLIMATES*.
- Scholz, M. and Grabowiecki, P. (2007) 'Review of permeable pavement systems', *Building and Environment*, 42(11), pp. 3830–3836. Available at: <https://doi.org/10.1016/J.BUILDENV.2006.11.016>.
- Sehgal, K., Drake J., Setters T.V., Linden W.K.Y., (2018) 'Improving Restorative Maintenance Practices for Mature Permeable Interlocking Concrete Pavements', *Water 2018, Vol. 10, Page 1588*, 10(11), p. 1588. Available at: <https://doi.org/10.3390/W10111588>.
- Shackel, B. (2010) 'THE DESIGN, CONSTRUCTION AND EVALUATION OF PERMEABLE PAVEMENTS IN AUSTRALIA', in. 24th ARRB Conference – Building on 50 years of road and transport research, Melbourne, Australia 2010 .
- Straet, F., Beckers, E. and Degre, A. (2008) 'Hydraulic behaviour of greened porous pavements: a physical study TERRA-multiscale soil systems View project GISER Gestion Intégrée sol érosion Ruissellement View project', in. 11th International Conference on Urban Drainage, Edinburgh, Scotland, UK.
- Synnefa, A., Karlessi T., Gaitani N., Santamouris M., Assimakopoulos D. N., Papakatsikas C., (2011) 'Experimental testing of cool colored thin layer asphalt and estimation of its potential to improve the urban microclimate', *Building and Environment*, 46(1), pp. 38–44. Available at: <https://doi.org/10.1016/J.BUILDENV.2010.06.014>.
- Tempa, K., Chettri M., Thapa G., Phurba, Gyeltshen C., Norbu D., Gurung D., Wangchuk U., (2021) 'An experimental study and sustainability assessment of plastic waste as a binding material for producing economical cement-less paver blocks', *Engineering Science and Technology, an International Journal* [Preprint]. Available at: <https://doi.org/10.1016/J.JESTCH.2021.05.012>.
- Tirpak A., Winston R.J., Feliciano M., Feliciano M., (2020) 'Stormwater quality performance of permeable interlocking concrete pavement receiving run-on from an asphalt traffic lane in a cold climate', *Environmental science and pollution research international*, 27(17), pp. 21716–21732. Available at: <https://doi.org/10.1007/S11356-020-08707-2>.
- Udawattha, C., Galabada, H. and Halwatura, R. (2017) 'Mud concrete paving block for pedestrian pavements', *Case Studies in Construction Materials*, 7, pp. 249–262. Available at: <https://doi.org/10.1016/J.CSCM.2017.08.005>.

- Wang, X., Chin, C.S. and Xia, J. (2019) 'Material Characterization for Sustainable Concrete Paving Blocks', *Applied Sciences* 2019, Vol. 9, Page 1197, 9(6), p. 1197. Available at: <https://doi.org/10.3390/APP9061197>.
- Wanielista, M. Chopra M., Spence J., Ballock C., (2007) 'Hydraulic Performance Assessment of Pervious Concrete Pavements for Stormwater Management Credit'.
- Weiss, P.T., Kayhanian M., Gulliver J.S., Khazanovich L., (2017) 'Permeable pavement in northern North American urban areas: research review and knowledge gaps', <https://doi.org/10.1080/10298436.2017.1279482>, 20(2), pp. 143–162. Available at: <https://doi.org/10.1080/10298436.2017.1279482>.
- Willems, P., Arnbjerg-Nielsen K., Olsson, J., Nguyen V.T.V., (2012) 'Climate change impact assessment on urban rainfall extremes and urban drainage: Methods and shortcomings', *Atmospheric Research*, 103, pp. 106–118. Available at: <https://doi.org/10.1016/J.ATMOSRES.2011.04.003>.
- Xie, N., Akin, M. and Shi, X. (2019) 'Permeable concrete pavements: A review of environmental benefits and durability', *Journal of Cleaner Production*, 210, pp. 1605–1621. Available at: <https://doi.org/10.1016/J.JCLEPRO.2018.11.134>.
- Yang, J., Wang Z.H., Kaloush K.E., (2015) 'Characteristics of indoor air quality at urban elementary schools in Seoul, Korea: Assessment of effect of surrounding environments', *Atmospheric Pollution Research*, 6(6), pp. 1113–1122. Available at: <https://doi.org/10.1016/j.apr.2015.06.009>.
- Yang, J., Wang, Z.H. and Kaloush, K.E. (2015) 'Environmental impacts of reflective materials: Is high albedo a “silver bullet” for mitigating urban heat island?', *Renewable and Sustainable Energy Reviews*, 47, pp. 830–843. Available at: <https://doi.org/10.1016/J.RSER.2015.03.092>.
- Yildirim, Y., Dossey T., Fults K.W., Trevino M., (2006) 'Winter Maintenance Issues Associated with New Generation Open-Graded Friction Courses'.
- Yogananth, Y., Thanushan K., Sangeeth P., Coonghe J.C., Sathiparan N., (2019) 'Comparison of strength and durability properties between earth-cement blocks and cement-sand blocks', *Innovative Infrastructure Solutions*, 4(1). Available at: <https://doi.org/10.1007/S41062-019-0238-8>.
- Yong C.F., Deletic A., Fletcher T.D., Grace M., (2008) 'The clogging behaviour and treatment efficiency of a range of porous pavements', in *11 th International Conference on Urban Drainage, Edinburgh*,

Scotland, UK. 11 th International Conference on Urban Drainage,
Edinburgh, Scotland, UK.
Younger, K., Hicks, R.G. and Gower, J. (1994) 'EVALUATION OF
POROUS PAVEMENTS USED IN OREGON. FINAL REPORT.
VOLUME II - APPENDICES'.