

## REFERENCES

- Akyuz, E., & Kaynak, B., (2019). Use of dispersion model and satellite SO<sub>2</sub> retrievals for environmental impact assessment of coal-fired power plants, *Science of the Total Environment*, 689, 808-819. doi.org/10.1016/j.scitotenv.2019.06.464.
- American Society for Testing and Materials., (2018). Standard Classification of Coals by Rank, (*ASTM D388-18*), [www.astm.org](http://www.astm.org), DOI:10.1520/D0388-18.
- Asif, Z., Chen, Z., Wang, H., & Zhu, Y.,(2022). Update on air pollution control strategies for coal-fired power plants, *Clean Technologies and Environmental Policy*, 24(8), 2329–2347. doi:10.1007/s10098-022-02328-8.
- Carbonell, L. M.T., Gacita, M.S., Oliva, J. D. J.R., Garea, L. C., Rivero, N.D., & Ruiz, E.M., (2010). Methodological guide for implementation of the AERMOD system with incomplete local data, *Atmospheric Pollution Research*, 1(2), 102–111. doi:10.5094/apr.2010.013.
- Choi, C.R. & Kim, C.N., (2009). Numerical investigation on the flow, combustion and NO<sub>x</sub> emission characteristics in a 500MWe tangentially fired pulverized-coal boiler, *Fuel*, 88(9), 1720–1731. doi.org/10.1016/j.fuel.2009.04.001.
- Cimorelli, A.J., Perry, S.G., Venkatram, A., Weli, J.C., Paine R.J., Wilson, R.B., Lee, R.F., Peters, W.D., & Paumier, J.O., (2003). AEROMOD: description of model formulation. *U.S. Environmental Protection Agency Report*, EPA 454/R-03-002d, North Carolina, 85 pages.
- Derwent, D., Fraser, A., Abbott, J., Jenkin, M., Willis, P., & Murrells, T., (2010 June). Evaluating the performance of Air Quality Models, [www.defra.gov.uk](http://www.defra.gov.uk), Issue 3
- Fabiano, B., Curro, F., Reverberi, A.P., & Palazzi, E.,(2014). Coal dust emissions: From environmental control to risk minimization by underground transport. an applicative case-study, *Process Safety and Environmental Protection*, 92(2), 150–159. doi:10.1016/j.psep.2013.01.002.
- Gibson, M.D., Kundu, S, & Sathish, M., (2013). Dispersion model evaluation of PM<sub>2.5</sub>, NO<sub>x</sub> and SO<sub>2</sub> from point and major line sources in Nova Scotia, Canada using AERMOD Gaussian plume air dispersion model, *Atmospheric Pollution Research*, 4, 157-167. doi:10.5094/APR.2013.016.
- Gurjar, B.R., Butler, T.M., Lawrence, M.G. & Lelieveld, J., (2008). Evaluation of emissions and air quality in megacities. *Atmospheric environment*, 42(7), 1593-1606.
- Irakunda, E., Torok, Z., Mereuta, A., Gasore, J., Kalisa, E., Akimpaye, B., Habineza, T., Shyaka, O., Munyampundu, G., & Ozunu, A.,(2022). The comparison between in-situ monitored data and modelled results of nitrogen dioxide (NO<sub>2</sub>): case-study, road networks of Kigali city, Rwanda, *Heliyon*, 8. doi.org/10.1016/j.heliyon.2022.e12390.

- Kesarkar, A.P., Dalvi, K.M., Kaginalkar, A., & Ojha, A.,(2007). Coupling of the weather research and forecasting model with AERMOD for pollutant dispersion modelling : A case study for PM10 dispersion over Pune, India. *Atmospheric Environment*, 41, 1976–1988.
- Kumarasinghe, K.A.N.,(2015). Ambient air shed quality management with new coal power plant installation : Thesis submitted in partial fulfillment of the requirements for the degree MSc. Environment engineering & management. *Department f civil engineering, University of Moratuwa, Sri Lanka*, September 2015.
- Lake Environmental, 2010. AEROMOD View Technical Specifications and Features. <http://www.weblakes.com/>, accessed in December 2012.
- Ma, J., Yi, H., Tang, X., Zhang, Y., Xiang, Y., & Pu, L., (2013). Application of AERMOD on near future air quality simulation under the latest national emission control policy of China: A case study on an industrial city, *Environment Science*, 25(8). doi: 10.1016/S1001-0742(12)60245-9
- Ma, S., (2010). Simulation on SO<sub>2</sub> and NO<sub>x</sub> emission from coal–fired power plants in northeastern North America. *Energy Power Engineering*2(3). [doi.org/10.4236/epe.2010.3028](http://doi.org/10.4236/epe.2010.3028)
- Marx, J.D., & Cornwell, J.B., (2009). The importance of weather variations in a quantitative risk analysis, *Journal of Loss Prevention in the Process Industries*, 22(6), 803–808. doi:10.1016/j.jlp.2009.08.009.
- Nigam, S., Rao, B.P.S., Kumar, V.A., & Mahaisalkar, (2015). Air Quality index-A comparative study for assessing the status of Air Quality, *Research Journal of Engineering and Technology*, 6(2), 267-274. doi:10.5958/2321-581x.2015.00041.0.
- Otte, T.L, Pouliot, G., Pleim,E.J., Young,J.O., Schere, K.L.,Wong, D.C., Lee, P.C.S., Tsidulko, M., McQueen, J.T., Davidson, P., Mathur, R., Chuang, H.Y., DiMego, G., & Seaman, N.L., (2005). Linking Eta model with Community Multiscale Air Quality (CMAQ) Modelling to build a national air quality forecasting system, *Weather Forecasting*, 20(3), 367–384.
- Gavendra Pandey & Maithili Sharan., (2019). Accountability of wind variability in AERMOD for computing concentrations in low wind conditions, *Atmospheric Environment*, 202, 105-116. doi.org/10.1016/j.atmosenv.2019.01.017
- Perry, S.G., Cimorelli, A.J., Paine, R.J., Brode, R.W., Weli, J.C., Venkatram,A., Wilson, R.B., Lee, R.F., & Peters, W.D., (2005). AEROMOD: a dispersion model for industrial source applications. Part II: model performance against 17 field study databases. *Journal of Applied Meteorology*, 44(5), 694-708.
- Shaikh, K., Shaikh, S., & Khokhar, U.M., (2018). Health risk assessment for emissions from Jamshoro thermal power station using AERMOD dispersion model, *Industrial Pollution Control*,34(2), 2142-2151.

- Silverman, K.C., Tell, J. G., Sargent, E. V., & Qiu, Z., (2007). Comparison of the industrial source complex and AERMOD dispersion models: case study for human health risk assessment. *Journal of Air and Waste Management Association* 57(12). 1439-1446.
- Smith, S.J., Pitcher, H. & Wigley, T.M.L., (2001). Global and regional anthropogenic sulfur dioxide emissions, *Global and Planetary Change*, 29(1–2), 99–119. doi:10.1016/s0921-8181(00)00057-6.
- Srivastava, R.K., Hall, R.E., Khan, S., Culligan, K., & Lani, B.W., (2005). Nitrogen oxides emission control options for coal-fired electric utility boilers, *Journal of the Air & Waste Management Association*, 55(9), 1367–1388. doi:10.1080/10473289.2005.10464736.
- Stieb, D.M., Doiron, M.S., Blagden, P. & Burnett, R.T., (2005). Estimating the public health burden attributable to air pollution: an illustration using the development of an alternative air quality index, *Journal of Toxicology and Environmental Health, Part A*, 68(13-14), 1275-1288.
- Taieb, D. & Brahim, A.B. (2013). Methodology for developing an air quality index (AQI) for Tunisia, *International Journal of Renewable Energy Technology*, 4(1), p. 86. doi.org/10.1504/ijret.2013.051067.
- Tran, Q.A., Nguyen, N.H.T., Nguyen, P.Q., & Nguyen, A.M., (2022). Simulation of thermal power plant source contribution to ambient air concentration in Cam Pha City, Quang Ninh province using AERMOD dispersion model, *Journal of Mining and Earth Sciences*, 63(3), 35-42. doi: 10.46326/JMES.2022.63(3).05
- Turtos, L., Meneses, E., Sanchez, M., Rivero, J., & Diaz, N.,( 2007). Assessment of the impacts on health due to the emissions of Cuban power plants that use fossil fuel oils with high content of Sulphur. Estimation of external costs. *Atmospheric Environment* 41(10), 2202-2213.
- United State Environmental Protection Agency, (2014). Air Quality Index(AQI)- A Guide to air quality and your health, EPA-456/F-14-002.
- Vairo, T., Fabiano, B., & Curro, F., (2014). Atmospheric Emissions from a Fossil Fuel Power Station: Dispersion Modelling and Experimental Comparison, *Chemical Engineering Transactions*, 36, 295-300. doi: 10.3303/CET1436050
- Varma, S,A,K., Srimurali, M., & Varma, S.V., (2014). Mathematical modelling of air pollution in a thermal power project, *Department of Civil Engineering, Sri Venkateswara University, India*, Thesis for Doctor of Philosophy.
- Wang, B., Li, R., Lu, Z., & Huang, Y., (2020). Does comorbidity increase the risk of patients with COVID-19: Evidence from meta-analysis', *Aging*, 12(7), 6049–6057. doi:10.18632/aging.103000.
- Wu, B., Tian, H., Hao, Y., Liu, S., Liu, X., Liu, W., Bai, X., Liang, W., Lin, S., Wu, Y., Shao, P., Liu, H., & Zhu, C., (2018) Effects of wet flue gas desulfurization and

wet electrostatic precipitators on emission characteristics of particulate matter and its Ionic compositions from four 300 MW level ultralow coal-fired power plants, *Environmental Science & Technology*, 52(23), 14015–14026. doi:10.1021/acs.est.8b03656