

REFERENCES

- [1] “Bio-Plastics - An Alternative to Petroleum Based Plastics,” *Int. J. Res. Stud. Agric. Sci.*, vol. 4, no. 1, 2018, doi: 10.20431/2454-6224.0401001.
- [2] V. I. Kovalenko, “Crystalline cellulose: structure and hydrogen bonds,” *Russ. Chem. Rev.*, vol. 79, no. 3, pp. 231–241, May 2010, doi: 10.1070/rc2010v079n03abeh004065.
- [3] “No Title.” [Online]. Available: <https://www.fortunebusinessinsights.com/cellulose-market-102062>
- [4] S. Hindi and S. S. Z Hindi, “Microcrystalline cellulose: The inexhaustible treasure for pharmaceutical industry,” *Nanosci. Nanotechnol. Res.*, vol. 4, no. 1, pp. 17–24, 2017, doi: 10.12691/nnr-4-1-3.
- [5] Michael Jacob Ioelovich, “Microcellulose Vs Nanocellulose – A Review,” *World J. Adv. Eng. Technol. Sci.*, vol. 5, no. 2, pp. 001–015, Mar. 2022, doi: 10.30574/wjaets.2022.5.2.0037.
- [6] R. Adawiyah, V. Suryanti, and Pranoto, “Preparation and characterization of microcrystalline cellulose from lembang (*Typha angustifolia* L.),” in *Journal of Physics: Conference Series*, IOP Publishing Ltd, Mar. 2022. doi: 10.1088/1742-6596/2190/1/012007.
- [7] M. Taye, B. U. Chaudhary, and R. D. Kale, “Extraction and Analysis of Microcrystalline Cellulose from Delignified Serte Leaf Fiber Wastes,” *J. Nat. Fibers*, vol. 18, no. 11, pp. 1729–1741, 2021, doi: 10.1080/15440478.2019.1697992.
- [8] N. Ai, Y. Jiang, S. Omar, J. Wang, L. Xia, and J. Ren, “Rapid Measurement of Cellulose, Hemicellulose, and Lignin Content in *Sargassum horneri* by Near-Infrared Spectroscopy and Characteristic Variables Selection Methods,” *Molecules*, vol. 27, no. 2, Jan. 2022, doi: 10.3390/molecules27020335.
- [9] M. Sorieul, A. Dickson, S. J. Hill, and H. Pearson, “Plant fibre: Molecular structure and biomechanical properties, of a complex living material, influencing its deconstruction towards a biobased composite,” *Materials (Basel)*, vol. 9, no. 8, Jul. 2016, doi: 10.3390/ma9080618.
- [10] T. Gorshkova *et al.*, “Plant Fiber Formation: State of the Art, Recent and Expected Progress, and Open Questions,” *CRC. Crit. Rev. Plant Sci.*, vol. 31, no. 3, pp. 201–228, May 2012, doi: 10.1080/07352689.2011.616096.
- [11] M. Jonoobi *et al.*, “Different preparation methods and properties of nanostructured cellulose from various natural resources and residues: a review,” *Cellulose*, vol. 22, no. 2. Kluwer Academic Publishers, pp. 935–969, Apr. 01, 2015. doi: 10.1007/s10570-015-0551-0.
- [12] H. Sosiati, M. Muhaimin, D. A. Wijayanti, and K. Triyana, “Nanocrystalline Cellulose Studied with a Conventional SEM,” 2014.

- [13] S. Thomas, S. A. Paul, L. A. Pothan, and B. Deepa, "Natural Fibres: Structure, Properties and Applications," in *Cellulose Fibers: Bio- and Nano-Polymer Composites*, Springer Berlin Heidelberg, 2011, pp. 3–42. doi: 10.1007/978-3-642-17370-7_1.
- [14] C. J. Houtman and R. H. Atalla, "Cellulose-Lignin Interactions' A Computational Study."
- [15] C. May and A. Moussa, "WOOD RESEARCH 63 (4): 2018 699-712 CHEMICAL AND STRUCTURAL ANALYSIS OF LIGNOCELLULOSIC BIOMASS OF AMPELODESMOS MAURITANICUS (DISS) AND STIPA TENACISSIMA."
- [16] D. Klemm *Comprehensive cellulose chemistry. Vol. 1, Fundamentals and analytical methods*, B. Philipp, T. Heinze, U. Heinze, and W. Wagenknecht, *Comprehensive cellulose chemistry. Vol. 1, Fundamentals and analytical methods*. Wiley-VCH, 1998.
- [17] M. M. Mleziva and J. H. Wang, "Paper," in *Polymer Science: A Comprehensive Reference, 10 Volume Set*, vol. 10, Elsevier, 2012, pp. 397–410. doi: 10.1016/B978-0-444-53349-4.00274-0.
- [18] "7 Processing of nanocellulose-based materials."
- [19] S. Park, J. O. Baker, M. E. Himmel, P. A. Parilla, and D. K. Johnson, "Open Access RESEARCH Cellulose crystallinity index: measurement techniques and their impact on interpreting cellulase performance," 2010. [Online]. Available: <http://www.biotechnologyforbiofuels.com/content/3/1/10>
- [20] M. Poletto, V. Pistor, and A. J., "Structural Characteristics and Thermal Properties of Native Cellulose," in *Cellulose - Fundamental Aspects*, InTech, 2013. doi: 10.5772/50452.
- [21] D. Trache, M. H. Hussin, M. K. M. Haafiz, and V. K. Thakur, "Recent progress in cellulose nanocrystals: Sources and production," *Nanoscale*, vol. 9, no. 5. Royal Society of Chemistry, pp. 1763–1786, Feb. 07, 2017. doi: 10.1039/c6nr09494e.
- [22] K. K. Pandey and A. J. Pitman, "FTIR studies of the changes in wood chemistry following decay by brown-rot and white-rot fungi," *Int. Biodeterior. Biodegrad.*, vol. 52, no. 3, pp. 151–160, 2003, doi: 10.1016/S0964-8305(03)00052-0.
- [23] A. Khodayari, W. Thielemans, U. Hirn, A. W. Van Vuure, and D. Seveno, "Cellulose-hemicellulose interactions - A nanoscale view," *Carbohydr. Polym.*, vol. 270, Oct. 2021, doi: 10.1016/j.carbpol.2021.118364.
- [24] V. Effiong Etuk, B. Reuben Etuk, and E. Okon Johnson, "Nanocellulose: Types, Synthesis and Applications." [Online]. Available: www.iafor.org
- [25] J. Bidlack, M. Malone, and R. Benson, "Molecular Structure and Component Integration of Secondary Cell Walls in Plants," 1992.

- [26] W. Farhat, "Investigation of hemicellulose biomaterial approaches : the extraction and modification of hemicellulose and its use in value-added applications Wissam Farhat To cite this version : HAL Id : tel-02305657 Investigation of Hemicellulose Biomaterial Approach," 2019.
- [27] H. V. Scheller and P. Ulvskov, "Hemicelluloses," *Annu. Rev. Plant Biol.*, vol. 61, pp. 263–289, Jun. 2010, doi: 10.1146/annurev-arplant-042809-112315.
- [28] A. Ilnicka and J. P. Lukaszewicz, "Discussion remarks on the role of wood and chitin constituents during carbonization," *Front. Mater.*, vol. 2, no. March, 2015, doi: 10.3389/fmats.2015.00020.
- [29] K. Radotić and M. Mičić, "Methods for Extraction and Purification of Lignin and Cellulose from Plant Tissues," 2016, pp. 365–376. doi: 10.1007/978-1-4939-3185-9_26.
- [30] P. Fratzl and R. Weinkamer, "Nature's hierarchical materials," *Progress in Materials Science*, vol. 52, no. 8, pp. 1263–1334, Nov. 2007. doi: 10.1016/j.pmatsci.2007.06.001.
- [31] B. Keller, "Structural Cell Wall Proteins," *Plant Physiol*, vol. 101, p. 130, 1993.
- [32] R. C. Staples and H. Smith, "The Molecular Biology of Plant Cells," *Bull. Torrey Bot. Club*, vol. 105, no. 4, 1978, doi: 10.2307/2484929.
- [33] S. Hindi, R. Abohassan, S. S. Z. Hindi, and R. A. Abohassan, "Cellulosic Microfibril and Its Embedding Matrix within Plant Cell Wall," *Int. J. Innov. Res. Sci. Eng. Technol.*, vol. 5, no. 3, pp. 2727–2734, 2016, doi: 10.15680/IJIRSET.2016.0503004.
- [34] R. Md Salim, J. Asik, and M. S. Sarjadi, "Chemical functional groups of extractives, cellulose and lignin extracted from native *Leucaena leucocephala* bark," *Wood Sci. Technol.*, vol. 55, no. 2, pp. 295–313, Mar. 2021, doi: 10.1007/s00226-020-01258-2.
- [35] H. Kargarzadeh, M. Ioelovich, I. Ahmad, S. Thomas, and A. Dufresne, "Methods for Extraction of Nanocellulose from Various Sources," 2017.
- [36] R. J. Moon, A. Martini, J. Nairn, J. Simonsen, and J. Youngblood, "Cellulose nanomaterials review: Structure, properties and nanocomposites," *Chem. Soc. Rev.*, vol. 40, no. 7, pp. 3941–3994, Jun. 2011, doi: 10.1039/c0cs00108b.
- [37] I. K. Ibrahim, (Al-Khateeb, S. M. Hussin, and Y. M. Al-Obaidi, "Extraction of Cellulose Nano Crystalline from Cotton by Ultrasonic and Its Morphological and Structural Characterization," 2015. [Online]. Available: <http://www.aiscience.org/journal/ijmcphhttp://creativecommons.org/licenses/by-nc/4.0/>
- [38] J. D. Kubicki, H. Yang, D. Sawada, H. O'Neill, D. Oehme, and D. Cosgrove, "The Shape of Native Plant Cellulose Microfibrils," *Sci. Rep.*, vol. 8, no. 1, Dec. 2018, doi: 10.1038/s41598-018-32211-w.

- [39] S. H. Cho *et al.*, “Synthesis and self-assembly of cellulose microfibrils from reconstituted cellulose synthase,” *Plant Physiol.*, vol. 175, no. 1, pp. 146–156, Sep. 2017, doi: 10.1104/pp.17.00619.
- [40] P. Bettotti and M. Scarpa, “Nanocellulose and Its Interface: On the Road to the Design of Emerging Materials,” *Advanced Materials Interfaces*, vol. 9, no. 4. John Wiley and Sons Inc, Feb. 01, 2022. doi: 10.1002/admi.202101593.
- [41] Y.-L. Hsieh, “4 Cellulose Nanofibers: Electrospinning and Nanocellulose Self-assemblies,” 2018.
- [42] H. P. S. Abdul Khalil *et al.*, “Production and modification of nanofibrillated cellulose using various mechanical processes: A review,” *Carbohydrate Polymers*, vol. 99, pp. 649–665, 2014. doi: 10.1016/j.carbpol.2013.08.069.
- [43] T. Tigerprints and E. Love, “Extraction Methodologies and Physicochemical Characterizations Extraction Methodologies and Physicochemical Characterizations of Nanocellulose Isolated from Kudzu for Potential Sustainable of Nanocellulose Isolated from Kudzu for Potential Sustainable Packaging Applications Packaging Applications.” [Online]. Available: https://tigerprints.clemson.edu/all_theses/3702
- [44] H. Kargarzadeh *et al.*, “Advances in cellulose nanomaterials,” *Cellulose*, vol. 25, no. 4. Springer Netherlands, pp. 2151–2189, Apr. 01, 2018. doi: 10.1007/s10570-018-1723-5.
- [45] J. Henschen *et al.*, *Bio-based preparation of nanocellulose and functionalization using polyelectrolytes*.
- [46] S. M. Sapuan *et al.*, “NATURAL FIBRE: A PROMISING SOURCE FOR THE PRODUCTION OF NANOCELLULOSE,” 2020, [Online]. Available: <https://www.researchgate.net/publication/345921190>
- [47] F. Golpira, N. Maftoonazad, and H. S. Ramaswamy, “Evaluation of freeze drying and electrospinning techniques for saffron encapsulation and storage stability of encapsulated bioactives,” *J. Compos. Sci.*, vol. 5, no. 12, Dec. 2021, doi: 10.3390/jcs5120326.
- [48] M. El-Sakhawy and M. L. Hassan, “Physical and mechanical properties of microcrystalline cellulose prepared from agricultural residues,” *Carbohydr. Polym.*, vol. 67, no. 1, pp. 1–10, Jan. 2007, doi: 10.1016/j.carbpol.2006.04.009.
- [49] Y. Habibi, “Key advances in the chemical modification of nanocelluloses,” *Chemical Society Reviews*, vol. 43, no. 5. Royal Society of Chemistry, pp. 1519–1542, Mar. 07, 2014. doi: 10.1039/c3cs60204d.
- [50] N. F. Zaaba, M. Jaafar, and H. Ismail, “Tensile and morphological properties of nanocrystalline cellulose and nanofibrillated cellulose reinforced Obionanocomposites: A review,” *Polymer Engineering and Science*, vol. 61, no. 1. John Wiley and Sons Inc, pp. 22–38, Jan. 01, 2021. doi: 10.1002/pen.25560.

- [51] K. Heise *et al.*, “Nanocellulose: Recent Fundamental Advances and Emerging Biological and Biomimicking Applications,” *Advanced Materials*, vol. 33, no. 3. Wiley-VCH Verlag, Jan. 01, 2021. doi: 10.1002/adma.202004349.
- [52] N. Azilah *et al.*, “NANOCELLULOSE THE NEXT SUPER VERSATILE MATERIAL FOR THE MILITARY International Conference on Sugar Palm and Allied Fibre Polymer Composites 2021 INVITED SPEAKER 1 NANOCELLULOSE THE NEXT SUPER VERSATILE MATERIAL FOR THE MILITARY.” [Online]. Available: <https://www.researchgate.net/publication/357226259>
- [53] Y. Li, H. Zhu, M. Xu, Z. Zhuang, M. Xu, and H. Dai, “Cellulose nanofiber preparation,” 2014.
- [54] D. Klemm *et al.*, “Nanocelluloses: A new family of nature-based materials,” *Angewandte Chemie - International Edition*, vol. 50, no. 24. pp. 5438–5466, Jun. 06, 2011. doi: 10.1002/anie.201001273.
- [55] J. D. P. de Amorim *et al.*, “Plant and bacterial nanocellulose: production, properties and applications in medicine, food, cosmetics, electronics and engineering. A review,” *Environmental Chemistry Letters*, vol. 18, no. 3. Springer, pp. 851–869, May 01, 2020. doi: 10.1007/s10311-020-00989-9.
- [56] P. Posada *et al.*, “eDrying and redispersion of plant cellulose nanofibers for industrial applications: a review,” *Cellulose*, vol. 27, no. 18. Springer Science and Business Media B.V., pp. 10649–10670, Dec. 01, 2020. doi: 10.1007/s10570-020-03348-7.
- [57] A. S. Hozman-Manrique, A. J. Garcia-Brand, M. Hernández-Carrión, and A. Porras, “Isolation and Characterization of Cellulose Microfibers from Colombian Cocoa Pod Husk via Chemical Treatment with Pressure Effects,” *Polymers (Basel)*, vol. 15, no. 3, Feb. 2023, doi: 10.3390/polym15030664.
- [58] W. G. A. Pabasara, M. P. A. Nanayakkara, A. M. P. B. Samarasekara, D. A. S. Amarasinghe, and L. Karunanayake, “Extraction and characterization of bio-based polymeric materials from traditional rice varieties in Sri Lanka,” *Trop. Agric. Res.*, vol. 30, no. 2, p. 47, Dec. 2018, doi: 10.4038/tar.v30i2.8308.
- [59] H. Song *et al.*, “A new environmentally-friendly system for extracting cellulose from corn straw: The low temperature laccase system,” *Materials (Basel)*, vol. 13, no. 2, Jan. 2020, doi: 10.3390/ma13020437.
- [60] N. Johar, I. Ahmad, and A. Dufresne, “Extraction, preparation and characterization of cellulose fibres and nanocrystals from rice husk,” *Ind. Crops Prod.*, vol. 37, no. 1, pp. 93–99, May 2012, doi: 10.1016/j.indcrop.2011.12.016.
- [61] I. T.F, I. K.F, M. A.A, and Ak. M.A, “Extraction And Characterization of Nanocellulose From Rice Husk,” *Int. J. Appl. Phys.*, vol. 7, no. 1, pp. 117–122, Jan. 2020, doi: 10.14445/23500301/ijap-v7i1p117.
- [62] M. Nasir, R. Hashim, O. Sulaiman, and M. Asim, “Nanocellulose: Preparation

- methods and applications,” in *Cellulose-Reinforced Nanofibre Composites: Production, Properties and Applications*, Elsevier Inc., 2017, pp. 261–276. doi: 10.1016/B978-0-08-100957-4.00011-5.
- [63] B. Kassanov, J. Wang, Y. Fu, and J. Chang, “Cellulose enzymatic saccharification and preparation of 5-hydroxymethylfurfural based on bamboo hydrolysis residue separation in ionic liquids,” *RSC Adv.*, vol. 7, no. 49, pp. 30755–30762, 2017, doi: 10.1039/c7ra05020h.
- [64] S. Chiu, T. Wang, M. Belski, and E. A. Abourashed, “HPLC-Guided Isolation, Purification and Characterization of Phenylpropanoid and Phenolic Constituents of Nutmeg Kernel (*Myristica fragrans*).”
- [65] K. Missoum, M. N. Belgacem, and J. Bras, “Nanofibrillated cellulose surface modification: A review,” *Materials (Basel)*, vol. 6, no. 5, pp. 1745–1766, 2013, doi: 10.3390/ma6051745.
- [66] J. Zeng *et al.*, “Cellulose nanofibrils manufactured by various methods with application as paper strength additives,” *Sci. Rep.*, vol. 11, no. 1, Dec. 2021, doi: 10.1038/s41598-021-91420-y.
- [67] M. Aminu, “Acid Hydrolysis-Mediated preparation of Nanocrystalline Cellulose from Rice Straw,” *Int. J. Nanomater. Nanotechnol. Nanomedicine*, pp. 051–056, Jun. 2017, doi: 10.17352/2455-3492.000021.
- [68] N. D. Kambli, V. Mageshwaran, P. G. Patil, S. Saxena, and R. R. Deshmukh, “Synthesis and characterization of microcrystalline cellulose powder from corn husk fibres using bio-chemical route,” *Cellulose*, vol. 24, no. 12, pp. 5355–5369, Dec. 2017, doi: 10.1007/s10570-017-1522-4.
- [69] M. Asrofi *et al.*, “Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonation and Its Characterization,” *Fibers Polym.*, vol. 19, no. 8, pp. 1618–1625, Aug. 2018, doi: 10.1007/s12221-018-7953-1.
- [70] L. W. Lun, A. A. N. Gunny, F. H. Kasim, and D. Arbain, “Fourier transform infrared spectroscopy (FTIR) analysis of paddy straw pulp treated using deep eutectic solvent,” in *AIP Conference Proceedings*, American Institute of Physics Inc., Apr. 2017. doi: 10.1063/1.4981871.
- [71] S. R. Djafari Petroudy *et al.*, “Recent advances in cellulose nanofibers preparation through energy-efficient approaches: A review,” *Energies*, vol. 14, no. 20. MDPI, Oct. 01, 2021. doi: 10.3390/en14206792.
- [72] R. Sabo, A. Yermakov, C. T. Law, and R. Elhajjar, “Nanocellulose-enabled electronics, energy harvesting devices, smart materials and sensors: A review,” *Journal of Renewable Materials*, vol. 4, no. 5. Scrivener Publishing LLC, pp. 297–312, Oct. 01, 2016. doi: 10.7569/JRM.2016.634114.
- [73] M. Börjesson and G. Westman, “Crystalline Nanocellulose — Preparation, Modification, and Properties,” in *Cellulose - Fundamental Aspects and Current Trends*, InTech, 2015. doi: 10.5772/61899.

- [74] S. Sinquefield, P. N. Ciesielski, K. Li, D. J. Gardner, and S. Ozcan, "Nanocellulose Dewatering and Drying: Current State and Future Perspectives." [Online]. Available: <http://energy.gov/downloads/doe-public-access-plan>
- [75] U. Ringania, J. Harrison, R. J. Moon, and M. S. Bhamla, "Dewatering of cellulose nanofibrils using ultrasound," *Cellulose*, vol. 29, no. 10, pp. 5575–5591, Jul. 2022, doi: 10.1007/s10570-022-04626-2.
- [76] A. Sinclair, X. Zhou, S. Tangpong, D. S. Bajwa, M. Quadir, and L. Jiang, "High-performance styrene-butadiene rubber nanocomposites reinforced by surface-modified cellulose nanofibers," *ACS Omega*, vol. 4, no. 8, pp. 13189–13199, Aug. 2019, doi: 10.1021/acsomega.9b01313.
- [77] A. Tseng *et al.*, "Extraction and Characterization of Microcrystalline Cellulose from Lagenaria siceraria Fruit Pedicles," 2022, doi: 10.3390/polym.
- [78] T. Zelenková, R. Onnainty, G. E. Granero, A. A. Barresi, and D. Fissore, "Use of microreactors and freeze-drying in the manufacturing process of chitosan coated PCL nanoparticles," *Eur. J. Pharm. Sci.*, vol. 119, pp. 135–146, Jul. 2018, doi: 10.1016/j.ejps.2018.04.006.
- [79] V. Baudron, P. Gurikov, I. Smirnova, and S. Whitehouse, "Porous starch materials via supercritical-and freeze-drying," *Gels*, vol. 5, no. 1, Mar. 2019, doi: 10.3390/gels5010012.
- [80] M. V. G. Zimmermann, C. Borsoi, A. Lavoratti, M. Zanini, A. J. Zattera, and R. M. C. Santana, "Drying techniques applied to cellulose nanofibers," *Journal of Reinforced Plastics and Composites*, vol. 35, no. 8. SAGE Publications Ltd, pp. 682–697, Apr. 01, 2016. doi: 10.1177/0731684415626286.
- [81] Y. Peng, D. J. Gardner, and Y. Han, "Drying cellulose nanofibrils: In search of a suitable method," *Cellulose*, vol. 19, no. 1, pp. 91–102, Feb. 2012, doi: 10.1007/s10570-011-9630-z.
- [82] W. Abdelwahed, G. Degobert, S. Stainmesse, and H. Fessi, "Freeze-drying of nanoparticles: Formulation, process and storage considerations," *Advanced Drug Delivery Reviews*, vol. 58, no. 15. Elsevier, pp. 1688–1713, Dec. 30, 2006. doi: 10.1016/j.addr.2006.09.017.
- [83] A. Alqurshi, K. L. Andrew Chan, and P. G. Royall, "In-situ freeze-drying-forming amorphous solids directly within capsules: An investigation of dissolution enhancement for a poorly soluble drug," *Sci. Rep.*, vol. 7, no. 1, Dec. 2017, doi: 10.1038/s41598-017-02676-2.
- [84] D. Noraini Jimat, M. Saedi Jami, Z. Isa, and A. Student, "Extraction of microcrystalline cellulose (MCC) from cocoa pod husk via alkaline pretreatment combined with ultrasonication," 2016. [Online]. Available: <http://www.ripublication.com>
- [85] D. O. Carlsson, *Structural and Electrochemical Properties of Functionalized*

- [86] C. Darpentigny, G. Nonglaton, J. Bras, and B. Jean, “Highly absorbent cellulose nanofibrils aerogels prepared by supercritical drying Highly Absorbent Cellulose Nanofibrils Aerogels Prepared by Supercritical Drying 2”, doi: 10.1016/j.carbpol.2019.115560i.
- [87] L. K. Kian, N. Saba, M. Jawaaid, and H. Fouad, “Characterization of microcrystalline cellulose extracted from olive fiber,” *Int. J. Biol. Macromol.*, vol. 156, pp. 347–353, Aug. 2020, doi: 10.1016/j.ijbiomac.2020.04.015.
- [88] C. A. de Assis *et al.*, “Conversion Economics of Forest Biomaterials: Risk and Financial Analysis of CNC Manufacturing,” *Biofuels, Bioprod. Biorefining*, vol. 11, no. 4, pp. 682–700, Jul. 2017, doi: 10.1002/bbb.1782.
- [89] M. A. Balcha, “SYNTHESIS AND CHARACTERIZATION OF CELLULOSE NANOCRYSTALS FROM WATER HYACINTH USING ACID HYDROLYSIS,” 2019.
- [90] G. Ramadoss and K. Muthukumar, “Influence of dual salt on the pretreatment of sugarcane bagasse with hydrogen peroxide for bioethanol production,” *Chem. Eng. J.*, vol. 260, pp. 178–187, Jan. 2015, doi: 10.1016/j.cej.2014.08.006.
- [91] Q. Li, S. H. Renneckar, J. R. Barone, K. J. E. Maren, R. Audrey, and G. Zink-Sharp, “NANOCELLULOSE: PREPARATION, CHARACTERIZATION, SUPRAMOLECULAR MODELING, AND ITS LIFE CYCLE ASSESSMENT,” 2012.
- [92] D. Trache *et al.*, “Nanocellulose: From Fundamentals to Advanced Applications,” *Frontiers in Chemistry*, vol. 8. Frontiers Media S.A., May 06, 2020. doi: 10.3389/fchem.2020.00392.
- [93] L. Pachuaui, D. C. Vanlalfakawma, S. K. Tripathi, and H. Lahlhlemawia, “Muli bamboo (*Melocanna baccifera*) as a new source of microcrystalline cellulose,” *J. Appl. Pharm. Sci.*, vol. 4, no. 11, pp. 87–94, 2014, doi: 10.7324/JAPS.2014.41115.
- [94] Y. Li Hua, S. Harun, M. S. Sajab, J. Md Jahim, and S. S. Mohd Shah, “Extraction of Cellulose and Microcrystalline Cellulose from Kenaf,” *J. Kejuruter.*, vol. 32, no. 2, pp. 205–213, May 2020, doi: 10.17576/jkukm-2020-32(2)-04.
- [95] S. J. Eichhorn *et al.*, “Current international research into cellulose as a functional nanomaterial for advanced applications,” *Journal of Materials Science*, vol. 57, no. 10. Springer, pp. 5697–5767, Mar. 01, 2022. doi: 10.1007/s10853-022-06903-8.
- [96] H. Fouad, L. K. Kian, M. Jawaaid, M. D. Alotaibi, O. Y. Alothman, and M. Hashem, “Characterization of microcrystalline cellulose isolated from conocarpus fiber,” *Polymers (Basel)*, vol. 12, no. 12, pp. 1–11, Dec. 2020,

doi: 10.3390/polym12122926.

- [97] G. Lupidi, G. Pastore, E. Marcantoni, and S. Gabrielli, “Recent Developments in Chemical Derivatization of Microcrystalline Cellulose (MCC): Pre-Treatments, Functionalization, and Applications,” *Molecules*, vol. 28, no. 5. MDPI, Mar. 01, 2023. doi: 10.3390/molecules28052009.
- [98] J. Ali, N. Saigal, S. Baboota, and A. Ahuja, “Microcrystalline cellulose as a versatile excipient in drug research,” *J. Young Pharm.*, vol. 1, no. 1, p. 6, 2009, doi: 10.4103/0975-1483.51868.
- [99] M. Thiripura Sundari and A. Ramesh, “Isolation and characterization of cellulose nanofibers from the aquatic weed water hyacinth - *Eichhornia crassipes*,” *Carbohydr. Polym.*, vol. 87, no. 2, pp. 1701–1705, Jan. 2012, doi: 10.1016/j.carbpol.2011.09.076.
- [100] Y. N. Malyar *et al.*, “Microfibrillated Cellulose with a Lower Degree of Polymerization; Synthesis via Sulfuric Acid Hydrolysis under Ultrasonic Treatment,” *Polymers (Basel)*, vol. 15, no. 4, Feb. 2023, doi: 10.3390/polym15040904.
- [101] Y. Peng *et al.*, “Influence of drying method on the material properties of nanocellulose I: thermostability and crystallinity,” 2013, doi: 10.1007/s10570-013-0019-z.
- [102] A. E. Ketola *et al.*, “Cellulose nanofibrils prepared by gentle drying methods reveal the limits of helium ion microscopy imaging,” *RSC Adv.*, vol. 9, no. 27, pp. 15668–15677, 2019, doi: 10.1039/c9ra01447k.
- [103] N. Rehman, S. Alam, I. Mian, and H. Ullah, “Environmental friendly method for the extraction of cellulose from *Trifolium resopinatum* and its characterization,” *Bull. Chem. Soc. Ethiop.*, vol. 33, no. 1, pp. 61–68, 2019, doi: 10.4314/bcse.v33i1.6.
- [104] M. Rahimi Kord Sofla, R. J. Brown, T. Tsuzuki, and T. J. Rainey, “A comparison of cellulose nanocrystals and cellulose nanofibres extracted from bagasse using acid and ball milling methods,” *Adv. Nat. Sci. Nanosci. Nanotechnol.*, vol. 7, no. 3, Sep. 2016, doi: 10.1088/2043-6262/7/3/035004.
- [105] A. Duzik, H.-J. Kim, J. Kim, J. H. Kim, S. H. Choi, and R. G. Bryant, “Fabrication Method, Characteristics and Applications of Cellulose Nano Fiber (CNF) Film,” no. April, 2019, [Online]. Available: <http://www.sti.nasa.gov>
- [106] M. Nasrollahzadeh, M. Sajjadi, S. M. Sajadi, and Z. Issaabadi, “Green Nanotechnology,” in *Interface Science and Technology*, vol. 28, Elsevier B.V., 2019, pp. 145–198. doi: 10.1016/B978-0-12-813586-0.00005-5.
- [107] J. A. Coetzee and M. P. Hill, “*Salvinia molesta* D. Mitch. (Salviniaceae): Impact and control,” *CAB Rev. Perspect. Agric. Vet. Sci. Nutr. Nat. Resour.*, vol. 15, no. 33, Jul. 2020, doi: 10.1079/PAVSNNR202015033.

- [108] N. Hussain, T. Abbasi, and S. A. Abbasi, "Vermiremediation of an invasive and pernicious weed salvinia (*Salvinia molesta*)," *Ecol. Eng.*, vol. 91, pp. 432–440, Jun. 2016, doi: 10.1016/j.ecoleng.2016.03.010.
- [109] C. S. Kariyawasam, L. Kumar, and S. S. Ratnayake, "Potential distribution of aquatic invasive alien plants, *Eichhornia crassipes* and *Salvinia molesta* under climate change in Sri Lanka," *Wetl. Ecol. Manag.*, vol. 29, no. 4, pp. 531–545, Aug. 2021, doi: 10.1007/s11273-021-09799-4.
- [110] A. Lal, "USF Scholarship: a digital repository @ Gleeson Library | Geschke Center *Salvinia molesta*: An Assessment of the Effects and Methods of Eradication Recommended Citation." [Online]. Available: <https://repository.usfca.edu/capstone>
- [111] L. W. Cozad, "Giant *Salvinia*, *Salvinia molesta* (Salviniaceae): Evaluation Of Sub-Giant *Salvinia*, *Salvinia molesta* (Salviniaceae): Evaluation Of Sub-Optimum Temperatures on Survival of the Giant *Salvinia* Weevil, Optimum Temperatures on Survival of the Giant *Salvinia* Weevil, *Cyrtobagous salviniae* (Coleoptera: Curculionidae) and Integration *Cyrtobagous salviniae* (Coleoptera: Curculionidae) and Integration of Management Practices with Aquatic Herbicides of Management Practices with Aquatic Herbicides." [Online]. Available: https://digitalcommons.lsu.edu/gradschool_theses
- [112] L. S. Koutika and H. J. Rainey, "A review of the invasive, biological and beneficial characteristics of aquatic species *Eichhornia crassipes* and *Salvinia molesta*," *Appl. Ecol. Environ. Res.*, vol. 13, no. 1, pp. 263–275, 2015, doi: 10.15666/aeer/1301_263275.
- [113] C. S. Kariyawasam, L. Kumar, B. K. Kogo, and S. S. Ratnayake, "Long-term changes of aquatic invasive plants and implications for future distribution: A case study using a tank cascade system in sri lanka," *Climate*, vol. 9, no. 2, pp. 1–18, Feb. 2021, doi: 10.3390/cli9020031.
- [114] J. A. Coetzee, M. P. Hill, M. J. Byrne, and A. Bownes, "A review of the biological control programmes on *Eichhornia crassipes* (C.Mart.) Solms (Pontederiaceae), *salvinia molesta* D.S.Mitch. (Salviniaceae), *Pistia stratiotes* L. (Araceae), *Myriophyllum aquaticum* (Vell.) Verdc. (Haloragaceae) and *Azolla filiculoides* Lam. (Azollaceae) in South Africa," *African Entomology*, vol. 19, no. 2, pp. 451–468, Aug. 2011. doi: 10.4001/003.019.0202.
- [115] D. G. Mcfarland, L. S. Nelson, M. J. Grodowitz, R. M. Smart, and C. S. Owens, "*Salvinia molesta* D. S. Mitchell (Giant *Salvinia*) in the United States: A Review of Species Ecology and Approaches to Management," 2004.
- [116] P. K. Man and] M Sc, "BIOCHEMICAL AND BIOTECHNOLOGICAL INVESTIGATIONS ON THE WATER-FERN *SALVINIA MOLESTA* MITCHELL. IN PARTIAL FULFILMENT OF THE REQUIREMENTS FOR THE DEGREE OF DOCTOR OF PHILOSOPHY in PLANT BIOCHEMISTRY AND BIOTECHNOLOGY UNDER THE FACULTY OF MARINE SCIENCES," 1998.

- [117] N. Hussain, T. Abbasi, and S. A. Abbasi, "Generation of highly potent organic fertilizer from pernicious aquatic weed *Salvinia molesta*," *Environ. Sci. Pollut. Res.*, vol. 25, no. 5, pp. 4989–5002, Feb. 2018, doi: 10.1007/s11356-017-0826-0.
- [118] C. S. Owens and R. M. Smart, "Effects of Nutrients, Salinity, and pH on *Salvinia molesta* (Mitchell) Growth," 2010.
- [119] R. M. Wersal and J. D. Madsen, "AQUATIC PLANTS THEIR USES AND RISKS A review of the global status of aquatic plants."
- [120] S. M. Solangaarachchi and R. P. K. Dushyantha, "AND BRANCHING OF DAMAGED *SALVINIA MOLESTA*," 1994.
- [121] C. F. Wahl, R. Diaz, and J. Ortiz-Zayas, "Assessing *salvinia molesta* impact on environmental conditions in an urban lake: Case study of lago las curias, Puerto Rico," *Aquat. Invasions*, vol. 15, no. 4, pp. 562–577, 2020, doi: 10.3391/ai.2020.15.4.02.
- [122] J. A. Doeleman, "Biological Control of *Salvinia molesta* in Sri Lanka: An Assessment of Costs and Benefits."
- [123] C. R. Mudge and N. E. Harms, "Aquatic Plant Control Research Program Development of an Integrated Pest Management Approach for Controlling Giant *Salvinia* Using Herbicides and Insects," 2012.
- [124] E. Assessment and A. V Tasker, "United States Department of Agriculture Marketing and Regulatory Programs Animal and Plant Health Inspection Service Demonstration Project: Giant *Salvinia* Toledo Bend Reservoir and Surrounding Areas in Louisiana and Eastern Texas Demonstration Project: Giant *Salvinia* Toledo Bend Reservoir and Surrounding Areas in Louisiana and Eastern Texas," 2001.
- [125] P. C. D. Perera and Dahanayakenilanthi, "Review of major abundant weeds of cultivation in Sri Lanka," *Int. J. Sci. Res. Publ.*, vol. 5, no. 5, 2014, [Online]. Available: www.ijsrp.org
- [126] P. Chathura Dineth Perera, "Review of major abundant weeds of cultivation in Sri Lanka Goldenrods invasion in Central Europe-drivers of invasion and eradication methods View project Review of major abundant weeds of cultivation in Sri Lanka," *Int. J. Sci. Res. Publ.*, vol. 5, no. 5, 2014, [Online]. Available: www.ijsrp.org
- [127] A. P. T. S. Peiris, "Feasibility Study of Production of Bio Methane from Bio Wastes in Sri Lanka and Develop Cost Model for the Production Process."
- [128] M. Kwaroe, H. Effendi, Z. I. Palupi, N. S. Hendra, and D. F. Lestari, "UTILIZATION OF AQUATIC WEED *Salvinia molesta* AS A RAW MATERIAL FOR BIOGAS PRODUCTION."
- [129] É. C. M. De Lanes, F. C. F. Lopes, N. R. Campos, J. E. Silva Oliveira, M. J. F. Morenz, and R. Frische-Neto, "Comparative efficacy of the conventional and

- automated methods for determining neutral and acid detergent fiber,” *Comun. Sci.*, vol. 7, no. 1, pp. 30–37, 2016, doi: 10.14295/CS.v7i1.432.
- [130] F. Al-Rimawi *et al.*, “HPLC analysis of chemical composition of selected jordanian medicinal plants and their bioactive properties,” *Orient. J. Chem.*, vol. 34, no. 5, pp. 2397–2403, 2018, doi: 10.13005/ojc/340522.
- [131] T. G. Gini and G. Jeya Jothi, “Column chromatography and HPLC analysis of phenolic compounds in the fractions of *Salvinia molesta* mitchell,” *Egypt. J. Basic Appl. Sci.*, vol. 5, no. 3, pp. 197–203, Sep. 2018, doi: 10.1016/j.ejbas.2018.05.010.
- [132] C. S. Kariyawasam, L. Kumar, and S. S. Ratnayake, “Invasive Plants Distribution Modeling: A Tool for Tropical Biodiversity Conservation With Special Reference to Sri Lanka,” *Tropical Conservation Science*, vol. 12. SAGE Publications Inc., Jul. 01, 2019. doi: 10.1177/1940082919864269.
- [133] R. Lingam and R. Kashyap, “Removal of heavy metals from industrial effluent using *salvinia molesta* Molecular Analysis using Quantum Computational Chemistry View project Experimental Study on influence of dominant Fatty Acid Esters in Engine Characteristics of Waste Animal Fat biodiesel View project,” 2016. [Online]. Available: <https://www.researchgate.net/publication/304951224>
- [134] L.-C. Cheng, V. Murugaiyah, and K.-L. Chan, “Developing a Validated HPLC Method for the Phytochemical Analysis of Antihyperuricemic Phenylethanoid Glycosides and Flavonoids in *Lippia nodiflora*.”
- [135] B. Marambe *et al.*, “alien fauna in Sri Lanka : National list , impacts and regulatory frameworInvasive,” *Int. Invasives Erad. Manag.*, no. Ranwala 2010, pp. 445–450, 2011.
- [136] “ess_2020_e1”.
- [137] “National Symposium on Invasive Alien Species”, doi: 10.10.
- [138] B. Marambe, P. Silva, and D. A. Siril Wijesundara, “Chapter 12 Management of *Salvinia* Vulnerability Assessment of Home-garden Eco-Systems to Climate Changes and Its Impacts on Food Security in South Asia, multi-country project funded by the Asia Pacific Network for Global Change Research(APN). View project Postharvest handling of cut flowers produced in the Up country of Sri Lanka for the local market View project,” 2014. [Online]. Available: <https://www.researchgate.net/publication/261562478>
- [139] A. A. Bibliography, “WEED RESEARCH IN SRI LANKA,” 1992.
- [140] R. H. G. Ranil and R. W. Bussmann, “Potential uses of lycophytes and ferns in Sri Lanka: An ethnopteridological perspective,” *Ethnobot. Res. Appl.*, vol. 21, pp. 1–11, 2021, doi: 10.32859/ERA.21.36.1-11.
- [141] O. Bédué and J.-L. Wertz, “Biochemical Conversion of Biomass,” *Lignocellul. Biorefineries*, pp. 351–418, 2013.

- [142] A. M. Mansor, J. S. Lim, F. N. Ani, H. Hashim, and W. S. Ho, "Characteristics of cellulose, hemicellulose and lignin of MD2 pineapple biomass," *Chem. Eng. Trans.*, vol. 72, no. August 2018, pp. 79–84, 2019, doi: 10.3303/CET1972014.
- [143] T. Qu, W. Guo, L. Shen, J. Xiao, and K. Zhao, "Experimental study of biomass pyrolysis based on three major components: Hemicellulose, cellulose, and lignin," *Ind. Eng. Chem. Res.*, vol. 50, no. 18, pp. 10424–10433, 2011, doi: 10.1021/ie1025453.
- [144] M.-J. Cho and B.-D. Park, "Isolation and Characteristics of Nanocelluloses from Microcrystalline Cellulose by Acid Hydrolysis."
- [145] S. Biyada, M. Merzouki, K. Elkarrach, and M. Benlemlih, "Spectroscopic characterization of organic matter transformation during composting of textile solid waste using UV–Visible spectroscopy, Infrared spectroscopy and X-ray diffraction (XRD)," *Microchem. J.*, vol. 159, Dec. 2020, doi: 10.1016/j.microc.2020.105314.
- [146] Y.-R. Seo, J.-W. Kim, S. Hoon, J. Kim, J. H. Chung, and K.-T. Lim, "Cellulose-based Nanocrystals: Sources and Applications via Agricultural Byproducts," *J. Biosyst. Eng*, vol. 43, no. 1, pp. 59–71, 2018, doi: 10.5307/JBE.2018.43.1.059.
- [147] R. M. Sheltami, I. Abdullah, I. Ahmad, A. Dufresne, and H. Kargarzadeh, "Extraction of cellulose nanocrystals from mengkuang leaves (*Pandanus tectorius*)," *Carbohydr. Polym.*, vol. 88, no. 2, pp. 772–779, Apr. 2012, doi: 10.1016/j.carbpol.2012.01.062.
- [148] A. K. Alanazi, "An Innovative Preparation, Characterization, and Optimization of Nanocellulose Fibers (NCF) Using Ultrasonic Waves," *Polymers (Basel)*, vol. 14, no. 10, May 2022, doi: 10.3390/polym14101930.
- [149] A. Alemdar and M. Sain, "Isolation and characterization of nanofibers from agricultural residues - Wheat straw and soy hulls," *Bioresour. Technol.*, vol. 99, no. 6, pp. 1664–1671, Apr. 2008, doi: 10.1016/j.biortech.2007.04.029.
- [150] M. K. Mohamad Haafiz, S. J. Eichhorn, A. Hassan, and M. Jawaid, "Isolation and characterization of microcrystalline cellulose from oil palm biomass residue," *Carbohydr. Polym.*, vol. 93, no. 2, pp. 628–634, Apr. 2013, doi: 10.1016/j.carbpol.2013.01.035.
- [151] S. Park, D. K. Johnson, C. I. Ishizawa, P. A. Parilla, and M. F. Davis, "Measuring the crystallinity index of cellulose by solid state ¹³C nuclear magnetic resonance," *Cellulose*, vol. 16, no. 4, pp. 641–647, 2009, doi: 10.1007/s10570-009-9321-1.
- [152] A. A. B. Omran *et al.*, "Micro-and nanocellulose in polymer composite materials: A review," *Polymers*, vol. 13, no. 2. MDPI AG, pp. 1–30, Jan. 02, 2021. doi: 10.3390/polym13020231.
- [153] H. Sosiati, D. A. Wijayanti, K. Triyana, and B. Kamiel, "Morphology and

crystallinity of sisal nanocellulose after sonication,” in *AIP Conference Proceedings*, American Institute of Physics Inc., Sep. 2017. doi: 10.1063/1.4999859.

- [154] A. Ratnakumar, A. M. P. B. Samarasekara, D. A. S. Amarasinghe, and L. Karunanayake, “Characteristics of Natural Cellulose Fibres Extracted from Sri Lankan Rice Straw Varieties,” *Trop. Agric. Res.*, vol. 31, no. 3, p. 72, Jun. 2020, doi: 10.4038/tar.v31i3.8398.
- [155] M. Ioelovich, “GREEN TECHNOLOGY OF MICROCRYSTALLINE CELLULOSE.”
- [156] P. Kumar Gupta *et al.*, “An Update on Overview of Cellulose, Its Structure and Applications,” *Cellulose*, no. June, 2019, doi: 10.5772/intechopen.84727.
- [157] S. Huang, L. Zhou, M. C. Li, Q. Wu, and D. Zhou, “Cellulose nanocrystals (CNCs) from corn stalk: Activation energy analysis,” *Materials (Basel)*, vol. 10, no. 1, pp. 1–13, 2017, doi: 10.3390/ma10010080.
- [158] J. P. Reddy and J. W. Rhim, “Extraction and Characterization of Cellulose Microfibers from Agricultural Wastes of Onion and Garlic,” *J. Nat. Fibers*, vol. 15, no. 4, pp. 465–473, Jul. 2018, doi: 10.1080/15440478.2014.945227.
- [159] S. Mateo, S. Peinado, F. Morillas-Gutiérrez, M. D. La Rubia, and A. J. Moya, “Nanocellulose from agricultural wastes: Products and applications—a review,” *Processes*, vol. 9, no. 9, 2021, doi: 10.3390/pr9091594.
- [160] K. Oksman *et al.*, “Review of the recent developments in cellulose nanocomposite processing,” *Compos. Part A Appl. Sci. Manuf.*, vol. 83, pp. 2–18, 2016, doi: 10.1016/j.compositesa.2015.10.041.
- [161] P. Kaur *et al.*, “Nanocellulose: Resources, Physio-Chemical Properties, Current Uses and Future Applications,” *Front. Nanotechnol.*, vol. 3, no. November, pp. 1–17, 2021, doi: 10.3389/fnano.2021.747329.
- [162] L. H. Thomas *et al.*, “Structure of cellulose microfibrils in primary cell walls from collenchyma,” *Plant Physiol.*, vol. 161, no. 1, pp. 465–476, 2013, doi: 10.1104/pp.112.206359.