

## REFERENCES

- [1] Guan, C.; Qin, S.; Ling, W.; Ding, G. Apparel recommendation system evolution: An empirical review. *Int. J. Cloth. Sci. Technol.* 2016, 28, 854–879, doi:10.1108/ijcst-09-2015-0100.
- [2] Zempo, K.; Sumita, U. Identifying Colors of Products and Associated Personalized Recommendation Engine in e-Fashion Business. In *Proceedings of the International Conference on Social Modeling and Simulation, Plus Econophysics Colloquium 2014*; Takayasu, H., Ito, N., Noda, I., Takayasu, M., Eds.; Springer International Publishing: New York, NY, USA, 2015; pp. 335–346, doi:10.1007/978-3-319-20591-5\_30.
- [3] An, H.; Kwon, S.; Park, M. A case study on the recommendation services for customized fashion styles based on artificial intelligence. *J. Korean Soc. Cloth. Text.* 2019, 43, 349–360, doi:10.5850/jksct.2019.43.3.349.
- [4] Plumbaum, T.; Kille, B. Personalized Fashion Advice. In *Smart Information Systems*; Hopfgartner, F., Ed.; Springer International Publishing: New York, NY, USA, 2015; pp. 213–237, doi:10.1007/978-3-319-14178-7\_8.
- [5] Cui, P.; Wang, F.; Liu, S.; Ou, M.; Yang, S.; Sun, L. Who should share what?: Item-level social influence prediction for users and posts ranking. In *Proceedings of the 34th International ACM SIGIR Conference on Research and Development in Information- SIGIR '11, Beijing, China, 24–28 July 2011*; p. 185.
- [6] Corbiere, C.; Ben-Younes, H.; Rame, A.; Ollion, C. Leveraging weakly annotated data for fashion image retrieval and label prediction. In *Proceedings of the 2017 IEEE International Conference on Computer Vision Workshops (ICCVW), Venice, Italy, 22–29 October 2017*; pp. 2268–2274, doi:10.1109/ICCVW.2017.266.
- [7] Jo, J.; Lee, S.; Lee, C.; Lee, D.; Lim, H. Development of fashion product retrieval and recommendations model based on deep learning. *Electronics* 2020, 9, 508, doi:10.3390/electronics9030508.
- [8] Guan, C.; Qin, S.; Long, Y. Apparel-based deep learning system design for apparel style recommendation. *Int. J. Cloth. Sci. Technol.* 2019, 31, 376–389, doi:10.1108/ijcst-02-2018-0019.
- [9] Yu, W.; Zhang, H.; He, X.; Chen, X.; Xiong, L.; Qin, Z. Aesthetic-based Clothing Recommendation. In *Proceedings of the 2018 World Wide Web Conference on World Wide Web—WWW '18, Lyon, France, 23–27 April 2018*; pp. 649–658, doi:10.1145/3178876.3186146.
- [10] Nguyen, H.T.H.; Wistuba, M.; Grabocka, J.; Drumond, L.R.; Schmidt-Thieme, L. Personalized deep learning for tag recommendation. In *Proceedings of the Advances in Knowledge Discovery and Data Mining*; Kim, J., Shim, K., Cao, L., Lee, J., G., Lin, X., Moon, Y.-S., Eds.; Springer International Publishing: New York, NY, USA, 2017; Volume 10234, pp. 186–197, doi:10.1007/978-3-319-57454-7\_15.

- [11] Wu, S.; Ren, W.; Yu, C.; Chen, G.; Zhang, D.; Zhu, J. Personal recommendation using deep recurrent neural networks in NetEase. In Proceedings of the 2016 IEEE 32nd International Conference on Data Engineering (ICDE), Helsinki, Finland, 16–20 May 2016; pp. 1218–1229, doi:10.1109/ICDE.2016.7498326.
- [12] Quadrana, M.; Karatzoglou, A.; Hidasi, B.; Cremonesi, P. Personalizing session-based recommendations with hierarchical recurrent neural networks. In Proceedings of the Eleventh ACM Conference on Recommender Systems, Como, Italy, 27–31 August 2017; pp. 130–137, doi:10.1145/3109859.3109896.
- [13] Cui, P.; Wang, F.; Liu, S.; Ou, M.; Yang, S.; Sun, L. Who should share what?: Item-level social influence prediction for users and posts ranking. In Proceedings of the 34th International ACM SIGIR Conference on Research and Development in Information- SIGIR '11, Beijing, China, 24–28 July 2011; p. 185.
- [14] Han, X.; Wu, Z.; Jiang, Y.G.; Davis, L.S. Learning fashion compatibility with bidirectional lstms. In Proceedings of the 25th ACM International Conference on Multimedia, Mountain View, CA, USA, 23–27 October 2017; pp. 1078–1086.
- [15] Li, Y.; Liu, T.; Jiang, J.; Zhang, L. Hashtag recommendation with topical attention-based LSTM. In Proceedings of the COLING 2016, Osaka, Japan, 11–16 December 2016; pp. 3019–3029.
- [16] Alashkar, T.; Jiang, S.; Wang, S.; Fu, Y. Examples-rules guided deep neural network for makeup recommendation. In Proceedings of the Thirty-First AAAI Conference on Artificial Intelligence (AAAI-17), San Francisco, CA, USA, 4–9 February 2017; pp. 941–947.
- [17] Bracher, C.; Heinz, S.; Vollgraf, R. Fashion DNA: Merging content and sales data for recommendation and article mapping. arXiv 2016, arXiv:1609.02489.
- [18] Cheng, H.-T.; Ispir, M.; Anil, R.; Haque, Z.; Hong, L.; Jain, V.; Liu, X.; Shah, H.; Koc, L.; Harmsen, J.; et al. Wide & deep learning for recommender systems. In Proceedings of the 1st Workshop on Deep Learning for Recommender Systems–DLRS 2016, New York, NY, USA, 15 September 2016; Association for Computing Machinery: New York, NY, USA, 2016; pp. 7–10, doi:10.1145/2988450.2988454.
- [19] Chen, W.; Huang, P.; Xu, J.; Guo, X.; Guo, C.; Sun, F.; Li, C.; Pfadler, A.; Zhao, H.; Zhao, B. POG: Personalized outfit generation for fashion recommendation at Alibaba iFashion. In Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, Anchorage, AK, USA, 4–8 August 2019; Association for Computing Machinery: New York, NY, USA, 2019; pp. 2662–2670, doi:10.1145/3292500.3330652.
- [20] Kang, W.-C.; Fang, C.; Wang, Z.; McAuley, J. Visually-aware fashion recommendation and design with generative image models. In Proceedings of the 2017 IEEE International Conference on Data Mining (ICDM), New Orleans, LA, USA, 18–21 November 2017; pp. 207–216, doi:10.1109/ICDM.2017.30.

- [21] Viriato de Melo, E.; Nogueira, E.A.; Guliato, D. Content-Based Filtering Enhanced by Human Visual Attention Applied to Clothing Recommendation. In Proceedings of the 2015 IEEE 27th International Conference on Tools with Artificial Intelligence (ICTAI), Vietri sul Mare, Italy, 9–11 November 2015; pp. 644–651; doi:10.1109/ICTAI.2015.98.
- [22] Gao, G.; Liu, L.; Wang, L.; Zhang, Y. Fashion clothes matching scheme based on Siamese Network and AutoEncoder. *Multimed. Syst.* 2019, 25, 593–602, doi:10.1007/s00530-019-00617-9.
- [23] Ono, C.; Kurokawa, M.; Motomura, Y.; Asoh, H. A context-aware movie preference model using a bayesian network for recommendation and promotion. In *User Modeling 2007*; Conati, C., McCoy, K., Paliouras, G., Eds.; Springer Berlin Heidelberg: Berlin, Germany, 2007; Volume 4511, pp. 247–257, doi:10.1007/978-3-540-73078-1\_28.
- [24] Ismail, A.R.; Fanani, A.Z.; Shidik, G.F. Implementation of naive bayes algorithm with particle swarm optimization in classification of dress recommendation. In Proceedings of the 2020 International Seminar on Application for Technology of Information and Communication (iSemantic), Dian Nuswantoro, Indonesia, 19–20 September 2020; pp. 174–178.
- [25] Wei, W.; Wang, Z.; Fu, C.; Damaševičius, R.; Scherer, R.; Woźniak, M. Intelligent recommendation of related items based on naive bayes and collaborative filtering combination model. *J. Physics: Conf. Ser.* 2020, 1682, 012043, doi:10.1088/1742-6596/1682/1/012043.
- [26] Elkahky, A.M.; Song, Y.; He, X. A multi-view deep learning approach for cross domain user modeling in recommendation systems. In Proceedings of the 24th International Conference on World Wide Web—WWW '15, Florence, Italy, 18–22 May 2015; pp. 278–288, doi:10.1145/2736277.2741667.
- [27] Xue, H.-J.; Dai, X.; Zhang, J.; Huang, S.; Chen, J. Deep Matrix Factorization Models for Recommender Systems. In Proceedings of the Twenty-Sixth International Joint Conference on Artificial Intelligence, Melbourne, VIC, Australia, 19–25 August 2017; pp. 3203–3209, doi:10.24963/ijcai.2017/447.
- [28] Zheng, Y.; Tang, B.; Ding, W.; Zhou, H. A Neural Autoregressive Approach to Collaborative Filtering. arXiv 2016, arXiv:1605.09477.
- [29] Du, C.; Li, C.; Zheng, Y.; Zhu, J.; Zhang, B. Collaborative Filtering with User-Item Co-Autoregressive Models. arXiv 2018, arXiv:1612.07146 [Cs].
- [30] Liu, X.; Sun, Y.; Liu, Z.; Lin, D. Learning diverse fashion collocation by neural graph filtering. arXiv 2020, arXiv:2003.04888.
- [31] Zhang, F.; Yuan, N.J.; Lian, D.; Xie, X.; Ma, W.-Y. Collaborative Knowledge Base Embedding for Recommender Systems. In Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, San

Francisco, CA, USA, 13–17 August 2016; pp. 353–362, doi:10.1145/2939672.2939673.

[32] Vasileva, M.I.; Plummer, B.A.; Dusad, K.; Rajpal, S.; Kumar, R.; Forsyth, D. Learning type-aware embeddings for fashion compatibility. In Proceedings of the European Conference on Computer Vision (ECCV), Munich, Germany, 8–14 September 2018; pp. 390–405.

[33] Lu, H.; Chen, Y.; Dai, H.Q. Clothing recommendation based on fuzzy mathematics. *Int. J. Adv. Oper. Manag.* 2013, 5, 14, doi:10.1504/ijaom.2013.051323.

[34] Hu, Z.-H.; Li, X.; Wei, C.; Zhou, H.-L. Examining collaborative filtering algorithms for clothing recommendation in e-commerce. *Text. Res. J.* 2018, 89, 2821–2835, doi:10.1177/0040517518801200.

[35] Zhang, X.; Jia, J.; Gao, K.; Zhang, Y.; Zhang, D.; Li, J. Trip Outfits advisor: Location-oriented clothing recommendation. *IEEE Trans. Multimed.* 2017, 19, 2533–2544.

[36] Zhang, J.; Liu, K.; Dong, M.; Yuan, H.; Zhu, C.; Zeng, X. An intelligent garment recommendation system based on fuzzy techniques. *J. Text. Inst.* 2019, 111, 1324–1330, doi:10.1080/00405000.2019.1694351.

[37] Zeng, M.X. Development of an Intelligent Recommendation System to Garment Designers for Designing New Personalized Products. Ph.D. Thesis, Ecole Nationale d'Ingénieurs de Saint-Etienne, Saint-Étienne, France, 3 April 2017.

[38] Adewumi, A.; Taiwo, A.; Misra, S.; Maskeliunas, R.; Damasevicius, R.; Ahuja, R.; Ayeni, F. A Unified Framework for Outfit Design and Advice. In *Data Management, Analytics and Innovation*; Springer: Singapore, 2020; pp. 31–41.

[39] Zeng, X.; Koehl, L.; Wang, L.; Chen, Y. An intelligent recommender system for personalized fashion design. In Proceedings of the 2013 Joint IFSA World Congress and NAFIPS Annual Meeting (IFSA/NAFIPS), Edmonton, AB, Canada, 24–28 June 2013; pp. 760–765, doi:10.1109/IFSA-NAFIPS.2013.6608496.

[40] Liu, S.; Feng, J.; Song, Z.; Zhang, T.; Lu, H.; Xu, C.; Yan, S. Hi, magic closet, tell me what to wear! In Proceedings of the 20<sup>th</sup> ACM International Conference on Multimedia—MM '12, Nara, Japan 29 October–2 November 2012; p. 619, doi:10.1145/2393347.2393433.

[41] Bobadilla, J.; Ortega, F.; Hernando, A.; Gutiérrez, A. Recommender systems survey. *Knowl. Based Syst.* 2013, 46, 109–132, doi:10.1016/j.knosys.2013.03.012.

[42] Tao, X., Chen, X., Zeng, X., & Koehl, L. A customized garment collaborative design process by using virtual reality and sensory evaluation on garment fit. *Computers & Industrial Engineering*, 2018, 115, 683–695, doi:10.1016/j.cie.2017.10.023.

- [43] Duda, R.O.; Hart, P.E.; Stork, D.G. *Pattern Classification*; John Wiley & Sons: Hoboken, NJ, USA, 2012.
- [44] Boutemedjet, S.; Ziou, D. Predictive approach for user long-term needs in content-based image suggestion. *IEEE Trans. Neural Netw. Learn. Syst.* 2012, 23, 1242–1253, doi:10.1109/tnnls.2012.2199765.
- [45] Vuruskan, A.; Ince, T.; Bulgun, E.Y.; Guzelis, C. Intelligent fashion styling using genetic search and neural classification. *Int. J. Cloth. Sci. Technol.* 2015, 27, 283–301, doi:10.1108/ijcst-02-2014-0022.
- [46] Wu, Q.; Zhao, P.; Cui, Z. Visual and Textual Jointly Enhanced Interpretable Fashion Recommendation. *IEEE Access* 2020, 8, 68736–68746, doi:10.1109/access.2020.2978272.
- [47] Ekstrand, M.D. Collaborative Filtering Recommender Systems. *Found. Trends in Hum. Comput. Interact.* 2011, 4, 81–173, doi:10.1561/1100000009.
- [48] Song, X.; Han, X.; Li, Y.; Chen, J.; Xu, X.S.; Nie, L. GP-BPR: Personalized compatibility modeling for clothing matching. In *Proceedings of the 27th ACM International Conference on Multimedia*, Nice, France, 21–25 October 2019; pp. 320–328.
- [49] De Divitiis, L.; Becattini, F.; Baecchi, C.; Del Bimbo, A. Garment Recommendation with Memory Augmented Neural Networks. *arXiv* 2020, arXiv:2012.06200.
- [50] Sagar, D.; Garg, J.; Kansal, P.; Bhalla, S.; Shah, R.R.; Yu, Y. PAI-BPR: Personalized Outfit Recommendation Scheme with Attribute-wise Interpretability. In *Proceedings of the 2020 IEEE Sixth International Conference on Multimedia Big Data (BigMM)* September 2020, New Delhi, India, 24–26 September 2020; pp. 221–230.
- [51] Li, J.; Zhong, X.; Li, Y. A Psychological Decision Making Model Based Personal Fashion Style Recommendation System. In *Proceedings of the International Conference on Human-centric Computing 2011 and Embedded and Multimedia Computing 2011*; Park, J.J., Jin, H., Liao, X., Zheng, R., Eds.; Springer: Dordrecht, The Netherlands, 2011; Volume 102, pp. 57–64, doi:10.1007/978-94-007-2105-0\_8.
- [52] Gai, S.; Zhao, F.; Kang, Y.; Chen, Z.; Wang, D.; Tang, A. Deep Transfer Collaborative Filtering for Recommender Systems. In *PRICAI 2019: Trends in Artificial Intelligence*; Nayak, A.C., Sharma, A., Eds.; Springer International Publishing: New York, NY, USA, 2019; Volume 11672, pp. 515–528, doi:10.1007/978-3-030-29894-4\_42.
- [53] Plumbaum, T.; Kille, B. Personalized Fashion Advice. In *Smart Information Systems*; Hopfgartner, F., Ed.; Springer International Publishing: New York, NY, USA, 2015; pp. 213–237, doi:10.1007/978-3-319-14178-7\_8.

- [54] Zarei, M.R.; Moosavi, M.R. A Memory-Based Collaborative Filtering Recommender System Using Social Ties. In Proceedings of the 2019 4th International Conference on Pattern Recognition and Image Analysis (IPRIA), Tehran, Iran, 6–7 March 2019; pp. 263–267, doi:10.1109/PRIA.2019.8786023.
- [55] Liu, Y.J.; Gao, Y.B.; Bian, L.Y.; Wang, W.Y.; Li, Z.M. How to wear beautifully? Clothing pair recommendation. *J. Comput. Sci. Technol.* 2018, 33, 522–530.
- [56] Wang, Y.; Li, S.; Kot, A.C. Joint learning for image-based handbag recommendation. In Proceedings of the 2015 IEEE International Conference on Multimedia and Expo. (ICME), Turin, Italy, 29 June–3 July 2015; pp. 1–6.
- [57] Li, J.; Li, Y. Cognitive model based fashion style decision making. *Expert Syst. Appl.* 2012, 39, 4972–4977, doi:10.1016/j.eswa.2011.10.017.
- [58] Qian, Y.; Giaccone, P.; Sasdelli, M.; Vasquez, E.; Sengupta, B. Algorithmic clothing: Hybrid recommendation, from street-style to shop. arXiv 2017, arXiv:1705.09451.
- [59] Raghuwanshi, S.K.; Pateriya, R.K. Recommendation systems: Techniques, challenges, application, and evaluation. In *Soft Computing for Problem Solving*; Bansal, J.C., Das, K.N., Nagar, A., Deep, K., Ojha, A.K., Eds.; Springer: Singapore, 2019; Volume 817, pp. 151–164, doi:10.1007/978-981-13-1595-4\_12.
- [60] Shah, L.; Gaudani, H.; Balani, P. Survey on Recommendation System. *Int. J. Comput. Appl.* 2016, 137, 43–49, doi:10.5120/ijca2016908821.
- [61] Burke, R. Hybrid recommender systems: Survey and experiments. *User Model. User Adapt. Interact.* 2002, 12, 331–370, doi:10.1023/a:1021240730564.
- [62] Isinkaye, F.; Folajimi, Y.; Ojokoh, B. Recommendation systems: Principles, methods and evaluation. *Egypt. Inform. J.* 2015, 16, 261–273, doi:10.1016/j.eij.2015.06.005.
- [63] Yu, L.; Zhong, Y.; Wang, X. Inpainting-Based Virtual Try-on Network for Selective Garment Transfer. *IEEE Access* 2019, 7, 134125–134136, doi:10.1109/access.2019.2941378.
- [64] Raj, A.; Sangkloy, P.; Chang, H.; Hays, J.; Ceylan, D.; Lu, J. SwapNet: Image based garment transfer. In *Computer Vision ECCV 2018*; Ferrari, V., Hebert, M., Sminchisescu, C., Weiss, Y., Eds.; Springer International Publishing: New York, NY, USA, 2018; Volume 11216, pp. 679–695, doi:10.1007/978-3-030-01258-8\_41.
- [65] S. Q. X. W. Ziwei Liu, Ping Luo and X. Tang. Deepfashion: Powering robust clothes recognition and retrieval with rich annotations. In *CVPR*, pages 1096–1104, 2016
- [66] P. Aggarwal. “Fashion Product Images Dataset.” Kaggle. <https://www.kaggle.com/datasets/paramaggarwal/fashion-product-images-dataset> (accessed Dec. 02, 2022).

- [67] J. Brownlee. "A Gentle Introduction to Ensemble Learning Algorithms" Machine Learning Mastery. <https://machinelearningmastery.com/tour-of-ensemble-learning-algorithms/> (accessed Dec. 23, 2022).
- [68] B. Kumar. "PyTorch Early Stopping + Examples" Python Guides. <https://pythonguides.com/pytorch-early-stopping/> (accessed Dec. 28, 2022).
- [69] H. Bandyopadhyay. "Autoencoders in Deep Learning: Tutorial & Use Cases" v7labs. <https://www.v7labs.com/blog/autoencoders-guide> (accessed Jan.03, 2022).
- [70] Rahutomo, F., Kitasuka, T. and Aritsugi, M., October. Semantic cosine similarity. In The 7<sup>th</sup> International Student Conference on Advanced Science and Technology ICAST (Vol. 4, No. 1, p. 1), 2012.
- [71] S. Lau. "Learning Rate Schedules and Adaptive Learning Rate Methods for Deep Learning" Towards Data Science. <https://towardsdatascience.com/learning-rate-schedules-and-adaptive-learning-rate-methods-for-deep-learning-2c8f433990d1> (accessed Jan.08, 2022).
- [72] G. Huang, Z. Liu, L. van der Maaten, and K. Q. Weinberger, "Densely connected convolutional networks," in Proc. IEEE Conf. Comput. Vis. Pattern Recognit., Honolulu, HI, USA, Jul. 2017, pp. 2261-2269.
- [73] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," 2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), Las Vegas, NV, 2016, pp. 770-778.
- [74] Simonyan, K., Zisserman, A., "Very Deep Convolutional Networks for Large-Scale Image Recognition," arXiv technical report, (2014).
- [75] "Resize image to maintain aspect ratio in Python, OpenCv," StackOverflow. <https://stackoverflow.com/questions/44720580/resize-image-to-maintain-aspect-ratio-in-python-opencv> (accessed Jan 12, 2022).
- [76] Iqball T, Wani MA. Weighted ensemble model for image classification. Int J Inf Technol. 2023;15(2):557-564. doi: 10.1007/s41870-022-01149-8. Epub 2023 Jan 23. PMID: 36714094; PMCID: PMC9867993.