

REFERENCES

- Awason, I. (2011). Tea. *Journal of Agricultural & Food Information*, 12(1), 12-22.
- Bhattacharyya, N., Seth, S., Tudu, B., Tamuly, P., Jana, A., Ghosh, D., ... & Bhuyan, M. (2007). Monitoring of black tea fermentation process using electronic nose. *Journal of Food Engineering*, 80(4), 1146-1156.
- Carr, M. K. V. (1972). The climatic requirements of the tea plant: A review. *Experimental Agriculture*, 8(1), 1-14.
- Carr, M. K. V. (1985). Some effects of shelter on the yield and water-use of tea. *Progress in biometerology*.
- Carr, M. K. V., & Stephens, W. (1992). Climate, weather and the yield of tea. In *Tea: Cultivation to consumption* (pp. 87-135). Dordrecht: Springer Netherlands.
- Chen, L., Apostolides, Z., Chen, Z. M., & Gunasekare, M. T. K. (2012). Tea plant (*Camellia sinensis*) breeding in Sri Lanka. *Global Tea Breeding: Achievements, Challenges and Perspectives*, 125-176.
- Cheserek, B. C., Elbehri, A., & Bore, J. (2015). Analysis of links between climate variables and tea production in the recent past in Kenya. *Donnish Journal of Research in Environmental Studies*, 2(2), 005-017.
- De Costa, W. A. J. M. (2010). Adaptation of agricultural crop production to climate change: A policy framework for Sri Lanka.
- De Costa, W. A., Mohotti, A. J., & Wijeratne, M. A. (2007). Ecophysiology of tea. *Brazilian Journal of Plant Physiology*, 19, 299-332.
- GIA, 2011. Global Industry Analysts, Inc. Report on Global Hot Beverages (Coffee and Tea) Market. Available from:
http://www.strategyr.com/Hot_Beverages_Coffee_and_Tea_Market_Report.asp
- Gunathilaka, R. D., Smart, J. C., & Fleming, C. M. (2017). The impact of changing climate on perennial crops: The case of tea production in Sri Lanka. *Climatic Change*, 140, 577-592.
- Hadfield, W. (1972). More light on shade. *Two Bud*.

- Hannig, C., Sorg, J., Spitzmüller, B., Hannig, M., & Al-Ahmad, A. (2009). Polyphenolic beverages reduce initial bacterial adherence to enamel in situ. *Journal of dentistry*, 37(7), 560-566.
- Hicks, A. (2001). Review of global tea production and the impact on industry of the Asian economic situation. *AU Journal of Technology*, 5(2).
- Huang, S. (1991). A study on the ecological climates of some famous tea growing areas in high mountainous regions of China. *Chinese Geographical Science*, 1, 121-128.
- Kasturiratne, D. (2008). An overview of the Sri Lankan tea industry: an exploratory case study. *The Marketing Review*, 8(4), 367-381.
- Lim, B., & Zohren, S. (2021). Time-series forecasting with deep learning: a survey. *Philosophical Transactions of the Royal Society A*, 379(2194), 20200209.
- Majumder, A. B., Bera, B., & Rajan, A. (2011). Tea statistics: global scenario.
- Ng'Etich, W. K. (1995). *An evaluation of the responses of some tea clones to environment in Kenya*. Cranfield University (United Kingdom).
- Nianthi, R. (2018). Climatic variability associated with tea cultivation: A case study of Nuwaraeliya Pedro Tea Estate in Sri Lanka. *Case Studies Journal ISSN (2305-509X)–Volume, 5*.
- Niranjan, H. K., Kumari, B., Raghav, Y. S., Mishra, P., Al Khatib, A. M. G., Abotaleb, M., & Supriya. (2022). Modeling and forecasting of tea production in India. *Journal of animal and plant sciences-japs*, 32(6), 1598-1604.
- Nury, A. H., Hasan, K., & Alam, M. J. B. (2017). Comparative study of wavelet-ARIMA and wavelet-ANN models for temperature time series data in northeastern Bangladesh. *Journal of King Saud University-Science*, 29(1), 47-61.
- Poole, N. D., Martı, L., & Giménez, F. V. (2007). Quality perceptions under evolving information conditions: Implications for diet, health and consumer satisfaction. *Food policy*, 32(2), 175-188.
- Raj, E. E., Ramesh, K. V., & Rajkumar, R. (2019). Modelling the impact of agrometeorological variables on regional tea yield variability in South Indian tea-growing regions: 1981-2015. *Cogent Food & Agriculture*, 5(1), 1581457.

- Rusak, G., Komes, D., Likić, S., Horžić, D., & Kovač, M. (2008). Phenolic content and antioxidative capacity of green and white tea extracts depending on extraction conditions and the solvent used. *Food Chemistry*, *110*(4), 852-858.
- Squire, G. R. (1977). Seasonal changes in photosynthesis of tea (*Camellia sinensis* L.). *Journal of Applied Ecology*, 303-316.
- Stephens, W., Othieno, C. O., & Carr, M. K. V. (1992). Climate and weather variability at the Tea Research Foundation of Kenya. *Agricultural and forest Meteorology*, *61*(3-4), 219-235.
- Tanton, T. W. (1979). Some factors limiting yields of tea (*Camellia sinensis*). *Experimental Agriculture*, *15*(2), 187-191.
- Taylorson, M. (2012). The health benefits of tea varieties from *Camellia sinensis*.
- Trautwein, U., Lüdtke, O., Roberts, B. W., Schnyder, I., & Niggli, A. (2009). Different forces, same consequence: conscientiousness and competence beliefs are independent predictors of academic effort and achievement. *Journal of personality and social psychology*, *97*(6), 1115.
- West, M. (1997). Time series decomposition. *Biometrika*, *84*(2), 489-494.
- Wijeratne, M. A. (1996). Vulnerability of Sri Lanka tea production to global climate change. *Water, Air, and Soil Pollution*, *92*, 87-94.
- Wijeratne, M. A. (2004, November). Tea industry in Sri Lanka. In *Proceedings of 2004 International Conference on O-Cha (Tea) Science* (pp. 51-54).
- Wijeratne, M. A., Coomaraswamy, A., Amarathunga, M. K. S. L. D., Ratnasiri, J., Basnayake, B. R. S. B., & Kalra, N. (2007). Assessment of impact of climate change on productivity of tea (*Camellia sinensis* L.) plantations in Sri Lanka.
- Willson, K. (1999). *Coffee, cocoa and tea*. CAB International.
- Zhang, G. P. (2007). A neural network ensemble method with jittered training data for time series forecasting. *Information Sciences*, *177*(23), 5329-5346.