

REFERENCES

- [1] M. S. A. Razak, N. C. R. Nirmala, M. Aljohani, and S. B. R. Sreenivasa, “A novel technique for detecting sudden concept drift in healthcare data using multi-linear artificial intelligence techniques,” *Frontiers in Artificial Intelligence*, vol. 5, p. 950659, 2022.
- [2] S. Kore, E. A. Babil, V. Subasri *et al.*, “Empirical data drift detection experiments on real-world medical imaging data,” *Nature Communications*, vol. 15, p. 1887, 2024.
- [3] S. Laurent, R. Renò, and S. Shi, “Realized drift,” *Journal of Econometrics*, vol. 239, no. 1, p. 105813, Jan 2025.
- [4] B. Silva, N. Marques, and G. Panosso, “Applying neural networks for concept drift detection in financial markets,” *Entropy*, vol. 25, no. 2, p. 322, 2023.
- [5] J. Lu, A. Liu, F. Dong, F. Gu, J. Gama, and G. Zhang, “Learning under concept drift: A review,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 31, no. 12, pp. 2346–2363, Dec 2019.
- [6] H. Kidane, A. Zeleke, A. Belete, G. Khurana, and J. Fredericks, “Hyperparameter tuning framework for workload prediction and concept drift detection in cloud environments,” in *2021 IEEE International Conference on Cloud Computing Technology and Science (CloudCom)*. IEEE, 2021, pp. 210–219.
- [7] J. F. Lopes, S. B. Junior, and L. F. de Melo, “Online meta-recommendation of cusum hyperparameters for enhanced drift detection,” *Sensors*, vol. 25, no. 9, p. 2787, 2025.
- [8] D. Lacombe, A. Bifet, and R. Gavalda, “Meta-learning framework for hyperparameter tuning in data streams,” *Machine Learning*, vol. 106, no. 7, pp. 1007–1032, 2017.
- [9] H. Yuan, K. Yu, F. Xie, M. Liu, and S. Sun, “Automated machine learning with interpretation: A systematic review of methodologies and applications in healthcare,” *Med. AI*, vol. 4, p. 75, Aug 2024.
- [10] B. Bischl, M. Binder, M. Lang, T. Pielok, J. Richter, S. Coors, J. Thomas, T. Ullmann, M. Becker, A.-L. Boulesteix, D. Deng, and M. Lindauer, “Hyperparameter optimization: Foundations, algorithms, best practices, and open challenges,” *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, vol. 13, no. 2, p. e1484, Jan 2023.

- [11] J. Gama, I. Žliobaitė, A. Bifet, M. Pechenizkiy, and A. Bouchachia, “A survey on concept drift adaptation,” *ACM Computing Surveys (CSUR)*, vol. 46, no. 4, pp. 1–37, 2014.
- [12] G. Widmer and M. Kubat, “Learning in the presence of concept drift and hidden contexts,” in *Machine Learning: Proceedings of the 12th International Conference*. Morgan Kaufmann, 1995, pp. 69–77.
- [13] J. G. Moreno-Torres, T. Raeder, R. Alaiz-Rodríguez, N. V. Chawla, and F. Herrera, “A unifying view on dataset shift in classification,” *Pattern Recognition*, vol. 45, no. 1, pp. 521–530, 2012.
- [14] M. Baena-García, J. del Campo Ávila, R. Fidalgo, A. Bifet, R. Gavaldà, and R. Morales-Bueno, “Early drift detection method,” in *Fourth international workshop on knowledge discovery from data streams*, vol. 6. ECML PKDD, 2006, pp. 77–86.
- [15] X. Chen, T. Zhang, G. Yang, and S. Wang, “A study of virtual concept drift in federated data stream learning,” *arXiv preprint arXiv:2401.XXXX*, 2024, available at: https://pure-oai.bham.ac.uk/ws/files/248095365/Xiaoting_MSN_Paper_2024_7_.pdf.
- [16] I. Žliobaitė, “Overview of concept drift applications,” *Big Data Analysis: New Algorithms for a New Society*, pp. 91–114, 2016.
- [17] F. Hinder, V. Vaquet, and B. Hammer, “One or two things we know about concept drift—a survey on monitoring in evolving environments. part a: detecting concept drift,” *Frontiers in Artificial Intelligence*, vol. 7, p. 1330257, 2024.
- [18] D. Lukats, O. Zielinski, A. Hahn *et al.*, “A benchmark and survey of fully unsupervised concept drift detectors on real-world data streams,” *International Journal of Data Science and Analytics*, vol. 19, pp. 1–31, 2025.
- [19] G. J. Aguiar and A. Cano, “A comprehensive analysis of concept drift locality in data streams,” *Knowledge-Based Systems*, vol. 289, p. 111535, 2024. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0950705124001709>
- [20] J. Lu, A. Liu, F. Dong, F. Gu, J. Gama, and G. Zhang, “Learning under concept drift: A review,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 31, no. 12, pp. 2346–2363, 2019.
- [21] F. Hinder, V. Vaquet, and B. Hammer, “One or two things we know about concept drift: A survey on monitoring evolving environments,” *arXiv preprint*

arXiv:2310.15826, October 2023, bielefeld University, Cognitive Interaction Technology (CITEC), October 25, 2023.

- [22] F. Bayram, B. S. Ahmed, and A. Kassler, “From concept drift to model degradation: An overview on performance-aware drift detectors,” *Knowledge-Based Systems*, vol. 245, p. 108632, 2022.
- [23] E. S. Babüroğlu, A. Durmuşoğlu, and T. Dereli, “Concept drift from 1980 to 2020: a comprehensive bibliometric analysis with future research insight,” *Evolving Systems*, vol. 15, no. 3, pp. 789–809, 2023.
- [24] S. Agrahari and A. K. Singh, “Concept drift detection in data stream mining: A literature review,” *Journal of King Saud University – Computer and Information Sciences*, vol. 34, no. 10 Part B, pp. 9523–9540, 2022.
- [25] J. Gama, P. Medas, G. Castillo, and P. Rodrigues, “Learning with drift detection,” in *Advances in Artificial Intelligence – SBIA 2004*, A. L. C. Bazzan and S. Labidi, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2004, pp. 286–295.
- [26] M. Baena-García, J. Campo-Ávila, R. Fidalgo-Merino, A. Bifet, R. Gavald, and R. Morales-Bueno, “Early drift detection method,” *Fourth International Workshop on Knowledge Discovery from Data Streams*, 01 2006.
- [27] I. Frías-Blanco, J. d. Campo-Ávila, G. Ramos-Jiménez, R. Morales-Bueno, A. Ortiz-Díaz, and Y. Caballero-Mota, “Online and non-parametric drift detection methods based on hoeffding’s bounds,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 27, no. 3, pp. 810–823, 2015.
- [28] A. Pesaranghader and H. L. Viktor, “Fast hoeffding drift detection method for evolving data streams,” in *Machine Learning and Knowledge Discovery in Databases*, ser. Lecture Notes in Computer Science, P. Frasconi, N. Landwehr, G. Manco, and J. Vreeken, Eds., vol. 9852. Cham: Springer, 2016, pp. 96–111.
- [29] A. Bifet and R. Gavaldà, *Learning from Time-Changing Data with Adaptive Windowing*, pp. 443–448. [Online]. Available: <https://epubs.siam.org/doi/abs/10.1137/1.9781611972771.42>
- [30] E. S. Page, “Continuous inspection schemes,” *Biometrika*, vol. 41, no. 1/2, pp. 100–115, 1954.
- [31] A. Pesaranghader, H. L. Viktor, and E. Paquet, “Mcdiarmid drift detection methods for evolving data streams,” in *2018 International Joint Conference on Neural Networks (IJCNN)*. Rio de Janeiro, Brazil: IEEE, 2018, pp. 1–9, preprint available as arXiv:1710.02030v2.

- [32] A. Jessica, P. Kumar, and R. Sharma, “Optimal hyperparameter selection for cusum-based concept drift detection,” *Journal of Data and Information Quality*, vol. 11, no. 3, pp. 1–20, 2019.
- [33] A. Bifet and R. Gavaldà, “Learning from time-changing data with adaptive windowing,” in *Proceedings of the 2007 SIAM International Conference on Data Mining*. SIAM, 2007, pp. 443–448.
- [34] J. Gama, P. Medas, G. Castillo, and P. P. Rodrigues, “Learning with drift detection,” in *Brazilian Symposium on Artificial Intelligence*. Springer, 2004, pp. 286–295.
- [35] G. J. Ross, N. M. Adams, D. Tasoulis, and D. J. Hand, “Exponentially weighted moving average charts for detecting concept drift,” *Pattern Recognition Letters*, vol. 33, no. 2, pp. 191–198, 2012.
- [36] B. Krawczyk, L. Kotłowski, and D. Wozniak, “Ensemble classifiers for concept drift adaptation based on accuracy and diversity,” *Information Sciences*, vol. 467, pp. 26–46, 2017.
- [37] S. Dogan and A. E. Cetin, “Drift detection with error-rate based dynamic thresholding,” *Information Sciences*, vol. 578, pp. 263–279, 2021.
- [38] R. Vilalta and Y. Drissi, “A perspective view and survey of meta-learning,” *Artificial Intelligence Review*, vol. 18, no. 2, pp. 77–95, 2002.
- [39] C. Finn, P. Abbeel, and S. Levine, “Model-agnostic meta-learning for fast adaptation of deep networks,” in *Proceedings of the 34th International Conference on Machine Learning*, 2017, pp. 1126–1135.
- [40] S. Thrun and L. Pratt, Eds., *Learning to Learn*. Springer Science & Business Media, 2012.
- [41] Z. Zhou, P. Zhao, and L. Carin, “Meta-learning for generalization in reinforcement learning: A survey,” *arXiv preprint arXiv:2103.16889*, 2021.
- [42] N. Zhang, X. Wang, and S. Matwin, “Online concept drift detection and classification via dual memory,” *Knowledge-Based Systems*, vol. 160, pp. 59–70, 2018.
- [43] J. Snell, K. Swersky, and R. S. Zemel, “Prototypical networks for few-shot learning,” in *Advances in Neural Information Processing Systems*, vol. 30, 2017, pp. 4077–4087.
- [44] Y. Wang, J. Yin, and Y. Wang, “Generalizing from a few examples: A survey on few-shot learning,” *ACM Computing Surveys*, vol. 53, no. 3, pp. 63:1–63:34, 2020.

- [45] D. Li, Y. Yang, Y.-Z. Song, and T. M. Hospedales, “Learning to generalize: Meta-learning for domain generalization,” in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 32, no. 1, 2018, pp. 3490–3497.
- [46] T. M. Hospedales, A. Antoniou, P. Micaelli, and A. Storkey, “Meta-learning in neural networks: A survey,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 44, no. 9, pp. 5149–5169, 2021.
- [47] M. Harries, “Splice-2 comparative evaluation: Electricity pricing,” Ph.D. dissertation, University of New South Wales, Sydney, Australia, 1999, dataset available at: <https://www.openml.org/d/151>.
- [48] E. Ikonomovska, J. Gama, and S. Džeroski, “Incremental predictive clustering trees for data streams,” in *Proceedings of the 14th International Conference on Artificial Intelligence: Methodology, Systems, and Applications (AIMSA)*. Varna, Bulgaria: Springer, 2010, pp. 337–348, introduced the Airline Delay dataset, available at: <https://www.openml.org/d/1169>.
- [49] I. Žliobaitė, “Combining similarity in time and space for training set formation under concept drift,” in *Proceedings of the International Symposium on Intelligent Data Analysis (IDA)*. London, UK: Springer, 2013, pp. 287–298, weather dataset commonly used in drift detection research, available at: <https://www.openml.org/d/847>.
- [50] I. Katakis, G. Tsoumakas, and I. Vlahavas, “Tracking recurring contexts using ensemble classifiers: an application to email filtering,” *Knowledge and Information Systems*, vol. 22, no. 3, pp. 371–391, 2010, introduced the Spam dataset, available at: <https://www.openml.org/d/44>.
- [51] W. N. Street and Y. Kim, “A streaming ensemble algorithm (sea) for large-scale classification,” in *Proceedings of the 7th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. ACM, 2001, pp. 377–382.
- [52] R. Agrawal, T. Imielinski, and A. Swami, “Database mining: A performance perspective,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 5, no. 6, pp. 914–925, 1993.
- [53] J. C. Schlimmer and R. H. Granger, “Incremental learning from noisy data,” *Machine Learning*, vol. 1, no. 3, pp. 317–354, 1986.