

References

- [1] D. Adams and M. Mobrem, “Marsis antenna flight deployment anomaly and resolution,” in *47th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference 14th AIAA/ASME/AHS Adaptive Structures Conference 7th*, 2006, p. 1684.
- [2] H. Mallikarachchi and S. Pellegrino, “Design of ultrathin composite self-deployable booms,” *Journal of Spacecraft and Rockets*, vol. 51, no. 6, pp. 1811–1821, 2014.
- [3] M. Sakovsky and S. Pellegrino, “Closed cross-section dual-matrix composite hinge for deployable structures,” *Composite Structures*, vol. 208, pp. 784–795, 2019.
- [4] S. Wang, M. Schenk, S. Jiang, and A. Viquerat, “Blossoming analysis of composite deployable booms,” *Thin-Walled Structures*, vol. 157, p. 107098, 2020.
- [5] K. Wilkie, “The nasa advanced composite solar sail system flight demonstration: A technology pathfinder for practical smallsat solar sailing,” *35th Annual Small Satellite Conference*, 2021.
- [6] H. Mallikarachchi and S. Pellegrino, “Failure criterion for two-ply plain-weave cfrp laminates,” *Journal of Composite Materials*, vol. 47, no. 11, pp. 1357–1375, 2013.
- [7] E. S. Gamage, “Multiscale modelling of ultra-thin woven fibre composites under large curvatures,” Master’s thesis, University of Moratuwa, 2025.
- [8] S. Timoshenko and S. Woinowsky-Krieger, *Theory of plates and shells*. McGraw-Hill Book Company, 1959.

- [9] B. Le Page, F. Guild, S. Ogin, and P. Smith, “Finite element simulation of woven fabric composites,” *Composites Part A: Applied Science and Manufacturing*, vol. 35, no. 7-8, pp. 861–872, 2004.
- [10] R. A. Naik, “Failure analysis of woven and braided fabric reinforced composites,” *Journal of Composite Materials*, vol. 29, no. 17, pp. 2334–2363, 1995.
- [11] R. L. Karkkainen and B. V. Sankar, “A direct micromechanics method for analysis of failure initiation of plain weave textile composites,” *Composites Science and Technology*, vol. 66, no. 1, pp. 137–150, 2006.
- [12] Ö. Soykasap, “Micromechanical models for bending behavior of woven composites,” *Journal of Spacecraft and Rockets*, vol. 43, no. 5, pp. 1093–1100, 2006.
- [13] A. Le, S. Nimbalkar, N. Zobeiry, and S. Malek, “An efficient multi-scale approach for viscoelastic analysis of woven composites under bending,” *Composite Structures*, vol. 292, p. 115698, 2022.
- [14] J. Gao, W. Chen, B. Yu, P. Fan, B. Zhao, J. Hu, D. Zhang, G. Fang, and F. Peng, “A multi-scale method for predicting abd stiffness matrix of single-ply weave-reinforced composite,” *Composite structures*, vol. 230, p. 111478, 2019.
- [15] B. Wang, J. Zhu, S. Zhong, W. Liang, and C. Guan, “Space deployable mechanics: A review of structures and smart driving,” *Materials & Design*, vol. 237, p. 112557, 2024.
- [16] T. W. Murphey, W. Francis, B. Davis, and J. M. Mejia-Ariza, “High strain composites,” in *2nd AIAA spacecraft structures conference*, 2015, p. 0942.
- [17] C. Mallikarachchi, “Thin-walled composite deployable booms with tape-spring hinges,” Ph.D. dissertation, University of Cambridge, 2011.
- [18] A. H. Sharma, T. Rose, A. Seamone, T. W. Murphey, and F. Lopez Jimenez, “Analysis of the column bending test for large curvature bending of high strain composites,” in *AIAA scitech 2019 forum*, 2019, p. 1746.
- [19] T. W. Murphey, M. E. Peterson, and M. M. Grigoriev, “Large strain four-point bending of thin unidirectional composites,” *Journal of Spacecraft and Rockets*, vol. 52, no. 3, pp. 882–895, 2015.

- [20] A. Schlothauer, G. A. Pappas, and P. Ermanni, “Material response and failure of highly deformable carbon fiber composite shells,” *Composites Science and Technology*, vol. 199, p. 108378, 2020.
- [21] X. Ji, A. M. Khatiri, E. S. Chia, R. K. Cha, B. T. Yeo, S. C. Joshi, and Z. Chen, “Multi-scale simulation and finite-element-assisted computation of elastic properties of braided textile reinforced composites,” *Journal of Composite Materials*, vol. 48, no. 8, pp. 931–949, 2014.
- [22] J. Mao, X. Sun, M. Ridha, V. Tan, and T. Tay, “A modeling approach across length scales for progressive failure analysis of woven composites,” *Applied Composite Materials*, vol. 20, no. 3, pp. 213–231, 2013.
- [23] M. G. Geers, V. G. Kouznetsova, and W. Brekelmans, “Multi-scale computational homogenization: Trends and challenges,” *Journal of computational and applied mathematics*, vol. 234, no. 7, pp. 2175–2182, 2010.
- [24] S. Herath, “Multiscale modelling and material design of woven textiles using gaussian processes,” *Acta Mechanica*, vol. 233, no. 1, pp. 317–341, 2022.
- [25] C. Wanasinghe, S. Dharmawansa, N. Ariyasinghe, P. Ranatunga, S. Herath, C. Mallikarachchi, and D. Meddage, “Multiscale modelling and explainable ai for predicting mechanical properties of carbon fibre woven composites with parametric microscale and mesoscale configurations,” *Composite Structures*, p. 119282, 2025.
- [26] A. Kueh and S. Pellegrino, “Triaxial weave fabric composites,” Department of Engineering, University of Cambridge, Tech. Rep., 2007.
- [27] Y. Yapa and H. Mallikarachchi, “Predicting non-linear bending behaviour of thin woven fibre composites,” *Society of Structural Engineers, Sri Lanka-Annual session 2017*, 2017.
- [28] H. S. Wijesuriya, “Predicting non-linear bending behaviour of ultra-thin woven fibre composites,” Master’s thesis, University of Moratuwa, 2019.
- [29] S. Nadarajah, M. Jayasekara, and C. Mallikarachchi, “Nonlinear bending response of two-ply plain woven carbon fibre composites,” in *2019 Moratuwa Engineering Research Conference (MERCOn)*. IEEE, 2019, pp. 147–151.
- [30] Ö. Soykasap, “Analysis of tape spring hinges,” *International Journal of Mechanical Sciences*, vol. 49, no. 7, pp. 853–860, 2007.

- [31] Torayca, *Technical Data Sheet No. CFA-001, T300 Data Sheet*, Toray Industries, Inc. [Online]. Available: <https://www.toraycma.com/resources/data-sheets/>
- [32] PATZ, *Technical Data Sheet PMT-F4*, PATZ Materials and Technologies. [Online]. Available: <https://www.patzmandt.com/systems>
- [33] K. Naito, Y. Tanaka, and J.-M. Yang, “Transverse compressive properties of polyacrylonitrile (pan)-based and pitch-based single carbon fibers,” *Carbon*, vol. 118, pp. 168–183, 2017.
- [34] S. Wong, A. Pierlot, A. Abbott, and J. Schutz, “Direct measurement of the transverse modulus of carbon fibres,” *Experimental Mechanics*, vol. 62, no. 5, pp. 769–778, 2022.
- [35] R. M. Jones, *Mechanics of composite materials*. CRC press, 2018.
- [36] I. M. Daniel, O. Ishai, I. M. Daniel, and I. Daniel, *Engineering mechanics of composite materials*. Oxford university press New York, 1994, vol. 3.
- [37] S. C. Quek, A. M. Waas, K. W. Shahwan, and V. Agaram, “Analysis of 2d triaxial flat braided textile composites,” *International Journal of Mechanical Sciences*, vol. 45, no. 6-7, pp. 1077–1096, 2003.
- [38] G. Sanford, A. Biskner, and T. Murphey, “Large strain behavior of thin unidirectional composite flexures,” in *51st AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference 18th AIAA/ASME/AHS Adaptive Structures Conference 12th*, 2010, p. 2698.
- [39] T. W. Murphey, “Large strain composite materials in deployable space structures,” in *17th International Conference on Composite Materials*, vol. 28. The British Composites Society Edinburgh, United Kingdom, 2009.
- [40] J. Hughes, “Strength and modulus of current carbon fibres,” *Carbon*, vol. 24, no. 5, pp. 551–556, 1986.
- [41] K. Naito, Y. Tanaka, J. Yang, and Y. Kagawa, “Tensile and flexural properties of single carbon fibres,” in *ICCM-17-17th International Conference on Composite Materials*. International Committee on Composite Materials, 2009.

- [42] A. Schlothauer, D. Cueni, G. A. Pappas, and P. Ermanni, “Effects of fiber non-linearity and matrix type on the realization of foldable structures,” in *AIAA Scitech 2021 Forum*, 2021, p. 0086.
- [43] G. Curtis, J. Milne, and W. Reynolds, “Non-hookean behaviour of strong carbon fibres,” *Nature*, vol. 220, no. 5171, pp. 1024–1025, 1968.
- [44] A. CRASTO and R. KIM, “Nonlinear stress-strain behavior in advanced fibers and composites,” in *International SAMPE Symposium and Exhibition, 36 th, San Diego, CA*, 1991, pp. 1649–1663.
- [45] I. M. Djordjevic, D. R. Sekulić, and M. M. Stevanović, “Non-linear elastic behaviour of carbon fibres of different structural and mechanical characteristic,” *Journal of the Serbian Chemical Society*, vol. 72, no. 5, pp. 513–521, 2007.
- [46] V. Keryvin, A. Marchandise, P.-Y. Mechin, and J.-C. Grandidier, “Determination of the longitudinal non linear elastic behaviour and compressive strength of a cfrp ply by bending tests on laminates,” *Composites Part B: Engineering*, vol. 187, p. 107863, 2020.
- [47] V. Keryvin, A. Marchandise, and J.-C. Grandidier, “Non-linear elastic longitudinal behaviour of continuous carbon fibres/epoxy matrix composite laminae: Material or geometrical feature?” *Composites Part B: Engineering*, vol. 247, p. 110329, 2022.
- [48] A. Harihara Sharma, T. J. Rose, N. Bearns, T. W. Murphey, and F. López Jiménez, “Analysis of geometric and material nonlinearity in the column bending test,” *AIAA Journal*, vol. 62, no. 4, pp. 1300–1310, 2024.
- [49] T. W. Murphey, G. E. Sanford, and M. M. Grigoriev, “Nonlinear elastic constitutive modeling of large strains in thin carbon fiber composite flexures,” in *16th International conference on composite structures, Porto, Portugal*, 2011.
- [50] V. Keryvin and A. Marchandise, “The non-linear elasticity of unidirectional continuous carbon fibre-reinforced composites and of carbon fibres,” *Materials*, vol. 17, no. 1, p. 34, 2023.
- [51] K. Ubamanyu and S. Pellegrino, “Nonlinear behavior of im7 carbon fibers in compression leads to bending nonlinearity of high-strain composites,” in *AIAA Scitech 2023 Forum*, 2023, p. 0580.

- [52] N. Gowrikanthan, M. Jayasekara, C. Mallikarachchi, and S. Herath, “Effects of tow arrangements on the homogenized response of carbon fiber woven composites,” *Composite Structures*, vol. 300, p. 116081, 2022.
- [53] H. Mallikarachchi, “Predicting mechanical properties of thin woven carbon fiber reinforced laminates,” *Thin-Walled Structures*, vol. 135, pp. 297–305, 2019.
- [54] J.-K. Kim and M.-L. Sham, “Impact and delamination failure of woven-fabric composites,” *Composites Science and Technology*, vol. 60, no. 5, pp. 745–761, 2000.
- [55] D. Wilkins, J. Eisenmann, R. Camin, W. Margolis, and R. Benson, “Characterizing delamination growth in graphite-epoxy,” in *Damage in composite materials: basic mechanisms, accumulation, tolerance, and characterization*. ASTM International, 1982.
- [56] J. G. Funk and G. F. Sykes, “The effects of radiation on the interlaminar fracture toughness of a graphite/epoxy composite,” *Composites Technology and Research*, vol. 8, no. 3, pp. 92–97, 1986.
- [57] J. G. Funk and J. W. Deaton, “The interlaminar fracture toughness of woven graphite/epoxy composites,” NASA, Tech. Rep., 1989.
- [58] A. Kueh and S. Pellegrino, “Abd matrix of single-ply triaxial weave fabric composites,” in *48th AIAA/aSME/ASCE/AHS/aSC structures, structural dynamics, and materials conference*, 2007, p. 2161.