

REFERENCES

- [1] World Health Organization, “Stress,” World Health Organization, [Online]. Available: <https://www.who.int/news-room/questions-and-answers/item/stress>. [Accessed: Jun. 18, 2024].
- [2] “Stress and Stress Management,” NursingCEUs.com, [Online]. Available: <https://nursingceus.com/courses/coursematerial-241.pdf>. [Accessed: Jun. 18, 2024].
- [3] D. Pal, S. Palit, and A. Dey, “Brain Computer Interface: A Review,” in *Computational Advancement in Communication, Circuits and Systems*, M. Mitra, M. Nasipuri, and M. R. Kanjilal, Eds., vol. 786, Lecture Notes in Electrical Engineering. Singapore: Springer, 2022, pp. 25–35. [Online]. Available: https://doi.org/10.1007/978-981-16-4035-3_3.
- [4] D. R. Chavan, M. S. Kumbhar, and R. R. Chavan, “The human stress recognition of brain, using music therapy,” in *Proc. 2016 Int. Conf. Computation of Power, Energy, Information and Communication (ICCPEIC)*, Melmaruvathur, Chennai, India, 2016, pp. 200–203. [Online]. Available: <https://doi.org/10.1109/ICCPEIC.2016.7557197>.
- [5] R. Nawaz, J. T. Ng, H. Nisar, and Y. V. Voon, “Can background music help to relieve stress? An EEG analysis,” in *Proc. 2019 IEEE Int. Conf. Signal and Image Processing Applications (ICSIPA)*, Kuala Lumpur, Malaysia, 2019, pp. 68–72. [Online]. Available: <https://doi.org/10.1109/ICSIPA45851.2019.8977763>.
- [6] P. Weerasinghe and M. K. Weerasekara, “Implementation of brain computer interface for stress management,” Sri Lanka, 2018.
- [7] X. Hou, Y. Liu, O. Sourina, Y. R. E. Tan, L. Wang, and W. Mueller-Wittig, “EEG based stress monitoring,” in *Proc. 2015 IEEE Int. Conf. Systems, Man, and Cybernetics (SMC)*, Hong Kong, China, 2015, pp. 3110–3115. [Online]. Available: <https://doi.org/10.1109/SMC.2015.540>.
- [8] R. Nawaz, J. T. Ng, H. Nisar, and Y. V. Voon, “Can background music help to relieve stress? An EEG analysis,” in *Proc. 2019 IEEE Int. Conf. Signal and Image Processing Applications (ICSIPA)*, Kuala Lumpur, Malaysia, 2019, pp. 68–72. [Online]. Available: <https://doi.org/10.1109/ICSIPA45851.2019.8977763>.
- [9] T. Kim, Y. Seo, J. Lee, S. Chae, and J. An, “Brain to music: Musical representation from stress-induced EEG,” in *Proc. 2021 9th Int. Winter Conf. Brain-Computer Interface (BCI)*, Gangwon, South Korea, 2021, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/BCI51272.2021.9385354>.
- [10] S. Cohen, T. Kamarck, and R. Mermelstein, “A global measure of perceived stress,” *J. Health Soc. Behav.**, vol. 24, no. 4, p. 385, Dec. 1983. [Online]. Available: <https://doi.org/10.2307/2136404>.
- [11] M. U. Saeed, S. Sanay, S. M. Anwar, and M. Majid, “Quantification of human stress using commercially available single channel EEG headset,” *IEICE Trans. Inf.

- Syst.*, vol. E100.D, no. 9, pp. 2241–2244, 2017. [Online]. Available: <https://doi.org/10.1587/transinf.2016EDL8248>.
- [12] A. Asif, M. Majid, and S. M. Anwar, “Human stress classification using EEG signals in response to music tracks,” **Comput. Biol. Med.**, vol. 107, pp. 182–196, Apr. 2019. [Online]. Available: <https://doi.org/10.1016/j.compbiomed.2019.02.015>.
- [13] T. Colafiglio, C. Ardito, P. Sorino, D. Lofù, F. Festa, T. Di Noia, and E. Di Sciascio, “NeuralPMG: A neural polyphonic music generation system based on machine learning algorithms,” **Cogn. Comput.**, May 15, 2024. [Online]. Available: <https://doi.org/10.1007/s12559-024-10280-6>.
- [14] H.-Y. Chang, S.-C. Huang, and J.-H. Wu, “A personalized music recommendation system based on electroencephalography feedback,” **Multimed. Tools Appl.**, vol. 76, no. 19, pp. 19523–19542, Oct. 2017. [Online]. Available: <https://doi.org/10.1007/s11042-015-3202-4>.
- [15] K. Miyamoto, H. Tanaka, and S. Nakamura, “Online EEG-based emotion prediction and music generation for inducing affective states,” **IEICE Trans. Inf. Syst.**, vol. E105.D, no. 5, pp. 1050–1063, May 1, 2022. [Online]. Available: <https://doi.org/10.1587/transinf.2021EDP7171>.
- [16] R. Nawaz, J. T. Ng, H. Nisar, and Y. V. Voon, “Can background music help to relieve stress? An EEG analysis,” in **Proc. 2019 IEEE Int. Conf. Signal and Image Processing Applications (ICSIPA)**, Kuala Lumpur, Malaysia, 2019, pp. 68–72. [Online]. Available: <https://doi.org/10.1109/ICSIPA45851.2019.8977763>.
- [17] D. Pal, S. Palit, and A. Dey, “Brain computer interface: A review,” in **Computational Advancement in Communication, Circuits and Systems**, M. Mitra, M. Nasipuri, and M. R. Kanjilal, Eds., vol. 786, Lecture Notes in Electrical Engineering. Singapore: Springer, 2022, pp. 25–35. [Online]. Available: https://doi.org/10.1007/978-981-16-4035-3_3.
- [18] B. Y. Marquez, A. Alanis, M. A. Lopez, and J. S. Magdaleno-Palencia, “Sport education based technology: Stress measurement in competence,” in **Proc. 2012 Int. Conf. E-Learning and E-Technologies in Education (ICEEE)**, Lodz, Poland, 2012, pp. 247–252. [Online]. Available: <https://doi.org/10.1109/ICeLeTE.2012.6333422>.
- [19] D. S. Tan and A. Nijholt, **Brain-Computer Interfaces: Applying Our Minds to Human-Computer Interaction**. Springer, 2010.
- [20] A. T. Beck, **Cognitive Therapy and the Emotional Disorders**. New York, NY, USA: International Universities Press, 1976.
- [21] P. Grossman, L. Niemann, S. Schmidt, and H. Walach, “Mindfulness-based stress reduction and health benefits: A meta-analysis,” **J. Psychosom. Res.**, vol. 57, no. 1, pp. 35–43, 2004.
- [22] U. Chaudhary, N. Birbaumer, and A. Ramos-Murguialday, “Brain-computer interfaces for communication and rehabilitation,” **Nat. Rev. Neurol.**, vol. 12, no. 9, pp. 513–525, 2016.

- [23] D. C. Hammond, “Neurofeedback treatment of depression and anxiety,” **J. Adult Dev.**, vol. 12, no. 2–3, pp. 131–137, 2005.
- [24] T. Schneeberger, N. Sauerwein, M. S. Anglet, and P. Gebhard, “Developing a social biofeedback training system for stress management training,” in **Proc. 2020 Int. Conf. Multimodal Interaction – Companion Publ.**, Virtual Event, Netherlands, 2020, pp. 472–476. [Online]. Available: <https://doi.org/10.1145/3395035.3425222>
- [25] H. He, D. Wu, and W. Chen, “A novel BCI-based feedback paradigm for stress management,” **IEEE Trans. Affect. Comput.**, vol. 6, no. 2, pp. 214–225, 2015.
- [26] J. Jin, Y. Miao, I. Daly, C. Zuo, D. Hu, and A. Cichocki, “Correlation-based channel selection and regularized feature optimization for MI-based BCI,” **Neural Netw.**, vols. 29–30, pp. 7–13, 2012.
- [27] J. B. F. Van Erp, F. Lotte, and M. Tangermann, “Brain-computer interfaces: Beyond medical applications,” **Computer**, vol. 45, no. 4, pp. 26–34, 2012.
- [28] J. d. R. Millán, R. Rupp, G. R. Müller-Putz, R. Murray-Smith, C. Giugliemma, M. Tangermann, **et al.**, “Combining brain-computer interfaces and assistive technologies: State-of-the-art and challenges,” **Front. Neurosci.**, vol. 4, p. 161, 2010.
- [29] A. Jain, R. Raja, S. Srivastava, P. C. Sharma, J. Gangrade, and M. R., “Analysis of EEG signals and data acquisition methods: A review,” **Comput. Methods Biomech. Biomed. Eng. Imaging Vis.**, vol. 12, no. 1, p. 2304574, Dec. 2024. [Online]. Available: <https://doi.org/10.1080/21681163.2024.2304574>.
- [30] R. Y. Lim, W.-C. L. Lew, and K. K. Ang, “Review of EEG affective recognition with a neuroscience perspective,” **Brain Sci.**, vol. 14, no. 4, p. 364, Apr. 2024. [Online]. Available: <https://doi.org/10.3390/brainsci14040364>.
- [31] A. Gandhi, “Stress detection through EEG signals: Employing a hybrid approach integrating time domain, frequency domain features and machine learning techniques,” **J. Electr. Syst.**, vol. 20, no. 3, pp. 3965–3973, Apr. 2024. [Online]. Available: <https://doi.org/10.52783/jes.5402>.
- [32] H. C. Bhandari, Y. R. Pandeya, K. Jha, S. Jha, and S. Ahmad, “Exploring non-Euclidean approaches: A comprehensive survey on graph-based techniques for EEG signal analysis,” **J. Adv. Inf. Technol.**, vol. 15, no. 10, pp. 1089–1105, 2024. [Online]. Available: <https://doi.org/10.12720/jait.15.10.1089-1105>.
- [33] F. Lotte, L. Bougrain, A. Cichocki, M. Clerc, M. Congedo, A. Rakotomamonjy, and F. Yger, “A review of classification algorithms for EEG-based brain–computer interfaces: A 10 year update,” **J. Neural Eng.**, vol. 15, no. 3, p. 031005, Jun. 2018. [Online]. Available: <https://doi.org/10.1088/1741-2552/aab2f2>.
- [34] Y. Hou, S. Jia, X. Lun, Z. Hao, Y. Shi, Y. Li, R. Zeng, and J. Lv, “GCNs-Net: A graph convolutional neural network approach for decoding time-resolved EEG motor imagery signals,” **IEEE Trans. Neural Netw. Learn. Syst.**, vol. 35, no. 6, pp. 7312–7323, Jun. 2024. [Online]. Available: <https://doi.org/10.1109/TNNLS.2022.3202569>.

- [35] H. W. Aung, J. J. Li, Y. An, and S. W. Su, “EEG_RL-Net: Enhancing EEG MI classification through reinforcement learning-optimised graph neural networks,” *arXiv preprint*, arXiv:2405.00723, Apr. 26, 2024. [Online]. Available: <https://arxiv.org/abs/2405.00723>.
- [36] A. Hashmi and O. Barukab, “Dementia classification using deep reinforcement learning for early diagnosis,” *Appl. Sci.*, vol. 13, no. 3, p. 1464, Jan. 2023. [Online]. Available: <https://doi.org/10.3390/app13031464>.
- [37] X. Ma and W. Shi, “AESMOTE: Adversarial reinforcement learning with SMOTE for anomaly detection,” *IEEE Trans. Netw. Sci. Eng.*, vol. 8, no. 2, pp. 943–956, Apr. 2021. [Online]. Available: <https://doi.org/10.1109/TNSE.2020.3004312>.
- [38] S. Feng, M. Yin, R. Huang, Y.-X. Wang, J. Yang, and Y. Liang, “Non-stationary reinforcement learning under general function approximation,”
- [39] D. Wang, N. Gao, D. Liu, J. Li, and F. L. Lewis, “Recent progress in reinforcement learning and adaptive dynamic programming for advanced control applications,” *IEEE/CAA J. Autom. Sinica*, vol. 11, no. 1, pp. 18–36, Jan. 2024. [Online]. Available: <https://doi.org/10.1109/JAS.2023.123843>.
- [40] T. Xu, D. Wang, and X. You, “Mindgame: Mediating people’s EEG alpha band power through reinforcement learning,” in *Adjunct Proc. 31st Annu. ACM Symp. User Interface Softw. Technol. (UIST)*, Berlin, Germany, 2018, pp. 5–6. [Online]. Available: <https://doi.org/10.1145/3266037.3266083>.
- [41] X. Zhang, “Music production based on brainwave and acoustic theory,” *Highlights Sci. Eng. Technol.*, vol. 88, pp. 79–85, Mar. 29, 2024. [Online]. Available: <https://doi.org/10.54097/3k720216>.
- [42] J. Jayaraj, Priyanka, M. Ghazali, and A. Gaber, “Relax App: Designing mobile brain-computer interface app to reduce stress among students,” *Int. J. Innov. Comput.*, vol. 11, no. 2, pp. 7–13, Oct. 2021. [Online]. Available: <https://doi.org/10.11113/ijic.v11n2.310>.
- [43] R. S. Sutton and A. G. Barto, *Reinforcement Learning: An Introduction*, Adaptive Computation and Machine Learning. Cambridge, MA, USA: MIT Press, 1998.
- [44] “Szepesvari - Algorithms for Reinforcement Learning.Pdf,” n.d.
- [45] Y. Duan, X. Chen, R. Houthoofd, J. Schulman, and P. Abbeel, “Benchmarking deep reinforcement learning for continuous control”
- [46] V. Mnih, K. Kavukcuoglu, D. Silver, A. A. Rusu, J. Veness, M. G. Bellemare, A. Graves, *et al*., “Human-level control through deep reinforcement learning,” *Nature*, vol. 518, no. 7540, pp. 529–533, Feb. 2015. [Online]. Available: <https://doi.org/10.1038/nature14236>.
- [47] Schulman, John. “Trust Region Policy Optimization,” n.d.

- [48] “An EEG recordings dataset for mental stress detection.” [Online]. Available: <https://data.mendeley.com/datasets/wnshbvdxs2/1>.
- [49] “278K emotion labeled Spotify songs.” [Online]. Available: <https://www.kaggle.com/datasets/abdullahorzan/moodify-dataset>.
- [50] J. G. Proakis and D. G. Manolakis, *Digital Signal Processing: Principles, Algorithms, and Applications*, 4th ed. Pearson, 2007.
- [51] T. Y. Wen and S. A. M. Aris, “Electroencephalogram (EEG) stress analysis on alpha/beta ratio and theta/beta ratio,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 17, no. 1, pp. 175–182, Jan. 2020. [Online]. Available: <https://doi.org/10.11591/ijeecs.v17.i1.pp175-182>.