

BIBLIOGRAPHY

- Abdulla, F., & Al-Badranih, L. (2000). Application of a rainfall-runoff model to three catchments in Iraq. *Hydrological Sciences Journal*, 45(1), 13–25. <https://doi.org/10.1080/02626660009492303>
- Agarwal, V., Akyilmaz, O., Shum, C. K., Feng, W., Yang, T.-Y., Forootan, E., Syed, T. H., Haritashya, U. K., & Uz, M. (2023). Machine learning based downscaling of GRACE-estimated groundwater in Central Valley, California. *Science of The Total Environment*, 865, 161138. <https://doi.org/10.1016/j.scitotenv.2022.161138>
- Ahmed, A. A., Sayed, S., Abdoulhalik, A., Moutari, S., & Oyedele, L. (2024). Applications of machine learning to water resources management: A review of present status and future opportunities. *Journal of Cleaner Production*, 441, 140715. <https://doi.org/10.1016/j.jclepro.2024.140715>
- Akbar, M. U., Mirchi, A., Arshad, A., Alian, S., Mehata, M., Taghvaeian, S., Khodkar, K., Kettner, J., Datta, S., & Wagner, K. (2025). Multi-model ensemble mapping of irrigated areas using remote sensing, machine learning, and ground truth data. *Agricultural Water Management*, 312, 109416. <https://doi.org/10.1016/j.agwat.2025.109416>
- Akhtar, F., Nawaz, R. A., Hafeez, M., Awan, U. K., Borgemeister, C., & Tischbein, B. (2022). Evaluation of GRACE derived groundwater storage changes in different agro-ecological zones of the Indus Basin. *Journal of Hydrology*, 605, 127369. <https://doi.org/10.1016/j.jhydrol.2021.127369>
- Alahacoon, N., & Edirisinghe, M. (2021). Spatial Variability of Rainfall Trends in Sri Lanka from 1989 to 2019 as an Indication of Climate Change. *ISPRS International Journal of Geo-Information*, 10(2), 84. <https://doi.org/10.3390/ijgi10020084>
- Ali, A. S. A., Jazaei, F., Clement, T. P., & Waldron, B. (2024). Physics-informed neural networks in groundwater flow modeling: Advantages and future directions. *Groundwater for Sustainable Development*, 25, 101172. <https://doi.org/10.1016/j.gsd.2024.101172>
- Ali, S., Liu, D., Fu, Q., Cheema, M. J. M., Pal, S. C., Arshad, A., Pham, Q. B., & Zhang, L. (2022). Constructing high-resolution groundwater drought at spatio-temporal scale using GRACE satellite data based on machine learning in the Indus Basin. *Journal of Hydrology*, 612, 128295. <https://doi.org/10.1016/j.jhydrol.2022.128295>

- Ali, S., Liu, D., Fu, Q., Cheema, M. J. M., Pham, Q. B., Rahaman, M. M., Dang, T. D., & Anh, D. T. (2021). Improving the Resolution of GRACE Data for Spatio-Temporal Groundwater Storage Assessment. *Remote Sensing*, 13(17), 3513. <https://doi.org/10.3390/rs13173513>
- Almazroui, M., Saeed, S., Saeed, F., Islam, M. N., & Ismail, M. (2020). Projections of Precipitation and Temperature over the South Asian Countries in CMIP6. *Earth Systems and Environment*, 4(2), 297–320. <https://doi.org/10.1007/s41748-020-00157-7>
- Alshehri, F., & Mohamed, A. (2023). Analysis of Groundwater Storage Fluctuations Using GRACE and Remote Sensing Data in Wadi As-Sirhan, Northern Saudi Arabia. *Water*, 15(2), 282. <https://doi.org/10.3390/w15020282>
- Anyah, R. O., Forootan, E., Awange, J. L., & Khaki, M. (2018). Understanding linkages between global climate indices and terrestrial water storage changes over Africa using GRACE products. *Science of The Total Environment*, 635, 1405–1416. <https://doi.org/10.1016/j.scitotenv.2018.04.159>
- Arshad, A., Mirchi, A., Samimi, M., & Ahmad, B. (2022). Combining downscaled-GRACE data with SWAT to improve the estimation of groundwater storage and depletion variations in the Irrigated Indus Basin (IIB). *Science of The Total Environment*, 838, 156044. <https://doi.org/10.1016/j.scitotenv.2022.156044>
- Arshad, A., Mirchi, A., Taghvaeian, S., & AghaKouchak, A. (2024). Downscaled-GRACE Data Reveal Anthropogenic and Climate-Induced Water Storage Decline Across the Indus Basin. *Water Resources Research*, 60(7), e2023WR035882. <https://doi.org/10.1029/2023WR035882>
- Arshad, A., Shafeeque, M., Tran, T. N. D., Mirchi, A., Xiang, Z., He, C., AghaKouchak, A., Besnier, J., & Rahman, M. M. (2025). Multi-model ensemble machine learning-based downscaling and projection of GRACE data reveals groundwater decline in Saudi Arabia throughout the 21st century. *Journal of Hydrology: Regional Studies*, 60, 102552. <https://doi.org/10.1016/j.ejrh.2025.102552>
- Ashfaq, M., Rastogi, D., Abid, M. A., & Kao, S.-C. (2022). *Evaluation of CMIP6 GCMs over the CONUS for downscaling studies*. Retrieved 9 January 2026, from <https://www.authorea.com/doi/full/10.1002/essoar.10510589.1?commit=8e59647b74540ccdf9c56acce9eef8e2f9b59c45>
- Asoka, A., Gleeson, T., Wada, Y., & Mishra, V. (2017). Relative contribution of monsoon precipitation and pumping to changes in groundwater storage in India. *Nature Geoscience*, 10(2), 109–117. <https://doi.org/10.1038/ngeo2869>

- Avand, M., Janizadeh, S., Tien Bui, D., Pham, V. H., Ngo, P. T. T., & Nhu, V.-H. (2020). A tree-based intelligence ensemble approach for spatial prediction of potential groundwater. *International Journal of Digital Earth*, 13(12), 1408–1429. <https://doi.org/10.1080/17538947.2020.1718785>
- Awange, J. L., Forootan, E., Kuhn, M., Kusche, J., & Heck, B. (2014). Water storage changes and climate variability within the Nile Basin between 2002 and 2011. *Advances in Water Resources*, 73, 1–15. <https://doi.org/10.1016/j.advwatres.2014.06.010>
- Bakker, M., & Schaars, F. (2019). Solving Groundwater Flow Problems with Time Series Analysis: You May Not Even Need Another Model. *Groundwater*, 57(6), 826–833. <https://doi.org/10.1111/gwat.12927>
- Bandai, T., & Ghezzehei, T. A. (2022). Forward and inverse modeling of water flow in unsaturated soils with discontinuous hydraulic conductivities using physics-informed neural networks with domain decomposition. *Hydrology and Earth System Sciences*, 26(16), 4469–4495. <https://doi.org/10.5194/hess-26-4469-2022>
- Bandara, U., Agarwal, A., Srinivasan, G., Shanmugasundaram, J., & Jayawardena, I. M. S. (2022). Intercomparison of gridded precipitation datasets for prospective hydrological applications in Sri Lanka. *International Journal of Climatology*, 42(6), 3378–3396. <https://doi.org/10.1002/joc.7421>
- Barbosa, S. A., Pulla, S. T., Williams, G. P., Jones, N. L., Mamane, B., & Sanchez, J. L. (2022). Evaluating Groundwater Storage Change and Recharge Using GRACE Data: A Case Study of Aquifers in Niger, West Africa. *Remote Sensing*, 14(7), Article 7. <https://doi.org/10.3390/rs14071532>
- Bhanja, S. N., Mukherjee, A., Saha, D., Velicogna, I., & Famiglietti, J. S. (2016). Validation of GRACE based groundwater storage anomaly using in-situ groundwater level measurements in India. *Journal of Hydrology*, 543, 729–738. <https://doi.org/10.1016/j.jhydrol.2016.10.042>
- Bilbao-Barrenetxea, N., Martínez-España, R., Jimeno-Sáez, P., Faria, S. H., & Senent-Aparicio, J. (2024). Multi-Model Ensemble Machine Learning Approaches to Project Climatic Scenarios in a River Basin in the Pyrenees. *Earth Systems and Environment*. <https://doi.org/10.1007/s41748-024-00408-x>
- Boergens, E., Güntner, A., Dobsław, H., & Dahle, C. (2020). Quantifying the Central European Droughts in 2018 and 2019 With GRACE Follow-On. *Geophysical Research Letters*, 47(14), e2020GL087285. <https://doi.org/10.1029/2020GL087285>
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>

- Brookfield, A. E., Hill, M. C., Rodell, M., Loomis, B. D., Stotler, R. L., Porter, M. E., & Bohling, G. C. (2018). In Situ and GRACE-Based Groundwater Observations: Similarities, Discrepancies, and Evaluation in the High Plains Aquifer in Kansas. *Water Resources Research*, 54(10), 8034–8044. <https://doi.org/10.1029/2018WR023836>
- Cai, H., Liu, S., Shi, H., Zhou, Z., Jiang, S., & Babovic, V. (2022). Toward improved lumped groundwater level predictions at catchment scale: Mutual integration of water balance mechanism and deep learning method. *Journal of Hydrology*, 613, 128495. <https://doi.org/10.1016/j.jhydrol.2022.128495>
- Cannon, A. J. (2016). Multivariate Bias Correction of Climate Model Output: Matching Marginal Distributions and Intervariable Dependence Structure. *Journal of Climate*, 29(19), 7045–7064. <https://doi.org/10.1175/JCLI-D-15-0679.1>
- Castellazzi, P., Martel, R., Rivera, A., Huang, J., Pavlic, G., Calderhead, A. I., Chaussard, E., Garfias, J., & Salas, J. (2016). Groundwater depletion in Central Mexico: Use of GRACE and InSAR to support water resources management. *Water Resources Research*, 52(8), 5985–6003. <https://doi.org/10.1002/2015WR018211>
- Catani, F., Lagomarsino, D., Segoni, S., & Tofani, V. (2013). Landslide susceptibility estimation by random forests technique: Sensitivity and scaling issues. *Natural Hazards and Earth System Sciences*, 13(11), 2815–2831. <https://doi.org/10.5194/nhess-13-2815-2013>
- Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean absolute error (MAE)? – Arguments against avoiding RMSE in the literature. *Geoscientific Model Development*, 7(3), 1247–1250. <https://doi.org/10.5194/gmd-7-1247-2014>
- Chaudhary, S., & Dhanya, C. T. (2019). Investigating the performance of bias correction algorithms on satellite-based precipitation estimates. *Remote Sensing for Agriculture, Ecosystems, and Hydrology XXI*, 11149, 279–285. <https://doi.org/10.1117/12.2533214>
- Chen, H., Sun, J., Lin, W., & Xu, H. (2020). Comparison of CMIP6 and CMIP5 models in simulating climate extremes. *Science Bulletin*, 65(17), 1415–1418. <https://doi.org/10.1016/j.scib.2020.05.015>
- Chen, J., Brissette, F. P., Chaumont, D., & Braun, M. (2013). Finding appropriate bias correction methods in downscaling precipitation for hydrologic impact studies over North America. *Water Resources Research*, 49(7), 4187–4205. <https://doi.org/10.1002/wrcr.20331>

- Chen, J. L., Wilson, C. R., Tapley, B. D., Yang, Z. L., & Niu, G. Y. (2009). 2005 drought event in the Amazon River basin as measured by GRACE and estimated by climate models. *Journal of Geophysical Research: Solid Earth*, 114(B5). <https://doi.org/10.1029/2008JB006056>
- Chen, J., Li, J., Zhang, Z., & Ni, S. (2014). Long-term groundwater variations in Northwest India from satellite gravity measurements. *Global and Planetary Change*, 116, 130–138. <https://doi.org/10.1016/j.gloplacha.2014.02.007>
- Chen, L., He, Q., Liu, K., Li, J., & Jing, C. (2019). Downscaling of GRACE-Derived Groundwater Storage Based on the Random Forest Model. *Remote Sensing*, 11(24), Article 24. <https://doi.org/10.3390/rs11242979>
- Chen, T., & Guestrin, C. (2016). XGBoost: A Scalable Tree Boosting System. *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD '16*, 785–794. <https://doi.org/10.1145/2939672.2939785>
- Chen, Y., Xu, Y., Wang, L., & Li, T. (2023). Modeling water flow in unsaturated soils through physics-informed neural network with principled loss function. *Computers and Geotechnics*, 161, 105546. <https://doi.org/10.1016/j.compgeo.2023.105546>
- Chen, Z., Zheng, W., Yin, W., Li, X., Zhang, G., & Zhang, J. (2021). Improving the Spatial Resolution of GRACE-Derived Terrestrial Water Storage Changes in Small Areas Using the Machine Learning Spatial Downscaling Method. *Remote Sensing*, 13(23), Article 23. <https://doi.org/10.3390/rs13234760>
- Cook, B. I., Mankin, J. S., Marvel, K., Williams, A. P., Smerdon, J. E., & Anchukaitis, K. J. (2020). Twenty-First Century Drought Projections in the CMIP6 Forcing Scenarios. *Earth's Future*, 8(6), e2019EF001461. <https://doi.org/10.1029/2019EF001461>
- Cuomo, S., De Rosa, M., Giampaolo, F., Izzo, S., & Schiano Di Cola, V. (2023). Solving groundwater flow equation using physics-informed neural networks. *Computers & Mathematics with Applications*, 145, 106–123. <https://doi.org/10.1016/j.camwa.2023.05.036>
- Dahle, C., Murböck, M., Flechtner, F., Döbslaw, H., Michalak, G., Neumayer, K. H., Abryksov, O., Reinhold, A., König, R., Sulzbach, R., & Förste, C. (2019). The GFZ GRACE RL06 Monthly Gravity Field Time Series: Processing Details and Quality Assessment. *Remote Sensing*, 11(18), 2116. <https://doi.org/10.3390/rs11182116>
- Dai, Q., Zhou, W., He, R., Yang, J., Zhang, B., Lei, Y., Dai, Q., Zhou, W., He, R., Yang, J., Zhang, B., & Lei, Y. (2024a). A Data Assimilation Methodology to Analyze the Unsaturated Seepage of an Earth–Rockfill Dam Using Physics-

- Informed Neural Networks Based on Hybrid Constraints. *Water*, 16(7). <https://doi.org/10.3390/w16071041>
- Davamani, V., John, J. E., Poornachandhra, C., Gopalakrishnan, B., Arulmani, S., Parameswari, E., Santhosh, A., Srinivasulu, A., Lal, A., Naidu, R., Davamani, V., John, J. E., Poornachandhra, C., Gopalakrishnan, B., Arulmani, S., Parameswari, E., Santhosh, A., Srinivasulu, A., Lal, A., & Naidu, R. (2024). A Critical Review of Climate Change Impacts on Groundwater Resources: A Focus on the Current Status, Future Possibilities, and Role of Simulation Models. *Atmosphere*, 15(1). <https://doi.org/10.3390/atmos15010122>
- de Graaf, I. E. M., Gleeson, T., (Rens) van Beek, L. P. H., Sutanudjaja, E. H., & Bierkens, M. F. P. (2019). Environmental flow limits to global groundwater pumping. *Nature*, 574(7776), 90–94. <https://doi.org/10.1038/s41586-019-1594-4>
- de Graaf, I. E. M., van Beek, R. L. P. H., Gleeson, T., Moosdorf, N., Schmitz, O., Sutanudjaja, E. H., & Bierkens, M. F. P. (2017). A global-scale two-layer transient groundwater model: Development and application to groundwater depletion. *Advances in Water Resources*, 102, 53–67. <https://doi.org/10.1016/j.advwatres.2017.01.011>
- De Luca, D. A., Cocca, D., Egidio, E., & Lasagna, M. (2024). Earthwater Resources: A Quantitative Evaluation and Future Challenges. In M. Minella, A. Bianco Prevot, & V. Maurino (Eds), *Water Reuse and Unconventional Water Resources: A Multidisciplinary Perspective* (pp. 13–38). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-67739-7_2
- Depina, I., Jain, S., Mar Valsson, S., & Gotovac, H. (2022). Application of physics-informed neural networks to inverse problems in unsaturated groundwater flow. *Georisk: Assessment and Management of Risk for Engineered Systems and Geohazards*, 16(1), 21–36. <https://doi.org/10.1080/17499518.2021.1971251>
- Di Salvo, C. (2022). Improving Results of Existing Groundwater Numerical Models Using Machine Learning Techniques: A Review. *Water*, 14(15), 2307. <https://doi.org/10.3390/w14152307>
- DIERSCH, H. (1981). Finite-Element-Galerkin-Modell Zur Simulation Zweidimensionaler Konvektiver Und Dispersiver Stofftransportprozesse Im Boden. *Finite-Element-Galerkin-Modell Zur Simulation Zweidimensionaler Konvektiver Und Dispersiver Stofftransportprozesse Im Boden*.
- Dissanayake, B. C., Tajima, Y., & Sanuki, H. (2021). Investigation of Various Factors of Extremely High Turbidity along the Coast of Matarbari, Bangladesh.

- Journal of Japan Society of Civil Engineers, Ser. B2 (Coastal Engineering)*, 77(2), I_685-I_690. https://doi.org/10.2208/kaigan.77.2_I_685
- Ditmar, P. (2018). Conversion of time-varying Stokes coefficients into mass anomalies at the Earth's surface considering the Earth's oblateness. *Journal of Geodesy*, 92(12), 1401–1412. <https://doi.org/10.1007/s00190-018-1128-0>
- Eicker, A., Schumacher, M., Kusche, J., Döll, P., & Schmied, H. M. (2014). Calibration/Data Assimilation Approach for Integrating GRACE Data into the WaterGAP Global Hydrology Model (WGHM) Using an Ensemble Kalman Filter: First Results. *Surveys in Geophysics*, 35(6), 1285–1309. <https://doi.org/10.1007/s10712-014-9309-8>
- Epting, J., Råman Vinnå, L., Piccolroaz, S., Affolter, A., & Scheidler, S. (2022). Impacts of climate change on Swiss alluvial aquifers – A quantitative forecast focused on natural and artificial groundwater recharge by surface water infiltration. *Journal of Hydrology X*, 17, 100140. <https://doi.org/10.1016/j.hydroa.2022.100140>
- Esham, M., & Garforth, C. (2013). Climate change and agricultural adaptation in Sri Lanka: A review. *Climate and Development*, 5(1), 66–76. <https://doi.org/10.1080/17565529.2012.762333>
- Eyring, V., Bony, S., Meehl, G. A., Senior, C. A., Stevens, B., Stouffer, R. J., & Taylor, K. E. (2016). Overview of the Coupled Model Intercomparison Project Phase 6 (CMIP6) experimental design and organization. *Geoscientific Model Development*, 9(5), 1937–1958. <https://doi.org/10.5194/gmd-9-1937-2016>
- Famiglietti, J. S., Lo, M., Ho, S. L., Bethune, J., Anderson, K. J., Syed, T. H., Swenson, S. C., de Linage, C. R., & Rodell, M. (2011). Satellites measure recent rates of groundwater depletion in California's Central Valley. *Geophysical Research Letters*, 38(3). <https://doi.org/10.1029/2010GL046442>
- Feng, F., Ghorbani, H., & Radwan, A. E. (2024). Predicting groundwater level using traditional and deep machine learning algorithms. *Frontiers in Environmental Science*, 12. <https://doi.org/10.3389/fenvs.2024.1291327>
- Feng, W., Zhong, M., Lemoine, J.-M., Biancale, R., Hsu, H.-T., & Xia, J. (2013). Evaluation of groundwater depletion in North China using the Gravity Recovery and Climate Experiment (GRACE) data and ground-based measurements. *Water Resources Research*, 49(4), 2110–2118. <https://doi.org/10.1002/wrcr.20192>
- Foroumandi, E., Nourani, V., Jeanne Huang, J., & Moradkhani, H. (2023). Drought monitoring by downscaling GRACE-derived terrestrial water storage anomalies: A deep learning approach. *Journal of Hydrology*, 616, 128838. <https://doi.org/10.1016/j.jhydrol.2022.128838>

- Frappart, F., & Ramillien, G. (2018). Monitoring Groundwater Storage Changes Using the Gravity Recovery and Climate Experiment (GRACE) Satellite Mission: A Review. *Remote Sensing*, 10(6), Article 6. <https://doi.org/10.3390/rs10060829>
- Gamvroudis, C., Dokou, Z., Nikolaidis, N. P., & Karatzas, G. P. (2017). Impacts of surface and groundwater variability response to future climate change scenarios in a large Mediterranean watershed. *Environmental Earth Sciences*, 76(11), 385. <https://doi.org/10.1007/s12665-017-6721-7>
- Gerdener, H., Engels, O., & Kusche, J. (2020). A framework for deriving drought indicators from the Gravity Recovery and Climate Experiment (GRACE). *Hydrology and Earth System Sciences*, 24(1), 227–248. <https://doi.org/10.5194/hess-24-227-2020>
- Ghaffari, Z., Easson, G., Yarbrough, L. D., Awawdeh, A. R., Jahan, M. N., & Ellepola, A. (2023). Using Downscaled GRACE Mascon Data to Assess Total Water Storage in Mississippi Alluvial Plain Aquifer. *Sensors*, 23(14), Article 14. <https://doi.org/10.3390/s23146428>
- Gleckler, P. J., Taylor, K. E., & Doutriaux, C. (2008). Performance metrics for climate models. *Journal of Geophysical Research: Atmospheres*, 113(D6). <https://doi.org/10.1029/2007JD008972>
- Gong, H., Pan, Y., Zheng, L., Li, X., Zhu, L., Zhang, C., Huang, Z., Li, Z., Wang, H., & Zhou, C. (2018). Long-term groundwater storage changes and land subsidence development in the North China Plain (1971–2015). *Hydrogeology Journal*, 26(5), 1417–1427. <https://doi.org/10.1007/s10040-018-1768-4>
- González-Ortigoza, S., Hernández-Espriú, A., & Arciniega-Esparza, S. (2023). Regional modeling of groundwater recharge in the Basin of Mexico: New insights from satellite observations and global data sources. *Hydrogeology Journal*, 31(7), 1971–1990. <https://doi.org/10.1007/s10040-023-02667-w>
- Gorugantula, S. S., & Kambhammettu, B. P. (2022). Sequential downscaling of GRACE products to map groundwater level changes in Krishna River basin. *Hydrological Sciences Journal*, 67(12), 1846–1859. <https://doi.org/10.1080/02626667.2022.2106142>
- Grose, M. R., Narsey, S., Trancoso, R., Mackallah, C., Delage, F., Dowdy, A., Di Virgilio, G., Watterson, I., Dobrohotoff, P., Rashid, H. A., Rauniyar, S., Henley, B., Thatcher, M., Syktus, J., Abramowitz, G., Evans, J. P., Su, C.-H., & Takbash, A. (2023). A CMIP6-based multi-model downscaling ensemble to underpin climate change services in Australia. *Climate Services*, 30, 100368. <https://doi.org/10.1016/j.cliser.2023.100368>
- Hamou-Ali, Y., Karmouda, N., Mohsine, I., Bouramtane, T., Kacimi, I., Tweed, S., Tahiri, M., Kassou, N., El Bilali, A., Chafki, O., Ezzaouini, M. A., Laraichi,

- S., Zerouali, A., & Leblanc, M. (2025). Downscaling GRACE total water storage data using random forest: A three-round validation approach under drought conditions. *Frontiers in Water*, 7. <https://doi.org/10.3389/frwa.2025.1545821>
- Han, Q., Zeng, Y., Zhang, L., Wang, C., Prikaziuk, E., Niu, Z., & Su, B. (2023). Global long term daily 1 km surface soil moisture dataset with physics informed machine learning. *Scientific Data*, 10(1), 101. <https://doi.org/10.1038/s41597-023-02011-7>
- Han, S., Yeo, I., Khaki, M., McCullough, C. M., Lee, E., & Sauber, J. (2021). Novel Along-Track Processing of GRACE Follow-On Laser Ranging Measurements Found Abrupt Water Storage Increase and Land Subsidence During the 2021 March Australian Flooding. *Earth and Space Science*, 8(11), e2021EA001941. <https://doi.org/10.1029/2021EA001941>
- Han, S.-C., Ghobadi-Far, K., Yeo, I.-Y., McCullough, C. M., Lee, E., & Sauber, J. (2021). GRACE Follow-On revealed Bangladesh was flooded early in the 2020 monsoon season due to premature soil saturation. *Proceedings of the National Academy of Sciences*, 118(47), e2109086118. <https://doi.org/10.1073/pnas.2109086118>
- Hancock, J. T., & Khoshgoftaar, T. M. (2020). CatBoost for big data: An interdisciplinary review. *Journal of Big Data*, 7(1), 94. <https://doi.org/10.1186/s40537-020-00369-8>
- Haqiqi, I. (2023). *A Gridded Dataset for Groundwater Sustainability Restriction Policy Scenarios for the Contiguous U.S.* <https://doi.org/10.13019/AHZR-4843>
- Hou, J., Van Dijk, A. I. J. M., Renzullo, L. J., & Larraondo, P. R. (2024). GloLakes: Water storage dynamics for 27 000 lakes globally from 1984 to present derived from satellite altimetry and optical imaging. *Earth System Science Data*, 16(1), 201–218. <https://doi.org/10.5194/essd-16-201-2024>
- Huang, Q., Wang, L., Jia, B., Lai, X., & Peng, Q. (2023). Impact of Climate Change on the Spatio-Temporal Variation in Groundwater Storage in the Guangdong–Hong Kong–Macao Greater Bay Area. *Sustainability*, 15(14), 10776. <https://doi.org/10.3390/su151410776>
- Huang, Y., Salama, M. S., Krol, M. S., van der Velde, R., Hoekstra, A. Y., Zhou, Y., & Su, Z. (2013). Analysis of long-term terrestrial water storage variations in the Yangtze River basin. *Hydrology and Earth System Sciences*, 17(5), 1985–2000. <https://doi.org/10.5194/hess-17-1985-2013>
- IPCC. (2023). Summary for Policymakers. In: Climate Change 2023: Synthesis Report. Contribution of Working Groups I, II and III to the Sixth Assessment Report

of the Intergovernmental Panel on Climate Change [Core Writing Team, H. Lee and J. Romero (eds.)]. IPCC, Geneva, Switzerland, pp. 1-34, doi: 10.59327/IPCC/AR6 9789291691647.001

Jaiswal, R. K., Lohani, A. K., & Tiwari, H. L. (2015). Statistical Analysis for Change Detection and Trend Assessment in Climatological Parameters. *Environmental Processes*, 2(4), 729–749. <https://doi.org/10.1007/s40710-015-0105-3>

Jayaminda, C., Gunawardhana, L., & Rajapakse, L. (2023). Rating Performances of Global Climate Models in Capturing Monsoon Rainfall Patterns in Sri Lanka. *2023 Moratuwa Engineering Research Conference (MERCon)*, 264–269. <https://doi.org/10.1109/MERCon60487.2023.10355390>

Jing, W., Di, L., Zhao, X., Yao, L., Xia, X., Liu, Y., Yang, J., Li, Y., & Zhou, C. (2020). A data-driven approach to generate past GRACE-like terrestrial water storage solution by calibrating the land surface model simulations. *Advances in Water Resources*, 143, 103683. <https://doi.org/10.1016/j.advwatres.2020.103683>

Jyolsna, P. J., Kambhammettu, B. V. N. P., & Gorugantula, S. (2021). Application of random forest and multi-linear regression methods in downscaling GRACE derived groundwater storage changes. *Hydrological Sciences Journal*, 66(5), 874–887. <https://doi.org/10.1080/02626667.2021.1896719>

Kalirane, M. (2023, January 20). Bagging, Boosting and Stacking: Ensemble Learning in ML Models. *Analytics Vidhya*. <https://www.analyticsvidhya.com/blog/2023/01/ensemble-learning-methods-bagging-boosting-and-stacking/>

Kalu, I., Ndehedehe, C. E., Ferreira, V. G., Janardhanan, S., Currell, M., & Kennard, M. J. (2024). Statistical downscaling of GRACE terrestrial water storage changes based on the Australian Water Outlook model. *Scientific Reports*, 14(1), 10113. <https://doi.org/10.1038/s41598-024-60366-2>

Kamali, S., & Asghari, K. (2023). The Effect of Meteorological and Hydrological Drought on Groundwater Storage Under Climate Change Scenarios. *Water Resources Management*, 37(8), 2925–2943. <https://doi.org/10.1007/s11269-022-03268-0>

Ke, G., Meng, Q., Finley, T., Wang, T., Chen, W., Ma, W., Ye, Q., & Liu, T.-Y. (2017). LightGBM: A Highly Efficient Gradient Boosting Decision Tree. *Advances in Neural Information Processing Systems*, 30. <https://proceedings.neurips.cc/paper/2017/hash/6449f44a102fde848669bdd9eb6b76fa-Abstract.html>

Keller, C. A., & Evans, M. J. (2019). Application of random forest regression to the calculation of gas-phase chemistry within the GEOS-Chem chemistry model

- v10. *Geoscientific Model Development*, 12(3), 1209–1225. <https://doi.org/10.5194/gmd-12-1209-2019>
- Kendall, M. G. (1948). *Rank correlation methods*. Griffin.
- Kendon, E. J., Prein, A. F., Senior, C. A., & Stirling, A. (2021). Challenges and outlook for convection-permitting climate modelling. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 379(2195), 20190547. <https://doi.org/10.1098/rsta.2019.0547>
- Khaki, M., Schumacher, M., Forootan, E., Kuhn, M., Awange, J. L., & van Dijk, A. I. J. M. (2017). Accounting for spatial correlation errors in the assimilation of GRACE into hydrological models through localization. *Advances in Water Resources*, 108, 99–112. <https://doi.org/10.1016/j.advwatres.2017.07.024>
- King, R. D., Orhobor, O. I., & Taylor, C. C. (2021). Cross-validation is safe to use. *Nature Machine Intelligence*, 3(4), 276–276. <https://doi.org/10.1038/s42256-021-00332-z>
- Kumar Joshi, S., Gupta, S., Sinha, R., Logan Densmore, A., Prakash Rai, S., Shekhar, S., Mason, P. J., & Dijk, W. M. van. (2021). Strongly heterogeneous patterns of groundwater depletion in Northwestern India. *Journal of Hydrology*, 598, 126492. <https://doi.org/10.1016/j.jhydrol.2021.126492>
- Li, B., Rodell, M., Kumar, S., Beaudoin, H. K., Getirana, A., Zaitchik, B. F., de Goncalves, L. G., Cossetin, C., Bhanja, S., Mukherjee, A., Tian, S., Tangdamrongsub, N., Long, D., Nanteza, J., Lee, J., Policelli, F., Goni, I. B., Daira, D., Bila, M., ... Bettadpur, S. (2019a). Global GRACE Data Assimilation for Groundwater and Drought Monitoring: Advances and Challenges. *Water Resources Research*, 55(9), 7564–7586. <https://doi.org/10.1029/2018WR024618>
- Li, B., Rodell, M., Kumar, S., Beaudoin, H. K., Getirana, A., Zaitchik, B. F., de Goncalves, L. G., Cossetin, C., Bhanja, S., Mukherjee, A., Tian, S., Tangdamrongsub, N., Long, D., Nanteza, J., Lee, J., Policelli, F., Goni, I. B., Daira, D., Bila, M., ... Bettadpur, S. (2019b). Global GRACE Data Assimilation for Groundwater and Drought Monitoring: Advances and Challenges. *Water Resources Research*, 55(9), 7564–7586. <https://doi.org/10.1029/2018WR024618>
- Li, J., & Wong, D. W. S. (2010). Effects of DEM sources on hydrologic applications. *Computers, Environment and Urban Systems*, 34(3), 251–261. <https://doi.org/10.1016/j.compenvurbsys.2009.11.002>
- Li, P., Yu, H., Zhou, P., Zhang, P., & Wang, R. (2023). Downscaling inversion of GRACE-derived groundwater storage changes based on ensemble learning.

- International Journal of Digital Earth*, 16(1), 2998–3022.
<https://doi.org/10.1080/17538947.2023.2242316>
- Lin, M., Biswas, A., & Bennett, E. M. (2019). Spatio-temporal dynamics of groundwater storage changes in the Yellow River Basin. *Journal of Environmental Management*, 235, 84–95.
<https://doi.org/10.1016/j.jenvman.2019.01.016>
- Liu, J., Yuan, D., Zhang, L., Zou, X., & Song, X. (2016). Comparison of Three Statistical Downscaling Methods and Ensemble Downscaling Method Based on Bayesian Model Averaging in Upper Hanjiang River Basin, China. *Advances in Meteorology*, 2016(1), 7463963.
<https://doi.org/10.1155/2016/7463963>
- Liu, Z., Liu, P.-W., Massoud, E., Farr, T. G., Lundgren, P., & Famiglietti, J. S. (2019). Monitoring Groundwater Change in California's Central Valley Using Sentinel-1 and GRACE Observations. *Geosciences*, 9(10), 436.
<https://doi.org/10.3390/geosciences9100436>
- Long, D., Bai, L., Yan, L., Zhang, C., Yang, W., Lei, H., Quan, J., Meng, X., & Shi, C. (2019). Generation of spatially complete and daily continuous surface soil moisture of high spatial resolution. *Remote Sensing of Environment*, 233, 111364. <https://doi.org/10.1016/j.rse.2019.111364>
- Long, D., Chen, X., Scanlon, B. R., Wada, Y., Hong, Y., Singh, V. P., Chen, Y., Wang, C., Han, Z., & Yang, W. (2016). Have GRACE satellites overestimated groundwater depletion in the Northwest India Aquifer. *Scientific Reports*, 6, 24398. <https://doi.org/10.1038/srep24398>
- Loomis, B. D., Rachlin, K. E., & Luthcke, S. B. (2019). Improved Earth Oblateness Rate Reveals Increased Ice Sheet Losses and Mass-Driven Sea Level Rise. *Geophysical Research Letters*, 46(12), 6910–6917.
<https://doi.org/10.1029/2019GL082929>
- Mann, H. B. (1945). Nonparametric Tests Against Trend. *Econometrica*, 13(3), 245–259. <https://doi.org/10.2307/1907187>
- McDonald, M. G., & Harbaugh, A. W. (1988). *A Modular Three-dimensional Finite-difference Ground-water Flow Model*. U.S. Geological Survey.
- Meehl, G. A., Boer, G. J., Covey, C., Latif, M., & Stouffer, R. J. (2000). The Coupled Model Intercomparison Project (CMIP). *Bulletin of the American Meteorological Society*, 81(2), 313–318.
- Meinshausen, M., Nicholls, Z. R. J., Lewis, J., Gidden, M. J., Vogel, E., Freund, M., Beyerle, U., Gessner, C., Nauels, A., Bauer, N., Canadell, J. G., Daniel, J. S., John, A., Krummel, P. B., Luderer, G., Meinshausen, N., Montzka, S. A.,

- Rayner, P. J., Reimann, S., ... Wang, R. H. J. (2020). The shared socio-economic pathway (SSP) greenhouse gas concentrations and their extensions to 2500. *Geoscientific Model Development*, 13(8), 3571–3605. <https://doi.org/10.5194/gmd-13-3571-2020>
- Mendez, M., Maathuis, B., Hein-Griggs, D., Alvarado-Gamboa, L.-F., Mendez, M., Maathuis, B., Hein-Griggs, D., & Alvarado-Gamboa, L.-F. (2020). Performance Evaluation of Bias Correction Methods for Climate Change Monthly Precipitation Projections over Costa Rica. *Water*, 12(2). <https://doi.org/10.3390/w12020482>
- Mensah, J. K., Ofosu, E. A., Yidana, S. M., Akpoti, K., & Kabo-bah, A. T. (2022). Integrated modeling of hydrological processes and groundwater recharge based on land use land cover, and climate changes: A systematic review. *Environmental Advances*, 8, 100224. <https://doi.org/10.1016/j.envadv.2022.100224>
- Milewski, A. M., Thomas, M. B., Seyoum, W. M., & Rasmussen, T. C. (2019). Spatial Downscaling of GRACE TWSA Data to Identify Spatiotemporal Groundwater Level Trends in the Upper Floridan Aquifer, Georgia, USA. *Remote Sensing*, 11(23), Article 23. <https://doi.org/10.3390/rs11232756>
- Miro, M. E., & Famiglietti, J. S. (2018). Downscaling GRACE Remote Sensing Datasets to High-Resolution Groundwater Storage Change Maps of California's Central Valley. *Remote Sensing*, 10(1), Article 1. <https://doi.org/10.3390/rs10010143>
- Mirosław-Świątek, D., Kiczko, A., Szporak-Wasilewska, S., & Grygoruk, M. (2017). Too wet and too dry? Uncertainty of DEM as a potential source of significant errors in a model-based water level assessment in riparian and mire ecosystems. *Wetlands Ecology and Management*, 25(5), 547–562. <https://doi.org/10.1007/s11273-017-9535-1>
- Mohandas, S. (2023). Weather and Climate Modeling. In V. K. Gahalaut & M. Rajeevan (Eds), *Social and Economic Impact of Earth Sciences* (pp. 121–141). Springer Nature. https://doi.org/10.1007/978-981-19-6929-4_7
- Mohtaram, A., Shafizadeh-Moghadam, H., & Ketabchi, H. (2025). A flexible multi-scale approach for downscaling GRACE-derived groundwater storage anomaly using LightGBM and random forest in the Tashk-Bakhtegan Basin, Iran. *Journal of Hydrology: Regional Studies*, 57, 102086. <https://doi.org/10.1016/j.ejrh.2024.102086>
- Mourot, F. M., Irvine, D. J., Remenyi, T. A., Hutley, L. B., Crosbie, R. S., & Moore, C. R. (2025). Producing Hydrological Projections Under Climate Change: A

- Groundwater-Inclusive Practical Guide. *Earth's Future*, 13(8), e2025EF006316. <https://doi.org/10.1029/2025EF006316>
- Mousavimehr, S. M., & Kavianpour, M. R. (2025). A non-stationary downscaling and gap-filling approach for GRACE/GRACE-FO data under climatic and anthropogenic influences. *Applied Water Science*, 15(5), 91. <https://doi.org/10.1007/s13201-025-02427-z>
- Nagy-Huber, M., & Roth, V. (2024). Physics-informed boundary integral networks (PIBI-Nets): A data-driven approach for solving partial differential equations. *Journal of Computational Science*, 81, 102355. <https://doi.org/10.1016/j.jocs.2024.102355>
- Neves, M. C., Nunes, L. M., & Monteiro, J. P. (2020). Evaluation of GRACE data for water resource management in Iberia: A case study of groundwater storage monitoring in the Algarve region. *Journal of Hydrology: Regional Studies*, 32, 100734. <https://doi.org/10.1016/j.ejrh.2020.100734>
- Ngai, S. T., Tangang, F., & Juneng, L. (2017). Bias correction of global and regional simulated daily precipitation and surface mean temperature over Southeast Asia using quantile mapping method. *Global and Planetary Change*, 149, 79–90. <https://doi.org/10.1016/j.gloplacha.2016.12.009>
- Nie, W., Zaitchik, B. F., Rodell, M., Kumar, S. V., Arsenault, K. R., Li, B., & Getirana, A. (2019). Assimilating GRACE Into a Land Surface Model in the Presence of an Irrigation-Induced Groundwater Trend. *Water Resources Research*, 55(12), 11274–11294. <https://doi.org/10.1029/2019WR025363>
- Ning, S., Ishidaira, H., & Wang, J. (2014). STATISTICAL DOWNSCALING OF GRACE-DERIVED TERRESTRIAL WATER STORAGE USING SATELLITE AND GLDAS PRODUCTS. *Journal of Japan Society of Civil Engineers, Ser. B1 (Hydraulic Engineering)*, 70(4), I_133-I_138. https://doi.org/10.2208/jscejhe.70.I_133
- Nourani, V., Jabbarian Paknezhad, N., Ng, A., Wen, Z., Dabrowska, D., & Üzelaltınbulat, S. (2024). Application of the machine learning methods for GRACE data based groundwater modeling, a systematic review. *Groundwater for Sustainable Development*, 25, 101113. <https://doi.org/10.1016/j.gsd.2024.101113>
- Nucci, C. D. (2018). Unsteady free surface flow in porous media: One-dimensional model equations including vertical effects and seepage face. *Comptes Rendus. Mécanique*, 346(5), 366–383. <https://doi.org/10.1016/j.crme.2018.03.003>
- Pan, Y., Zhang, C., Gong, H., Yeh, P. J. -F., Shen, Y., Guo, Y., Huang, Z., & Li, X. (2017). Detection of human-induced evapotranspiration using GRACE

- satellite observations in the Haihe River basin of China. *Geophysical Research Letters*, 44(1), 190–199. <https://doi.org/10.1002/2016GL071287>
- Panabokke, C. R. (1996). *Soils and Agro-ecological Environments of Sri Lanka*. Natural Resources, Energy & Science Authority.
- Pascal, C., Ferrant, S., Selles, A., Maréchal, J.-C., Paswan, A., & Merlin, O. (2022). Evaluating downscaling methods of GRACE (Gravity Recovery and Climate Experiment) data: A case study over a fractured crystalline aquifer in southern India. *Hydrology and Earth System Sciences*, 26(15), 4169–4186. <https://doi.org/10.5194/hess-26-4169-2022>
- Pettitt, A. N. (1979). A Non-Parametric Approach to the Change-Point Problem. *Journal of the Royal Statistical Society. Series C (Applied Statistics)*, 28(2), 126–135. <https://doi.org/10.2307/2346729>
- Prokhorenkova, L., Gusev, G., Vorobev, A., Dorogush, A. V., & Gulin, A. (2019). *CatBoost: Unbiased boosting with categorical features* (arXiv:1706.09516). arXiv. <https://doi.org/10.48550/arXiv.1706.09516>
- Pulla, S. T., Yasarer, H., & Yarbrough, L. D. (2023). GRACE Downscaler: A Framework to Develop and Evaluate Downscaling Models for GRACE. *Remote Sensing*, 15(9), Article 9. <https://doi.org/10.3390/rs15092247>
- Rahaman, M. M., Thakur, B., Kalra, A., Li, R., & Maheshwari, P. (2019). Estimating High-Resolution Groundwater Storage from GRACE: A Random Forest Approach. *Environments*, 6(6), Article 6. <https://doi.org/10.3390/environments6060063>
- Rajulapati, C. R., & Papalexiou, S. M. (2023). Precipitation Bias Correction: A Novel Semi-parametric Quantile Mapping Method. *Earth and Space Science*, 10(4), e2023EA002823. <https://doi.org/10.1029/2023EA002823>
- Rao, J., & Garfinkel, C. I. (2021). CMIP5/6 models project little change in the statistical characteristics of sudden stratospheric warmings in the 21st century. *Environmental Research Letters*, 16(3), 034024. <https://doi.org/10.1088/1748-9326/abd4fe>
- Reager, J. T., Thomas, A. C., Sproles, E. A., Rodell, M., Beaudoin, H. K., Li, B., & Famiglietti, J. S. (2015). Assimilation of GRACE Terrestrial Water Storage Observations into a Land Surface Model for the Assessment of Regional Flood Potential. *Remote Sensing*, 7(11), Article 11. <https://doi.org/10.3390/rs71114663>
- Richard Peltier, W., Argus, D. F., & Drummond, R. (2018). Comment on “An Assessment of the ICE-6G_C (VM5a) Glacial Isostatic Adjustment Model” by

- Purcell et al. *Journal of Geophysical Research: Solid Earth*, 123(2), 2019–2028. <https://doi.org/10.1002/2016JB013844>
- Rodell, M., Famiglietti, J. S., Wiese, D. N., Reager, J. T., Beaudoing, H. K., Landerer, F. W., & Lo, M.-H. (2018). Emerging trends in global freshwater availability. *Nature*, 557(7707), 651–659. <https://doi.org/10.1038/s41586-018-0123-1>
- Rodell, M., Velicogna, I., & Famiglietti, J. S. (2009). Satellite-based estimates of groundwater depletion in India. *Nature*, 460(7258), 999–1002. <https://doi.org/10.1038/nature08238>
- Rodgers, J. L., & Nicewander, W. A. (1988). Thirteen Ways to Look at the Correlation Coefficient. *The American Statistician*, 42(1), 59–66. <https://doi.org/10.2307/2685263>
- Rusli, S. R., Bense, V. F., Mustafa, S. M. T., & Weerts, A. H. (2024). The impact of future changes in climate variables and groundwater abstraction on basin-scale groundwater availability. *Hydrology and Earth System Sciences*, 28(22), 5107–5131. <https://doi.org/10.5194/hess-28-5107-2024>
- Sabzehee, F., Amiri-Simkooei, A. R., Iran-Pour, S., Vishwakarma, B. D., & Kerachian, R. (2023). Enhancing spatial resolution of GRACE-derived groundwater storage anomalies in Urmia catchment using machine learning downscaling methods. *Journal of Environmental Management*, 330, 117180. <https://doi.org/10.1016/j.jenvman.2022.117180>
- Şan, M., Nacar, S., Kankal, M., & Bayram, A. (2023). Daily precipitation performances of regression-based statistical downscaling models in a basin with mountain and semi-arid climates. *Stochastic Environmental Research and Risk Assessment*, 37(4), 1431–1455. <https://doi.org/10.1007/s00477-022-02345-5>
- Save, H., Bettadpur, S., & Tapley, B. D. (2016). High-resolution CSR GRACE RL05 mascons. *Journal of Geophysical Research: Solid Earth*, 121(10), 7547–7569. <https://doi.org/10.1002/2016JB013007>
- Scanlon, B., Longuevergne, L., & Long, D. (2012). Ground referencing GRACE satellite estimates of groundwater storage changes in the California Central Valley, USA. *Water Resources Research*, 48, 4520. <https://doi.org/10.1029/2011WR011312>
- Scanlon, B. R., Zhang, Z., Save, H., Sun, A. Y., Müller Schmied, H., van Beek, L. P. H., Wiese, D. N., Wada, Y., Long, D., Reedy, R. C., Longuevergne, L., Döll, P., & Bierkens, M. F. P. (2018). Global models underestimate large decadal declining and rising water storage trends relative to GRACE satellite data. *Proceedings of the National Academy of Sciences of the United States of America*, 115(6), E1080–E1089. <https://doi.org/10.1073/pnas.1704665115>

- Scanlon, B. R., Zhang, Z., Save, H., Wiese, D. N., Landerer, F. W., Long, D., Longuevergne, L., & Chen, J. (2016). Global evaluation of new GRACE mascon products for hydrologic applications. *Water Resources Research*, 52(12), 9412–9429. <https://doi.org/10.1002/2016WR019494>
- Schiano Di Cola, V., Bauduin, V., Berardi, M., Notarnicola, F., & Cuomo, S. (2025). Investigating neural networks with groundwater flow equation loss. *Mathematics and Computers in Simulation*, 230, 80–93. <https://doi.org/10.1016/j.matcom.2024.10.039>
- Schmidli, J., Frei, C., & Vidale, P. L. (2006). Downscaling from GCM precipitation: A benchmark for dynamical and statistical downscaling methods. *International Journal of Climatology*, 26(5), 679–689. <https://doi.org/10.1002/joc.1287>
- Schulz, L., & Kingston, D. G. (2017). GCM-related uncertainty in river flow projections at the threshold for “dangerous” climate change: The Kalu Ganga river, Sri Lanka. *Hydrological Sciences Journal*, 62(14), 2369–2380. <https://doi.org/10.1080/02626667.2017.1381965>
- Secci, D., A. Godoy, V., & Gómez-Hernández, J. J. (2024). Physics-Informed Neural Networks for solving transient unconfined groundwater flow. *Computers & Geosciences*, 182, 105494. <https://doi.org/10.1016/j.cageo.2023.105494>
- Sedighi, M. N., Shiru, M. S., Nashwan, M. S., Ali, R., Abubaker, S., Wang, X., Ahmed, K., Shahid, S., Asaduzzaman, M., & Manawi, S. M. A. (2019). Spatio-Temporal Pattern in the Changes in Availability and Sustainability of Water Resources in Afghanistan. *Sustainability*, 11(20), Article 20. <https://doi.org/10.3390/su11205836>
- Sen, P. K. (1968). Estimates of the Regression Coefficient Based on Kendall’s Tau. *Journal of the American Statistical Association*, 63(324), 1379–1389. <https://doi.org/10.1080/01621459.1968.10480934>
- Senanayake, I. P., Pathira Arachchilage, K. R. L., Yeo, I.-Y., Khaki, M., Han, S.-C., & Dahlhaus, P. G. (2024). Spatial Downscaling of Satellite-Based Soil Moisture Products Using Machine Learning Techniques: A Review. *Remote Sensing*, 16(12), 2067. <https://doi.org/10.3390/rs16122067>
- Seo, G.-Y., Ahn, J.-B., Seo, G.-Y., & Ahn, J.-B. (2023). Comparison of Bias Correction Methods for Summertime Daily Rainfall in South Korea Using Quantile Mapping and Machine Learning Model. *Atmosphere*, 14(7). <https://doi.org/10.3390/atmos14071057>
- Serrano, S. E., & Workman, S. R. (1998). Modeling transient stream/aquifer interaction with the non-linear Boussinesq equation and its analytical solution. *Journal of Hydrology*, 206(3), 245–255. [https://doi.org/10.1016/S0022-1694\(98\)00111-5](https://doi.org/10.1016/S0022-1694(98)00111-5)

- Seyoum, W. M., & Milewski, A. M. (2017). Improved methods for estimating local terrestrial water dynamics from GRACE in the Northern High Plains. *Advances in Water Resources*, 110, 279–290. <https://doi.org/10.1016/j.advwatres.2017.10.021>
- Shadab, M. A., Luo, D., Hiatt, E., Shen, Y., & Hesse, M. A. (2023). Investigating steady unconfined groundwater flow using Physics Informed Neural Networks. *Advances in Water Resources*, 177, 104445. <https://doi.org/10.1016/j.advwatres.2023.104445>
- Shammout, M., Shatanawi, K., & Abualhaija, M. (2023). Influence of Population Growth on Supply, Demand, and Quality Issues of Water Resources in the Yarmouk River Basin in Jordan. *Journal of Experimental Biology and Agricultural Sciences*, 11, 171–178. [https://doi.org/10.18006/2023.11\(1\).171.178](https://doi.org/10.18006/2023.11(1).171.178)
- Shetty, S., Umesh, P., & Shetty, A. (2023). The effectiveness of machine learning-based multi-model ensemble predictions of CMIP6 in Western Ghats of India. *International Journal of Climatology*, 43, 5029–5054. <https://doi.org/10.1002/joc.8131>
- Shilengwe, C., Banda, K., & Nyambe, I. (2024). Machine learning downscaling of GRACE/GRACE-FO data to capture spatial-temporal drought effects on groundwater storage at a local scale under data-scarcity. *Environmental Systems Research*, 13(1), 38. <https://doi.org/10.1186/s40068-024-00368-1>
- Siebert, S., Burke, J., Faures, J. M., Frenken, K., Hoogeveen, J., Döll, P., & Portmann, F. T. (2010). Groundwater use for irrigation – a global inventory. *Hydrology and Earth System Sciences*, 14(10), 1863–1880. <https://doi.org/10.5194/hess-14-1863-2010>
- Sirisena, T. a. J. G., Maskey, S., Bamunawala, J., Coppola, E., Ranasinghe, R., Sirisena, T. a. J. G., Maskey, S., Bamunawala, J., Coppola, E., & Ranasinghe, R. (2021). Projected Streamflow and Sediment Supply under Changing Climate to the Coast of the Kalu River Basin in Tropical Sri Lanka over the 21st Century. *Water*, 13(21). <https://doi.org/10.3390/w13213031>
- Sivarajan, N. A., Mishra, A. K., Rafiq, M., Nagraju, V., & Chandra, S. (2019). Examining climate change impact on the variability of ground water level: A case study of Ahmednagar district, India. *Journal of Earth System Science*, 128(5), 122. <https://doi.org/10.1007/s12040-019-1172-z>
- Sun, A. Y. (2013). Predicting groundwater level changes using GRACE data. *Water Resources Research*, 49(9), 5900–5912. <https://doi.org/10.1002/wrcr.20421>
- Sun, A. Y., Green, R., Rodell, M., & Swenson, S. (2010). Inferring aquifer storage parameters using satellite and in situ measurements: Estimation under

- uncertainty. *Geophysical Research Letters*, 37(10).
<https://doi.org/10.1029/2010GL043231>
- Sun, J., Hu, L., Chen, F., Sun, K., Yu, L., & Liu, X. (2023). Downscaling Simulation of Groundwater Storage in the Beijing, Tianjin, and Hebei Regions of China Based on GRACE Data. *Remote Sensing*, 15(6), 1490.
<https://doi.org/10.3390/rs15061490>
- Sun, J., Hu, L., Liu, X., & Sun, K. (2022). Enhanced Understanding of Groundwater Storage Changes under the Influence of River Basin Governance Using GRACE Data and Downscaling Model. *Remote Sensing*, 14(19), 4719.
<https://doi.org/10.3390/rs14194719>
- Swain, S., Taloor, A. K., Dhal, L., Sahoo, S., & Al-Ansari, N. (2022). Impact of climate change on groundwater hydrology: A comprehensive review and current status of the Indian hydrogeology. *Applied Water Science*, 12(6), 120.
<https://doi.org/10.1007/s13201-022-01652-0>
- Taccari, M. L., Wang, H., Nuttall, J., Chen, X., & Jimack, P. K. (2024). Spatial-temporal graph neural networks for groundwater data. *Scientific Reports*, 14(1), 24564. <https://doi.org/10.1038/s41598-024-75385-2>
- Tangdamrongsub, N., Han, S.-C., Yeo, I.-Y., Dong, J., Steele-Dunne, S. C., Willgoose, G., & Walker, J. P. (2020). Multivariate data assimilation of GRACE, SMOS, SMAP measurements for improved regional soil moisture and groundwater storage estimates. *Advances in Water Resources*, 135, 103477.
<https://doi.org/10.1016/j.advwatres.2019.103477>
- Tangdamrongsub, N., Steele-Dunne, S. C., Gunter, B. C., Ditmar, P. G., & Weerts, A. H. (2015). Data assimilation of GRACE terrestrial water storage estimates into a regional hydrological model of the Rhine River basin. *Hydrology and Earth System Sciences*, 19(4), 2079–2100. <https://doi.org/10.5194/hess-19-2079-2015>
- Tapley, B. D., Bettadpur, S., Watkins, M., & Reigber, C. (2004). The gravity recovery and climate experiment: Mission overview and early results. *Geophysical Research Letters*, 31(9). <https://doi.org/10.1029/2004GL019920>
- Tartakovsky, A. M., Marrero, C. O., Perdikaris, P., Tartakovsky, G. D., & Barajas-Solano, D. (2018). *Learning Parameters and Constitutive Relationships with Physics Informed Deep Neural Networks* (arXiv:1808.03398). arXiv.
<https://doi.org/10.48550/arXiv.1808.03398>
- Tian, S., Renzullo, L. J., van Dijk, A. I. J. M., Tregoning, P., & Walker, J. P. (2019). Global joint assimilation of GRACE and SMOS for improved estimation of root-zone soil moisture and vegetation response. *Hydrology and Earth System Sciences*, 23(2), 1067–1081. <https://doi.org/10.5194/hess-23-1067-2019>

- Tian, S., Tregoning, P., Renzullo, L. J., van Dijk, A. I. J. M., Walker, J. P., Pauwels, V. R. N., & Allgeyer, S. (2017). Improved water balance component estimates through joint assimilation of GRACE water storage and SMOS soil moisture retrievals. *Water Resources Research*, 53(3), 1820–1840. <https://doi.org/10.1002/2016WR019641>
- Tran, T. V., Peche, A., Kringel, R., Brömme, K., Altfelder, S., Tran, T. V., Peche, A., Kringel, R., Brömme, K., & Altfelder, S. (2025). Machine Learning-Based Reconstruction and Prediction of Groundwater Time Series in the Allertal, Germany. *Water*, 17(3). <https://doi.org/10.3390/w17030433>
- van der Knaap, Y. A. M., de Graaf, M., van Ek, R., Witte, J.-P. M., Aerts, R., Bierkens, M. F. P., & van Bodegom, P. M. (2015). Potential impacts of groundwater conservation measures on catchment-wide vegetation patterns in a future climate. *Landscape Ecology*, 30(5), 855–869. <https://doi.org/10.1007/s10980-014-0142-8>
- Verma, K., & Katpatal, Y. B. (2020). Groundwater Monitoring Using GRACE and GLDAS Data after Downscaling Within Basaltic Aquifer System. *Groundwater*, 58(1), 143–151. <https://doi.org/10.1111/gwat.12929>
- Vishwakarma, B. D., Zhang, J., & Sneeuw, N. (2021). Downscaling GRACE total water storage change using partial least squares regression. *Scientific Data*, 8(1), 95. <https://doi.org/10.1038/s41597-021-00862-6>
- Voss, C. I. (1984). A finite-element simulation model for saturated-unsaturated, fluid-density-dependent ground-water flow with energy transport or chemically-reactive single-species solute transport. In *Water-Resources Investigations Report* (Nos 84–4369). U.S. Geological Survey,. <https://doi.org/10.3133/wri844369>
- Voss, K. A., Famiglietti, J. S., Lo, M., de Linage, C., Rodell, M., & Swenson, S. C. (2013). Groundwater depletion in the Middle East from GRACE with implications for transboundary water management in the Tigris-Euphrates-Western Iran region. *Water Resources Research*, 49(2), 904–914. <https://doi.org/10.1002/wrcr.20078>
- Wahr, J., Molenaar, M., & Bryan, F. (1998). Time variability of the Earth's gravity field: Hydrological and oceanic effects and their possible detection using GRACE. *Journal of Geophysical Research: Solid Earth*, 103(B12), 30205–30229. <https://doi.org/10.1029/98JB02844>
- Wang, H.-M., Chen, J., Xu, C.-Y., Zhang, J., & Chen, H. (2020). A Framework to Quantify the Uncertainty Contribution of GCMs Over Multiple Sources in Hydrological Impacts of Climate Change. *Earth's Future*, 8(8), e2020EF001602. <https://doi.org/10.1029/2020EF001602>

- Wang, J., Xu, D., & Li, H. (2023). Constructing GRACE-Based 1 km Resolution Groundwater Storage Anomalies in Arid Regions Using an Improved Machine Learning Downscaling Method: A Case Study in Alxa League, China. *Remote Sensing*, 15(11), Article 11. <https://doi.org/10.3390/rs15112913>
- Wang, L., Chen, C., Du, J., & Wang, T. (2017). Detecting seasonal and long-term vertical displacement in the North China Plain using GRACE and GPS. *Hydrology and Earth System Sciences*, 21(6), 2905–2922. <https://doi.org/10.5194/hess-21-2905-2017>
- Wang, Y., Li, C., Cui, Yingjie, Cui, Yanhong, Xu, Y., Hora, T., Zaveri, E., Rodella, A.-S., Bai, L., & Long, D. (2024). Spatial downscaling of GRACE-derived groundwater storage changes across diverse climates and human interventions with Random Forests. *Journal of Hydrology*, 640, 131708. <https://doi.org/10.1016/j.jhydrol.2024.131708>
- Wijayaweera, N., Gunawardhana, L., Bamunawala, J., Sirisena, J., Rajapakse, L., Patabendige, C. S., & Karunaweera, H. (2024). Use of Machine Learning and Indexing Techniques for Identifying Industrial Pollutant Sources: A Case Study of the Lower Kelani River Basin, Sri Lanka. *Water*, 16(19), 2766. <https://doi.org/10.3390/w16192766>
- Wijekoon, T., Rajapakse, L., & Matheswaran, K. (2024). Climate-driven water stress and hydrological drought vulnerability in the dry zone basins in Sri Lanka: Insights from climate modelling and Random Forest algorithm. *Modeling Earth Systems and Environment*, 10(6), 6931–6948. <https://doi.org/10.1007/s40808-024-02144-7>
- Wilby, R. L., Wigley, T. M. L., Conway, D., Jones, P. D., Hewitson, B. C., Main, J., & Wilks, D. S. (1998). Statistical downscaling of general circulation model output: A comparison of methods. *Water Resources Research*, 34(11), 2995–3008. <https://doi.org/10.1029/98WR02577>
- Wolpert, D. H. (1992). Stacked generalization. *Neural Networks*, 5(2), 241–259. [https://doi.org/10.1016/S0893-6080\(05\)80023-1](https://doi.org/10.1016/S0893-6080(05)80023-1)
- Xiong, J., Guo, S., & Yin, J. (2021). Discharge Estimation Using Integrated Satellite Data and Hybrid Model in the Midstream Yangtze River. *Remote Sensing*, 13(12), 2272. <https://doi.org/10.3390/rs13122272>
- Yang, H.-Q., Shi, C., & Zhang, L. (2025). Ensemble learning of soil–water characteristic curve for unsaturated seepage using physics-informed neural networks. *Soils and Foundations*, 65(1), 101556. <https://doi.org/10.1016/j.sandf.2024.101556>
- Yang, R., Zhong, Y., Zhang, X., Maimaitituersun, A., & Ju, X. (2025). A Comparative Study of Downscaling Methods for Groundwater Based on GRACE Data

- Using RFR and GWR Models in Jiangsu Province, China. *Remote Sensing*, 17(3), 493. <https://doi.org/10.3390/rs17030493>
- Yang, Y., Mei, G., Yang, Y., & Mei, G. (2022). A Deep Learning-Based Approach for a Numerical Investigation of Soil–Water Vertical Infiltration with Physics-Informed Neural Networks. *Mathematics*, 10(16). <https://doi.org/10.3390/math10162945>
- Yin, W., Hu, L., Zhang, M., Wang, J., & Han, S.-C. (2018). Statistical Downscaling of GRACE-Derived Groundwater Storage Using ET Data in the North China Plain. *Journal of Geophysical Research: Atmospheres*, 123(11), 5973–5987. <https://doi.org/10.1029/2017JD027468>
- Yin, W., Zhang, G., Han, S.-C., Yeo, I.-Y., & Zhang, M. (2022). Improving the resolution of GRACE-based water storage estimates based on machine learning downscaling schemes. *Journal of Hydrology*, 613, 128447. <https://doi.org/10.1016/j.jhydrol.2022.128447>
- Yuan, Y., Shen, D., Cao, Y., Wang, X., Zhang, B., & Dong, H. (2025). An Ensemble Machine Learning Approach for High-Resolution Estimation of Groundwater Storage Anomalies. *Water*, 17(10), 1445. <https://doi.org/10.3390/w17101445>
- Zaitchik, B. F., Rodell, M., & Reichle, R. H. (2008). Assimilation of GRACE Terrestrial Water Storage Data into a Land Surface Model: Results for the Mississippi River Basin. *Journal of Hydrometeorology*, 9(3), 535–548. <https://doi.org/10.1175/2007JHM951.1>
- Zhang, G., Xu, T., Yin, W., Bateni, S. M., Jun, C., Kim, D., Liu, S., Xu, Z., Ming, W., & Wang, J. (2024). A machine learning downscaling framework based on a physically constrained sliding window technique for improving resolution of global water storage anomaly. *Remote Sensing of Environment*, 313, 114359. <https://doi.org/10.1016/j.rse.2024.114359>
- Zhang, G., Zheng, W., Yin, W., & Lei, W. (2021). Improving the Resolution and Accuracy of Groundwater Level Anomalies Using the Machine Learning-Based Fusion Model in the North China Plain. *Sensors*, 21(1), Article 1. <https://doi.org/10.3390/s21010046>
- Zhang, J., Liu, K., & Wang, M. (2020). Seasonal and Interannual Variations in China's Groundwater Based on GRACE Data and Multisource Hydrological Models. *Remote Sensing*, 12(5), Article 5. <https://doi.org/10.3390/rs12050845>
- Zhang, J., Liu, K., & Wang, M. (2021). Downscaling Groundwater Storage Data in China to a 1-km Resolution Using Machine Learning Methods. *Remote Sensing*, 13(3), Article 3. <https://doi.org/10.3390/rs13030523>

-
- Zhang, X., Zhu, Y., Wang, J., Ju, L., Qian, Y., Ye, M., & Yang, J. (2022). GW-PINN: A deep learning algorithm for solving groundwater flow equations. *Advances in Water Resources*, 165, 104243. <https://doi.org/10.1016/j.advwatres.2022.104243>
- Zhou, Z.-H. (2021). Ensemble Learning. In Z.-H. Zhou (Ed.), *Machine Learning* (pp. 181–210). Springer. https://doi.org/10.1007/978-981-15-1967-3_8
- Zhu, H., Zhou, Q., & Krisp, J. M. (2025). Exploring machine learning approaches for precipitation downscaling. *Geo-Spatial Information Science*, 0(0), 1–17. <https://doi.org/10.1080/10095020.2025.2477547>