

REFERENCES

- [1] N. F. Alkayem, M. Cao, Y. Zhang, M. Bayat, and Z. Su, “Structural damage detection using finite element model updating with evolutionary algorithms: a survey,” *Neural Comput. Appl.*, vol. 30, pp. 389–411, 2018, doi: 10.1007/s00521-017-3284-1.
- [2] S. W. Doebling, C. R. Farrar, and M. B. Prime, “Summary Review of Vibration-Based Damage Identification Methods,” 1998.
- [3] O. Avci, O. Abdeljaber, S. Kiranyaz, M. Hussein, M. Gabbouj, and D. J. Inman, “A review of vibration-based damage detection in civil structures: From traditional methods to Machine Learning and Deep Learning applications,” *Mech. Syst. Signal Process.*, vol. 147, p. 107077, Jan. 2021, doi: 10.1016/j.ymssp.2020.107077.
- [4] W. Ren and G. De Roeck, “Structural Damage Identification using Modal Data. I: Simulation Verification,” *J. Struct. Eng.*, vol. 128, no. 1, pp. 96–104, 2002, doi: 10.1061/(asce)0733-9445(2002)128:1(96).
- [5] K. Roy and S. Ray-Chaudhuri, “Fundamental mode shape and its derivatives in structural damage localization,” *J. Sound Vib.*, vol. 332, no. 21, pp. 5584–5593, 2013, doi: 10.1016/j.jsv.2013.05.003.
- [6] H. P. Chen and Y.-Q. Ni, *Structural Health Monitoring of Large Civil Engineering Structures*. 2018. doi: 10.1002/9781119166641.
- [7] G. M. Calvi *et al.*, “Once upon a Time in Italy: The Tale of the Morandi Bridge,” *Struct. Eng. Int.*, vol. 29, no. 2, pp. 198–217, 2019, doi: 10.1080/10168664.2018.1558033.
- [8] A. Rossback and N. S. Cohen, “Genoa Bridge Collapse: The Road to Tragedy,” *The New York Times*, 2018. <https://www.nytimes.com/interactive/2018/09/06/world/europe/genoa-italy-bridge.html>
- [9] H. Sohn, C. R. Farrar, F. Hemez, and J. Czarnecki, “A Review of Structural Health Monitoring Literature 1996 – 2001,” pp. 1–7, 2001.
- [10] C. R. Farrar and K. Worden, “An introduction to structural health monitoring,” *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.*, vol. 365, no. 1851, pp. 303–315, 2007, doi: 10.1098/rsta.2006.1928.
- [11] W. Fan and P. Qiao, “Vibration-based damage identification methods: A review and comparative study,” *Struct. Heal. Monit.*, vol. 10, no. 1, pp. 83–111, 2011, doi: 10.1177/1475921710365419.
- [12] Y. J. Yan, L. Cheng, Z. Y. Wu, and L. H. Yam, “Development in vibration-based structural damage detection technique,” vol. 21, pp. 2198–2211, 2007, doi: 10.1016/j.ymssp.2006.10.002.

- [13] E. P. Carden and P. Fanning, "Vibration Based Condition Monitoring: A Review," *Struct. Heal. Monit.*, 2004, doi: 10.1177/1475921704047500.
- [14] C. R. Farrar and S. W. Doebling, "An Overview Of Modal-Based Damage Identification Methods." 1997. [Online]. Available: <https://www.osti.gov/biblio/541870>
- [15] A. Rytter, "Vibrational Based Inspection of Civil Engineering Structures," 1993.
- [16] V. R. Gharehbaghi *et al.*, "A Critical Review on Structural Health Monitoring: Definitions, Methods, and Perspectives," *Arch. Comput. Methods Eng.*, vol. 29, no. 4, pp. 2209–2235, Jun. 2022, doi: 10.1007/s11831-021-09665-9.
- [17] P. Cawley, "Structural health monitoring: Closing the gap between research and industrial deployment," *Struct. Heal. Monit.*, vol. 17, no. 5, pp. 1225–1244, 2018, doi: 10.1177/1475921717750047.
- [18] D. J. Ewins, "Model validation : Correlation for updating," vol. 25, no. June, pp. 221–234, 2000, doi: 10.1007/BF02703541.
- [19] M. I. Friswell and J. E. Mottershead, *Finite Element Model Updating in Structural Dynamics*. 1995. doi: 10.1007/978-94-015-8508-8.
- [20] K. Roy, "Structural Damage Identification Using Mode Shape Slope and Curvature," *J. Eng. Mech.*, vol. 143, no. 9, pp. 1–12, Sep. 2017, doi: 10.1061/(ASCE)EM.1943-7889.0001305.
- [21] H. Zhu, L. Li, and X. Q. He, "Damage detection method for shear buildings using the changes in the first mode shape slopes," *Comput. Struct.*, vol. 89, no. 9–10, pp. 733–743, 2011, doi: 10.1016/j.compstruc.2011.02.014.
- [22] P. Avitabile, "Experimental Modal Analysis: A Simple Non-Mathematical Presentation," *Sound Vib.*, pp. 1–15, 2001.
- [23] C. Rainieri and G. Fabbrocino, *Operational Modal Analysis of Civil Engineering Structures*. 2014. [Online]. Available: <https://link.springer.com/content/pdf/10.1007/978-1-4939-0767-0.pdf>
- [24] A. K. Pandey, M. Biswas, and M. M. Samman, "Damage detection from changes in curvature mode shapes," *J. Sound Vib.*, vol. 145, no. 2, pp. 321–332, Mar. 1991, doi: 10.1016/0022-460X(91)90595-B.
- [25] S. Mia, S. Islam, and U. Ghosh, "Modal Analysis of Cracked Cantilever Beam by Finite Element Simulation," *Procedia Eng.*, vol. 194, pp. 509–516, 2017, doi: 10.1016/j.proeng.2017.08.178.
- [26] R. Janeliukstis, S. Rucevskis, M. Wesolowski, and A. Chate, "Damage Identification Dependence on Number of Vibration Modes Using Mode Shape Curvature Squares," *J. Phys. Conf. Ser.*, vol. 744, no. 1, 2016, doi: 10.1088/1742-6596/744/1/012054.

- [27] S. Das and P. Saha, "Damage identification in a multi-storeyed building using modal based health monitoring techniques," *Struct. Eng. Conv.*, 2016, [Online]. Available: <https://www.researchgate.net/publication/311970476>
- [28] A. K. Pandey and M. Biswas, "Damage Detection in Structures Using Changes in Flexibility," *J. Sound Vib.*, vol. 169, no. 1, pp. 3–17, 1994, doi: <https://doi.org/10.1006/jsvi.1994.1002>.
- [29] Z. Zhang and A. E. Aktan, "Application of Modal Flexibility and Its Derivatives in Structural Identification," no. June 2015, pp. 37–41, 1998, doi: 10.1080/09349849809409622.
- [30] D. Wu and S. S. Law, "Damage localization in plate structures from uniform load surface curvature," vol. 276, pp. 227–244, 2004, doi: 10.1016/j.jsv.2003.07.040.
- [31] D. Wu and S. S. Law, "Sensitivity of Uniform Load Surface Curvature for Damage Identification in Plate Structures," vol. 127, no. February 2005, pp. 84–92, 2005, doi: 10.1115/1.1857918.
- [32] J. Wang and P. Qiao, "Improved Damage Detection for Beam-type Structures using a Uniform Load Surface," vol. 6, no. 2, 2007, doi: 10.1177/1475921706072062.
- [33] C. P. Ratcliffe, "Damage Detection Using Modified Laplacian Operator on Mode-Shape Data," vol. 204, pp. 505–517, 1997.
- [34] W. Ren and G. De Roeck, "Structural Damage Identification using Modal Data . II : Test Verification," pp. 96–104, 2002.
- [35] P. B. M. R. Bogahawaththa, W. A. R. K. De Silva, and C. S. Lewangamage, "Spot Damage Estimation of Framed Structures Using Modal Data," *MERCon 2019 - Proceedings, 5th Int. Multidiscip. Moratuwa Eng. Res. Conf.*, pp. 19–24, 2019, doi: 10.1109/MERCon.2019.8818910.
- [36] W. A. R. K. De Silva, C. S. Lewangamage, and M. T. R. Jayasinghe, "Detection and Estimation of Damage in Framed Structures Using Modal Data," *MERCon 2019 - Proceedings, 5th Int. Multidiscip. Moratuwa Eng. Res. Conf.*, pp. 680–685, 2019, doi: 10.1109/MERCon.2019.8818908.
- [37] C. L. Lawson and R. J. Hanson, *Solving Least Squares Problems.*, vol. 3, no. 4. 1974.
- [38] F. Vestroni and D. Capecchi, "Damage evaluation in cracked vibrating beams using experimental frequencies and finite element models," *JVC/Journal Vib. Control*, vol. 2, no. 1, pp. 69–86, 1996, doi: 10.1177/107754639600200105.
- [39] V. Dawari and G. Vesmawala, "Identification of Crack Damage in Reinforced Concrete Beams Using Mode Shape Based Methods," vol. 3, no. 13, pp. 24–30, 2013.
- [40] H. Li and H. Yang, "Modal Strain Energy Decomposition Method for Damage

Localization in 3D Frame Structures,” no. September, pp. 941–951, 2006.

- [41] L. R. Ray, B.-H. Koh, and L. Tian, “Damage Detection and Vibration Control in Smart Plates: Towards Multifunctional Smart Structures,” *J. Intell. Mater. Syst. Struct.*, vol. 11, no. 9, pp. 725–739, 2000, doi: 10.1106/7dk5-6r4q-h727-p5t7.
- [42] S. Vafaie and E. Salajegheh, “Comparisons of wavelets and contourlets for vibration-based damage identification in the plate structures,” *Adv. Struct. Eng.*, vol. 22, no. 7, pp. 1672–1684, 2019, doi: 10.1177/1369433218824903.
- [43] C. Zhang, L. Cheng, J. Qiu, H. Ji, and J. Ji, “Structural damage detections based on a general vibration model identification approach,” *Mech. Syst. Signal Process.*, vol. 123, pp. 316–332, 2019, doi: 10.1016/j.ymssp.2019.01.020.
- [44] N. S. Bajaba and K. A. Alnefaie, “Multiple Damage Detection in Structures Using,” *Emirates J. Eng. Res.*, vol. 10, no. 1, pp. 35–40, 2005.
- [45] H. W. Shih, D. P. Thambiratnam, and T. H. T. Chan, “Vibration based structural damage detection in flexural members using multi-criteria approach,” *J. Sound Vib.*, vol. 323, no. 3–5, pp. 645–661, 2009, doi: 10.1016/j.jsv.2009.01.019.
- [46] S. Ručevskis, M. Wesolowski, and A. Chate, “Vibration-based damage detection in a beam structure with multiple damage locations.” 2009.
- [47] J. Xiang and M. Liang, “A two-step approach to multi-damage detection for plate structures,” *Eng. Fract. Mech.*, vol. 91, pp. 73–86, 2012, doi: 10.1016/j.engfracmech.2012.04.028.
- [48] A. C. Altunışık, F. Y. Okur, S. Karaca, and V. Kahya, “Vibration-based damage detection in beam structures with multiple cracks: modal curvature vs. modal flexibility methods,” *Nondestruct. Test. Eval.*, vol. 34, no. 1, pp. 33–53, 2019, doi: 10.1080/10589759.2018.1518445.
- [49] S. Li, X. Zhao, and G. Zhou, “Automatic pixel-level multiple damage detection of concrete structure using fully convolutional network,” *Comput. Civ. Infrastruct. Eng.*, vol. 34, no. 7, pp. 616–634, 2019, doi: 10.1111/mice.12433.
- [50] G. Sha, M. Radzieński, M. Cao, and W. Ostachowicz, “A novel method for single and multiple damage detection in beams using relative natural frequency changes,” *Mech. Syst. Signal Process.*, vol. 132, pp. 335–352, 2019, doi: 10.1016/j.ymssp.2019.06.027.
- [51] I. Duvnjak, D. Damjanović, M. Bartolac, and A. Skender, “Mode shape-based damage detection method (Msdi): Experimental validation,” *Appl. Sci.*, vol. 11, no. 10, 2021, doi: 10.3390/app11104589.
- [52] C. Rinaldi, J. Ciambella, and V. Gattulli, “Image-based operational modal analysis and damage detection validated in an instrumented small-scale steel frame structure,” *Mech. Syst. Signal Process.*, vol. 168, no. December 2021, p. 108640, 2022, doi: 10.1016/j.ymssp.2021.108640.

- [53] F. Angeletti, P. Gasbarri, M. Panella, and A. Rosato, “Multi-Damage Detection in Composite Space Structures via Deep Learning,” *Sensors*, vol. 23, no. 17, 2023, doi: 10.3390/s23177515.
- [54] P. Ibanez, “An Introduction to Shake Tables for Seismic Testing of Equipment And Glossary of Vibration Terminology,” 2008.
- [55] P. Ibanez, B. Norton, C. Pohlman, and M. Schulze, “Exploring Vibration Theory Using the ANCO R - 200 FAMILY RESEARCH SEISMIC SHAKE TABLES,” 2014.
- [56] ANCO Engineers Inc., “R - 200 Family Research Seismic Shake Tables,” 2016.
- [57] ANCO Engineers Inc., “DANCE User’s Guide-V 6.32,” 2016.
- [58] P. Krolo, D. Grandić, and M. Bulić, “The Guidelines for Modelling the Preloading Bolts in the Structural Connection Using Finite Element Methods,” *J. Comput. Eng.*, pp. 1–8, 2016, doi: 10.1155/2016/4724312.
- [59] X. C. Liu, S. H. Pu, A. L. Zhang, and X. X. Zhan, “Performance analysis and design of bolted connections in modularized prefabricated steel structures,” *J. Constr. Steel Res.*, vol. 133, pp. 360–373, 2017, doi: 10.1016/j.jcsr.2017.02.025.
- [60] M. Okereke, *Finite Element Applications: A Practical Guide to the FEM Process*. 2018.
- [61] I. Š. Grandić and D. Grandić, “Estimation of damage severity using sparse static measurement,” *J. Civ. Eng. Manag.*, vol. 23, no. 2, pp. 213–221, Nov. 2015, doi: 10.3846/13923730.2015.1027256.
- [62] X. Z. Chen, H. P. Zhu, and C. Y. Chen, “Structural damage identification using test static data based on grey system theory,” *J. Zhejiang Univ. Sci.*, vol. 6 A, no. 8, pp. 790–796, 2005, doi: 10.1631/jzus.2005.A0790.