

## REFERENCES

- [1] M. Conforti, “2024 workplace mental health trends: A proactive approach to well-being,” [www.springhealth.com](http://www.springhealth.com), 12 2023. [Online]. Available: <https://www.springhealth.com/blog/2024-workplace-mental-health-trends>
- [2] L. Cable and B. Hallowell, “Mental health challenges continue to evolve in the covid-19 pandemic,” KPMG, 01 2023. [Online]. Available: <https://kpmg.com/ca/en/home/insights/2023/01/employee-mental-health-in-the-workplace.html>
- [3] NAMI, “The 2024 nami workplace mental health poll,” NAMI, 01 2024. [Online]. Available: <https://www.nami.org/Support-Education/Publications-Reports/Survey-Reports/The-2024-NAMI-Workplace-Mental-Health-Poll>
- [4] S. G. Aldana, “Financial impact of health promotion programs: A comprehensive review of the literature,” *American Journal of Health Promotion*, vol. 15, no. 5, pp. 296–320, 2001.
- [5] W. H. Organization, “Mental health in the workplace,” 2020, retrieved from <https://www.who.int/teams/mental-health-and-substance-use/mental-health-in-the-workplace>.
- [6] L. L. Berry, A. M. Mirabito, and W. B. Baun, “What’s the hard return on employee wellness programs,” *Harvard Business Review*, vol. 88, no. 12, pp. 2–71, 2010, retrieved from <https://hbr.org/2010/12/whats-the-hard-return-on-employee-wellness-programs>.
- [7] R. Dou and X. Kang, “Tam-senticnet: A neuro-symbolic ai approach for early depression detection via social media analysis,” *Computers and Electrical Engineering*, vol. 114, p. 109071, 03 2024.
- [8] G. Antoniou, E. Papadakis, and G. Baryannis, “Mental health diagnosis: a case for explainable artificial intelligence,” *International Journal on Artificial Intelligence Tools*, vol. 31, no. 03, p. 2241003, 2022.
- [9] P. Ekman, *Emotions Revealed: Recognizing Faces and Feelings to Improve Communication and Emotional Life*. Henry Holt and Company, 2004. [Online]. Available: <https://books.google.lk/books?id=AoIU5fJKIcC>
- [10] P. D. Bliese, J. R. Edwards, and S. Sonnentag, “Stress and well-being at work: A century of empirical trends reflecting theoretical and societal influences.” *Journal of Applied psychology*, vol. 102, no. 3, p. 389, 2017.

- [11] T. A. Wright, R. Cropanzano, and D. G. Bonett, “The moderating role of employee positive well being on the relation between job satisfaction and job performance.” *Journal of occupational health psychology*, vol. 12, no. 2, p. 93, 2007.
- [12] X. Zhang and V. S. Sheng, “Neuro-symbolic ai: Explainability, challenges, and future trends,” *arXiv preprint arXiv:2411.04383*, 2024.
- [13] T. Gubler, I. Larkin, and L. Pierce, “Doing Well by Making Well: The Impact of Corporate Wellness Programs on Employee Productivity,” *SSRN Electronic Journal*, no. February, 2016.
- [14] A. Basi Nska-Zych and A. Springer, “Organizational and individual outcomes of health promotion strategies—a review of empirical research,” *International Journal of Environmental Research and Public Health*, vol. 18, no. 2, pp. 1–27, 2021.
- [15] K. Danna and R. W. Griffin, “Health and well-being in the workplace: A review and synthesis of the literature,” *Journal of Management*, vol. 25, no. 3, pp. 357–384, 1999.
- [16] C. Krekel, G. Ward, and J.-E. De Neve, “Employee wellbeing, productivity, and firm performance,” *Saïd Business School WP 2019-04*, no. Mar, p. 44, 2019, available at SSRN: <https://ssrn.com/abstract=3356581>.
- [17] B. G. Mujtaba and F. J. Cavico, “Corporate wellness programs: Implementation challenges in the modern american workplace,” *International Journal of Health Policy and Management*, vol. 1, no. 3, pp. 193–199, 2013.
- [18] Y. Q. Lim, C. M. Lim, K. H. Gan, and N. H. Samsudin, “Text Sentiment Analysis on Twitter to Identify Positive or Negative Context in Addressing Inept Regulations on Social Media Platform,” *ISCAIE 2020 - IEEE 10th Symposium on Computer Applications and Industrial Electronics*, pp. 96–101, 2020.
- [19] J. Blair, C. Y. Hsu, L. Qiu, S. H. Huang, T. H. K. Huang, and S. Abdullah, *Using Tweets to Assess Mental Well-being of Essential Workers during the COVID-19 Pandemic*. Association for Computing Machinery, 2021, vol. 1, no. 1.
- [20] D. Ghosal, N. Majumder, S. Poria, N. Chhaya, and A. Gelbukh, “DialogueGCN: A graph convolutional neural network for emotion recognition in conversation,” *EMNLP-IJCNLP 2019 - 2019 Conference on Empirical Methods in Natural Language Processing and 9th International Joint Conference on Natural Language Processing, Proceedings of the Conference*, vol. 2, pp. 154–164, 2019.

- [21] D. Ghosal, N. Majumder, A. Gelbukh, R. Mihalcea, and S. Poria, “COSMIC: COMmonSense knowledge for eMotion identification in conversations,” *Findings of the Association for Computational Linguistics Findings of ACL: EMNLP 2020*, pp. 2470–2481, 2020.
- [22] S. Feislachen, P. Garus, H. Wang, E. Podkolin, S. Schlüter, N. S. Bernd, S. Manske, A. Nolte, and I. A. Chounta, *Sentiment Analysis of Participants Interactions in a Hackathon Context: The Example of a Slack Corpus*. Association for Computing Machinery, 2022, vol. 1, no. 1.
- [23] P. Chatterjee, K. Damevski, N. A. Kraft, and L. Pollock, “Software-related Slack Chats with Disentangled Conversations,” *Proceedings - 2020 IEEE/ACM 17th International Conference on Mining Software Repositories, MSR 2020*, pp. 588–592, 2020.
- [24] D. Wang, H. Wang, M. Yu, Z. Ashktorab, and M. Tan, “Group Chat Ecology in Enterprise Instant Messaging: How Employees Collaborate Through Multi-User Chat Channels on Slack,” *Proceedings of the ACM on Human-Computer Interaction*, vol. 6, no. CSCW1, pp. 1–15, 2022.
- [25] P. Chatterjee, K. Damevski, L. Pollock, V. Augustine, and N. A. Kraft, “Exploratory study of slack Q&A chats as a mining source for software engineering tools,” *IEEE International Working Conference on Mining Software Repositories*, vol. 2019-May, pp. 490–501, 2019.
- [26] B. Liu, “Sentiment Analysis and Opinion Mining,” in *Synthesis Lectures on Human Language Technologies (SLHLT)*, 2012, vol. 30, no. April, pp. 503–523.
- [27] L. Bostan, E. Kim, and R. Klinger, “Good news everyone: A corpus of news headlines annotated with emotions, semantic roles, and reader perception,” in *LREC 2020 - 12th International Conference on Language Resources and Evaluation, Conference Proceedings*, no. 1, 2020, pp. 1554–1566.
- [28] T. Kajiwara, C. Chu, N. Takemura, Y. Nakashima, and H. Nagahara, “WRIME: A New Dataset for Emotional Intensity Estimation with Subjective and Objective Annotations,” in *NAACL-HLT 2021 - 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Proceedings of the Conference*, 2021, pp. 2095–2104.
- [29] M. Garg, C. Saxena, S. Saha, V. Krishnan, R. Joshi, and V. Mago, “CAMS: An annotated corpus for causal analysis of mental health issues in social media posts,” in *Proceedings of the Thirteenth Language Resources and Evaluation Conference*. Marseille, France: European Language Resources Association,

- Jun. 2022, pp. 6387–6396. [Online]. Available: <https://aclanthology.org/2022.lrec-1.686/>
- [30] C. Yuan, C. Fan, J. Bao, and R. Xu, “Emotion-cause pair extraction as sequence labeling based on a novel tagging scheme,” in *EMNLP 2020 - 2020 Conference on Empirical Methods in Natural Language Processing, Proceedings of the Conference*, 2020, pp. 3568–3573.
- [31] Y. Sun, N. Yu, and G. Fu, “A Discourse-Aware Graph Neural Network for Emotion Recognition in Multi-Party Conversation,” *Findings of the Association for Computational Linguistics, Findings of ACL: EMNLP 2021*, pp. 2949–2958, 2021.
- [32] D. Teodorescu and S. M. Mohammad, “Frustratingly Easy Sentiment Analysis of Text Streams: Generating High-Quality Emotion Arcs Using Emotion Lexicons,” 2022. [Online]. Available: <http://arxiv.org/abs/2210.07381>
- [33] L. A. M. Bostan and R. Klinger, “An analysis of annotated corpora for emotion classification in text,” in *COLING 2018 - 27th International Conference on Computational Linguistics, Proceedings*, 2018, pp. 2104–2119.
- [34] Y. Chen, S. Y. M. Lee, S. Li, and C. R. Huang, “Emotion cause detection with linguistic constructions,” in *Coling 2010 - 23rd International Conference on Computational Linguistics, Proceedings of the Conference*, vol. 2, no. August, 2010, pp. 179–187.
- [35] R. Maleki, H. Rahmani, E. Mohamadi, E. Jaafaripooyan, and A. Atashi, “A Scoping Review of Health Insurance Deductions in Hospitals: Root Causes and Solutions,” *Health Scope*, vol. 12, no. 2, 2023.
- [36] A. Verma and J. Maiti, “Text-document clustering-based cause and effect analysis methodology for steel plant incident data,” *International Journal of Injury Control and Safety Promotion*, vol. 0, no. 0, pp. 1–11, 2018. [Online]. Available: <https://doi.org/10.1080/17457300.2018.1456468>
- [37] A. Dingli and D. Farrugia, *Neuro-Symbolic AI: Design transparent and trustworthy systems that understand the world as you do*. Packt Publishing Ltd, 2023.
- [38] K. Roy, “Healthcare assistance challenges-driven neurosymbolic ai,” *Biomedical Journal of Scientific & Technical Research*, vol. 58, no. 2, 2024. [Online]. Available: [https://scholarcommons.sc.edu/aai\\_fac\\_pub/610/](https://scholarcommons.sc.edu/aai_fac_pub/610/)
- [39] A. Rastogi, Q. Liu, and E. Cambria, “Stress Detection from Social Media Articles: New Dataset Benchmark and Analytical Study,” in *Proceedings of the International Joint Conference on Neural Networks*, vol. 2022-July, 2022.

- [40] M. Gaur, K. Gunaratna, S. Bhatt, and A. Sheth, “Knowledge-infused learning: A sweet spot in neuro-symbolic ai,” *IEEE Internet Computing*, vol. 26, no. 4, pp. 5–11, 2022.
- [41] S. R. Bowman, G. Angeli, C. Potts, and C. D. Manning, “A large annotated corpus for learning natural language inference,” *arXiv preprint*, 2015. [Online]. Available: <https://arxiv.org/abs/1508.05326v1>
- [42] A. Williams, N. Nangia, and S. R. Bowman, “A broad-coverage challenge corpus for sentence understanding through inference,” *arXiv preprint*, 2017. [Online]. Available: <https://arxiv.org/abs/1704.05426v4>
- [43] T. Khot, A. Sabharwal, and P. Clark, “Scitail: A textual entailment dataset from science question answering,” *AAAI*, 2018. [Online]. Available: <https://arxiv.org/abs/scitail-aaai-2018>
- [44] O.-M. Camburu, T. Rocktäschel, T. Lukasiewicz, and P. Blunsom, “e-snli: Natural language inference with natural language explanations,” *Advances in Neural Information Processing Systems*, vol. 31, 2018.
- [45] L. Luo, Z. Zhao, and C. G. et al., “Graph-constrained reasoning: Faithful reasoning on knowledge graphs with large language models,” *arXiv preprint*, 2024. [Online]. Available: <https://arxiv.org/abs/2410.13080v1>
- [46] M. Sap, R. Le Bras, E. Allaway, C. Bhagavatula, N. Lourie, H. Rashkin, B. Roof, N. A. Smith, and Y. Choi, “Atomic: An atlas of machine commonsense for if-then reasoning,” in *Proceedings of the AAAI conference on artificial intelligence*, vol. 33, no. 01, 2019, pp. 3027–3035.
- [47] A. Bosselut, H. Rashkin, M. Sap, C. Malaviya, A. Celikyilmaz, and Y. Choi, “Comet: Commonsense transformers for automatic knowledge graph construction,” *arXiv preprint arXiv:1906.05317*, 2019.
- [48] J. Liu, A. Liu, and X. L. et al., “Generated knowledge prompting for commonsense reasoning,” *arXiv preprint*, 2022. [Online]. Available: <https://arxiv.org/abs/2110.08387v3>
- [49] J. W. et al., “Chain of thought prompting elicits reasoning in large language models,” *arXiv preprint*, 2022. [Online]. Available: <https://arxiv.org/abs/2201.11903v6>
- [50] S. Y. et al., “Tree of thoughts: Deliberate problem solving with large language models,” *arXiv preprint*, 2023. [Online]. Available: <https://arxiv.org/abs/2305.10601v2>

- [51] T. et al., “Commonsenseqa: A question answering challenge targeting commonsense knowledge,” *Proceedings of NAACL-HLT*, 2019. [Online]. Available: <https://www.aclweb.org/anthology/N19-1421/>
- [52] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. Herbert-Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. M. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei, “Language models are few-shot learners,” *arXiv preprint*, 2020. [Online]. Available: <https://arxiv.org/abs/2005.14165>
- [53] Y. Z. et al., “Meta prompting for ai systems,” *arXiv preprint*, 2024. [Online]. Available: <https://arxiv.org/abs/2311.11482v6>
- [54] Y. et al., “React: Synergizing reasoning and acting in large language models,” *GitHub Repository*, 2023. [Online]. Available: <https://github.com/ysmyth/ReAct>
- [55] E. Saravia, H.-C. T. Liu, Y.-H. Huang, J. Wu, and Y.-S. Chen, “Carer: Contextualized affect representations for emotion recognition,” in *Proceedings of the 2018 conference on empirical methods in natural language processing*, 2018, pp. 3687–3697.
- [56] H. Wave, “Introduction | h2o wave,” [Online; accessed 2025-02-02]. [Online]. Available: <https://wave.h2o.ai/docs/getting-started>