REFERENCES

[1] J. W. Hall, K. L. Smith, L. Titus-Glover, J. C. Wambold, T. J. Yager, and Z. Rado, *Guide for Pavement Friction*, NCHRP Web-Only Document 108, Contractor's Final Report for NCHRP Project 01-43, Transportation Research Board, National Research Council, Washington, DC, Feb. 2009.

[2] E. Masad, A. Rezaei, A. Chowdhury, and T. Freeman, *Field Evaluation of Asphalt Mixture Skid Resistance and Its Relationship to Aggregate Characteristics*, Report FHWA/TX-10/0-5627-2, Texas Transportation Institute, The Texas A&M University System, College Station, TX, USA, Aug. 2009, published Dec. 2010.

[3] C.-G. Wallman and H. Åström, *Friction measurement methods and the correlation between road friction and traffic safety: A literature review*, VTI Meddelande 911A, Swedish National Road and Transport Research Institute (VTI), Linköping, Sweden, 2001

[4] G. W. Flintsch, K. K. McGhee, E. de León Izeppi, and S. Najafi, *The Little Book of Tire Pavement Friction*, Version 1.0, Pavement Surface Properties Consortium, Sept. 2012.

[5] S. Shabani, M. Ahmadinejad, and M. Ameri, "Developing a model for estimation of polished stone value (PSV) of road surface aggregates based on petrographic parameters," *International Journal of Pavement Engineering*, vol. 14, no. 3, pp. 242–255, 2013. [Online]. Available: https://doi.org/10.1080/10298436.2012.693179

[6] A. Hartley, "A review of the geological factors influencing the mechanical properties of road surface aggregates," *Quarterly Journal of Engineering Geology*, vol. 7, pp. 69–100, 1974. [Online]. Available: https://doi.org/10.1144/GSL.QJEG.1974.007.01.05

[7] W. D. H. Woodward, A. R. Woodside, and J. H. Jellie, "Higher PSV and other aggregate properties," Transport and Road Assessment Centre, University of Ulster, Northern Ireland.

[8] Lancashire County Council, *Determination of Polished Stone Values and High Friction Surfacing Requirements – Code of Practice*, Lancashire County Council, UK

[9] C. M. Ibberson, *The Skidding Resistance Potential of Steel Slag Aggregates*, M.Phil. thesis, Sheffield Hallam University, Sheffield, U.K., Nov. 1995.

[10] K. M. Khan, F. Ali, S. Ahmed, G. A. Pasha, and I. Mehmood, “Skid resistance evaluation of aggregates from Pakistan and Afghanistan,” *International Journal of Scientific & Engineering Research*, vol. 4, no. 5, pp. 512–518, May 2013.

[11] Z. I. Qasim, “Assessment the polishing of local aggregates by means of skid resistance for surface pavement layer,” *Journal of Engineering and Sustainable Development*, vol. 20, no. 6, pp. 68–80, Nov. 2016.

[12] B. Guan, J. Wu, C. Xie, J. Fang, H. Zheng, and H. Chen, “Influence of macrotexture and microtexture on the skid resistance of aggregates,” *Advances in Materials Science and Engineering*, vol. 2018, Article ID 1437069, 9 pages, Oct. 2018. https://doi.org/10.1155/2018/1437069

[13] Institute for Construction Training and Development (ICTAD), *Standard Specifications for Construction and Maintenance of Roads and Bridges*, ICTAD Publication No. SCA/5, 2nd ed., Ministry of Construction and Engineering Services, Sri Lanka, June 2009

[14] H. V. Thenuwara and H. Pasindu, "Methodology to Incorporate Frictional Performance in the Pavement Management System of Sri Lankan Expressways," *2020 Moratuwa Engineering Research Conference (MERCon)*, Moratuwa, Sri Lanka, 2020, pp. 437-442, doi: 10.1109/MERCon50084.2020.9185214.

[15] Chinthanie, R.P.D. (2015). Accident analysis of Southern expressway [Master's theses, University of Moratuwa]. Institutional Repository University of Moratuwa. http://dl.lib.mrt.ac.lk/handle/123/12187

[16] P. G. R. Dharmaratne, “Rock quarrying and sustainable environment management,” in *Proc. International Forestry and Environment Symposium 2016*, Dept. of Forestry and Environmental Science, University of Sri Jayewardenepura, Sri Lanka, 2016, p. 97.

[17] U. De S. Jayawardena and D. M. S. Dissanayake, “Identification of the most suitable rock types for manufacture of quarry dust in Sri Lanka,” *Journal of the National Science Foundation of Sri Lanka*, vol. 36, no. 3, pp. 215–218, Sept. 2008

[18] Geological Survey Department, *Geological Map of Sri Lanka (Ceylon)*, scale 1:500,000, Colombo, Sri Lanka.

[19] S. Siriphun, *Skid Resistance of Asphalt Concrete Based on Thai Aggregates*, Ph.D. dissertation, School of Civil Engineering, Suranaree University of Technology, Thailand, 2016.

[20] D. K. Merritt, C. A. Lyon, and B. N. Persaud, *Evaluation of Pavement Safety Performance*, FHWA-HRT-14-065, Federal Highway Administration, U.S. Department of Transportation, McLean, VA, Feb. 2015.

[21] BSI, *BS EN 1097-8:2020 – Tests for mechanical and physical properties of aggregates – Part 8: Determination of the polished stone value*, British Standards Institution, London, U.K., Apr. 2020.

[22] J. N. Meegoda and S. Gao, "Evaluation of pavement skid resistance using high speed texture measurement," *Journal of Traffic and Transportation Engineering (English Edition)*, vol. 2, no. 6, pp. 382–390, Oct. 2015. doi: 10.1016/j.jtte.2015.09.001.

[23] V. E. Uz and İ. Gökalp, "The effect of aggregate type, size and polishing levels to skid resistance of chip seals," *Materials and Structures*, vol. 50, Art. no. 126, 2017. doi: 10.1617/s11527-017-0998-6.

[24] G. W. Flintsch, E. de León, K. K. McGhee, and I. L. Al-Qadi, "Pavement surface macrotexture measurement and applications," *Transportation Research Record: Journal of the Transportation Research Board*, no. 1860, pp. 168–177, 2003

[25] R. Vaiana, F. Balzano, T. Iuele, and V. Gallelli, "Microtexture performance of EAF slags used as aggregate in asphalt mixes: A comparative study with surface properties of natural stones," *Applied Sciences*, vol. 9, no. 15, Art. no. 3197, Aug. 2019. doi: 10.3390/app9153197.

[26] P. G. Roe and S. A. Hartshorne, *The Polished Stone Value of Aggregates and In-Service Skidding Resistance*, TRL Report 322, Transport Research Laboratory, Crowthorne, U.K., 1998.

[27] B. Crisman, G. Ossich, P. Bevilacqua, and R. Roberti, "Degradation prediction model for friction of road pavements with natural aggregates and steel slags," *Applied Sciences*, vol. 10, no. 1, Art. no. 32, 2020. doi: 10.3390/app10010032.

[28] M. J. Perry, "Role of aggregate petrography in micro-texture retention of greywacke surfacing aggregate," *Road Materials and Pavement Design*, vol. 15, no. 4, pp. 791–803, 2014. doi: 10.1080/14680629.2014.923781.

[29] A. Rezaei and E. Masad, "Experimental-based model for predicting the skid resistance of asphalt pavements," *International Journal of Pavement Engineering*, vol. 14, no. 1, pp. 24–35, Jan. 2013. doi: 10.1080/10298436.2011.643793.

[30] S. Shabani, M. Ahmadinejad, and M. Ameri, "Developing a model for estimation of polished stone value (PSV) of road surface aggregates based on petrographic parameters," *International Journal of Pavement Engineering*, vol. 14, no. 3, pp. 242–255, 2013. doi: 10.1080/10298436.2012.693179.

[31] J. Liu, B. Guan, H. Chen, K. Liu, R. Xiong, and C. Xie, "Dynamic model of polished stone value attenuation in coarse aggregate," *Materials*, vol. 13, no. 8, Art. no. 1875, Apr. 2020. doi: 10.3390/ma13081875.

[32] Z. I. Qasim, "Assessment the polishing of local aggregates by means of skid resistance for surface pavement layer," *Journal of Engineering and Sustainable Development*, vol. 20, no. 6, pp. 68–80, Nov. 2016.

[33] F. G. Praticò and R. Vaiana, "A study on the relationship between mean profile depth and mean texture depth of asphalt pavements," *Construction and Building Materials*, vol. 24, no. 12, pp. 2673–2681, Dec. 2010. doi: 10.1016/j.conbuildmat.2010.04.025.

[34] G. Boscaino, F. G. Praticò, and R. Vaiana, "Time-dependent surface properties of asphalt friction courses: Earlier experiments by a new accelerated test," in *Proc. 3rd Int. SIIV Congr. – People, Land, Environments and Transport Infrastructures Reliability and Development*, Bari, Italy, Sept. 22–24, 2005.

[35] M. R. Ahadi, "Development of an alternative test procedure to BS 812 for accelerated polishing of road stones," in *Proc. ERE 2016 – Annual Conf. on Earth Resources Management*, Dept. of Earth Resources Engineering, University of Moratuwa, Sri Lanka, July 8, 2016

[36] ASTM International, *ASTM C127-07: Standard Test Method for Density, Relative Density (Specific Gravity), and Absorption of Coarse Aggregate*, ASTM International, West Conshohocken, PA, 2007.

[37] B. Arulmoly, K. M. C. Konthesingha, S. M. A. Nanayakkara, and H. M. R. Premasiri, "Metamorphic rocks for manufactured sand and coarse aggregate for concrete and mortar," *Magazine of Civil Engineering*, vol. 113, no. 5, Art. no. 11308, 2022. doi: 10.34910/MCE.113.8.

[38] ASTM International, *ASTM C131-01: Standard Test Method for Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine*, ASTM International, West Conshohocken, PA, 2001.

[39] BSI, *BS 812-112:1990 – Testing Aggregates: Part 112: Methods for Determination of Aggregate Impact Value (AIV)*, British Standards Institution, London, U.K., 1990 (Incorporating Amendment No. 1, 1995).

[40] BSI, *BS 812-105.2:1990 – Testing Aggregates: Part 105: Methods for Determination of Particle Shape — Section 105.2 Elongation Index of Coarse Aggregate*, British Standards Institution, London, U.K., 1990.

[41] BSI, *BS 812-105.1:1989 – Testing Aggregates: Part 105: Methods for Determination of Particle Shape — Section 105.1 Flakiness Index*, British Standards Institution, London, U.K., Jan. 1989.

[42] AASHTO, *AASHTO T 104-99 (2007): Standard Method of Test for Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate*, American Association of State Highway and Transportation Officials, Washington, DC, 2007.

[43] ASTM International, *ASTM D3319-00: Standard Practice for the Accelerated Polishing of Aggregates Using the British Wheel*, ASTM International, West Conshohocken, PA, 2000.

[44] ASTM International, *ASTM D75-03: Standard Practice for Sampling Aggregates*, ASTM International, West Conshohocken, PA, 2003.

[45] ASTM International, *ASTM C778-06: Standard Specification for Standard Sand*, ASTM International, West Conshohocken, PA, 2006.

[46] ASTM International, *ASTM E303-93(1998): Standard Test Method for Measuring Surface Frictional Properties Using the British Pendulum Tester*, ASTM International, West Conshohocken, PA, 1998.

[47] A. Dunford, *Friction and the Texture of Aggregate Particles Used in the Road Surface Course*, Ph.D. dissertation, University of Nottingham, Nottingham, U.K., Apr. 2013.

[48] F. Yang, B. Guan, J. Liu, J. Wu, J. Liu, C. Xie, and R. Xiong, "An investigation of the polishing behavior of calcined bauxite aggregate," *Coatings*, vol. 9, no. 11, p. 760, Nov. 2019, doi: 10.3390/coatings9110760.