

REFERENCES

- [1] T. Lei, R. Wang, Y. Wan, B. Zhang, H. Meng, and A. K. Nandi, “Medical image segmentation using deep learning: a survey,” *arXiv preprint arXiv:2009.13120*, 2020.
- [2] L. G. Valiant, “A theory of the learnable,” *Proceedings of the Annual ACM Symposium on Theory of Computing*, vol. 27, no. 11, pp. 436–445, 1984, doi: 10.1145/800057.808710.
- [3] V. M. Patel, R. Gopalan, R. Li, and R. Chellappa, “Visual Domain Adaptation: A survey of recent advances,” *IEEE Signal Process Mag*, vol. 32, no. 3, pp. 53–69, 2015, doi: 10.1109/MSP.2014.2347059.
- [4] Antonio Torralba (Massachusetts Institute of Technology) and C. M. Alexei A. Efros (University, “Unbiased Look at Dataset Bias,” *CVPR 2011*, pp. 1521–1528, 2011, [Online]. Available: https://people.csail.mit.edu/torralba/publications/datasets_cvpr11.pdf
- [5] J. Quiñero-Candela, M. Sugiyama, N. D. Lawrence, and A. Schwaighofer, *Dataset shift in machine learning*. 2009. doi: <https://doi.org/10.7551/MITPRESS%2F9780262170055.001.0001>.
- [6] J. Weese and C. Lorenz, “Four challenges in medical image analysis from an industrial perspective,” *Med Image Anal*, vol. 33, pp. 1339–1351, 2016, doi: 10.1016/j.media.2016.06.023.
- [7] F. Prados *et al.*, “Spinal cord grey matter segmentation challenge,” *Neuroimage*, vol. 152, no. November 2016, pp. 312–329, 2017, doi: 10.1016/j.neuroimage.2017.03.010.
- [8] H. Guan and M. Liu, “Domain Adaptation for Medical Image Analysis: A Survey,” Feb. 2021, [Online]. Available: <http://arxiv.org/abs/2102.09508>
- [9] Y. Ganin *et al.*, “Domain-adversarial training of neural networks,” *Advances in Computer Vision and Pattern Recognition*, vol. 17, no. 9783319583464, pp. 189–209, 2017, doi: 10.1007/978-3-319-58347-1_10.
- [10] K. Kamnitsas *et al.*, “Unsupervised domain adaptation in brain lesion segmentation with adversarial networks,” Dec. 2016, [Online]. Available: <http://arxiv.org/abs/1612.08894>
- [11] E. Panfilov, A. Tiulpin, S. Klein, M. T. Nieminen, and S. Saarakkala, “Improving robustness of deep learning based knee mri segmentation: Mixup and adversarial domain adaptation,” *Proceedings - 2019 International Conference on Computer Vision Workshop, ICCVW 2019*, pp. 450–459, 2019, doi: 10.1109/ICCVW.2019.00057.

- [12] J. Zhang, M. Liu, Y. Pan, and D. Shen, “Unsupervised Conditional Consensus Adversarial Network for Brain Disease Identification with Structural MRI,” Springer International Publishing, 2019, pp. 391–399. doi: 10.1007/978-3-030-32692-0_45.
- [13] M. Bateson, J. Dolz, H. Kervadec, H. Lombaert, and I. Ben Ayed, “Constrained Domain Adaptation for Image Segmentation,” pp. 1–20, 2021, doi: 10.1109/TMI.2021.3067688.
- [14] C. Chen, Q. Dou, H. Chen, J. Qin, and P. Heng, “Synergistic Image and Feature Adaptation : Towards Cross-Modality Domain Adaptation for Medical Image Segmentation,” 2018.
- [15] J. M. Wolterink, A. M. Dinkla, M. H. F. Savenije, P. R. Seevinck, C. A. T. van den Berg, and I. Išgum, “Deep MR to CT synthesis using unpaired data,” *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 10557 LNCS, pp. 14–23, 2017, doi: 10.1007/978-3-319-68127-6_2.
- [16] H. Shin, “Self-Training Based Unsupervised Cross-Modality Domain Adaptation for Vestibular Schwannoma and Cochlea Segmentation.”
- [17] H. Dong, F. Yu, J. Zhao, B. Dong, and L. Zhang, “Unsupervised Domain Adaptation in Semantic Segmentation Based on Pixel Alignment and Self-Training,” Sep. 2021, [Online]. Available: <http://arxiv.org/abs/2109.14219>
- [18] J. W. Choi, “Using Out-of-the-Box Frameworks for Unpaired Image Translation and Image Segmentation for the crossMoDA Challenge,” pp. 1–5, 2021, [Online]. Available: <http://arxiv.org/abs/2110.01607>
- [19] K. Yao, Z. Su, X. Yang, K. Huang, and J. Sun, “DAR-UNet : Dual Attention ResU-Net for CrossMoDa Challenge,” pp. 1–6.
- [20] P. Isola, J.-Y. Zhu, T. Zhou, and A. A. Efros, “Image-to-Image Translation with Conditional Adversarial Networks,” Nov. 2016, [Online]. Available: <http://arxiv.org/abs/1611.07004>
- [21] J. Y. Zhu, T. Park, P. Isola, and A. A. Efros, “Unpaired Image-to-Image Translation Using Cycle-Consistent Adversarial Networks,” *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2017-Octob, pp. 2242–2251, 2017, doi: 10.1109/ICCV.2017.244.
- [22] M.-Y. Liu, T. Breuel, and J. Kautz, “Unsupervised Image-to-Image Translation Networks.” [Online]. Available: <https://github.com/mingyuliutw/unit>.
- [23] P. Welander, S. Karlsson, and A. Eklund, “Generative Adversarial Networks for Image-to-Image Translation on Multi-Contrast MR Images - A Comparison of CycleGAN and UNIT,” 2018, [Online]. Available: <http://arxiv.org/abs/1806.07777>

- [24] I. Translation, T. Park, A. A. Efros, and R. Zhang, “Contrastive Learning for Unpaired Image-to-Image Translation”.
- [25] O. Ronneberger, P. Fischer, and T. Brox, “U-Net: Convolutional Networks for Biomedical Image Segmentation,” May 2015, [Online]. Available: <http://arxiv.org/abs/1505.04597>
- [26] F. Milletari, N. Navab, and S.-A. Ahmadi, “V-Net: Fully Convolutional Neural Networks for Volumetric Medical Image Segmentation,” Jun. 2016, [Online]. Available: <http://arxiv.org/abs/1606.04797>
- [27] J. Ma, Y. Deng, Z. Ma, K. Mao, and Y. Chen, “A Liver Segmentation Method Based on the Fusion of VNet and WGAN,” *Comput Math Methods Med*, vol. 2021, 2021, doi: 10.1155/2021/5536903.
- [28] F. Isensee *et al.*, “nnU-Net: Self-adapting Framework for U-Net-Based Medical Image Segmentation,” *Informatik aktuell*, p. 22, 2019, doi: 10.1007/978-3-658-25326-4_7.
- [29] L.-C. Chen, Y. Zhu, G. Papandreou, F. Schroff, and H. Adam, “Encoder-Decoder with Atrous Separable Convolution for Semantic Image Segmentation,” Feb. 2018, [Online]. Available: <http://arxiv.org/abs/1802.02611>
- [30] K. He, G. Gkioxari, P. Dollár, and R. Girshick, “Mask R-CNN,” Mar. 2017, [Online]. Available: <http://arxiv.org/abs/1703.06870>
- [31] J. Shapey *et al.*, “Segmentation of vestibular schwannoma from MRI, an open annotated dataset and baseline algorithm,” *Sci Data*, vol. 8, no. 1, Oct. 2021, doi: 10.1038/s41597-021-01064-w.
- [32] K. Clark *et al.*, “The Cancer Imaging Archive (TCIA): Maintaining and Operating a Public Information Repository,” *J Digit Imaging*, vol. 26, no. 6, Dec. 2013, doi: 10.1007/s10278-013-9622-7.
- [33] J. , K. A. , D. R. , W. G. , D. A. , G. D. , P. I. , K. N. , B. R. , S. S. R. , B. S. , O. S. , & V. Shapey, “Segmentation of Vestibular Schwannoma from Magnetic Resonance Imaging: An Open Annotated Dataset and Baseline Algorithm (Vestibular-Schwannoma-SEG).” <https://wiki.cancerimagingarchive.net/pages/viewpage.action?pageId=70229053#702290536071c51f2cd2467493300a988247c965> (accessed Apr. 28, 2023).
- [34] R. Dorent *et al.*, “CrossMoDA 2021 challenge : Benchmark of Cross-Modality Domain Adaptation techniques for Vestibular Schwannoma and Cochlea Segmentation,” 2022.
- [35] R. Dorent *et al.*, “CrossMoDA 2021 challenge: Benchmark of cross-modality domain adaptation techniques for vestibular schwannoma and cochlea segmentation,” *Med Image Anal*, vol. 83, p. 102628, Jan. 2023, doi: 10.1016/j.media.2022.102628.