

REFERENCES

- Aiglsperger, T., Proenza, J. A., Galí, S., Longo, F., & Roqué-Rosell, J. (2019). Geochemical and mineralogical survey of critical elements (PGE, REE, Sc and Co) in Ni laterites from the Caribbean. *Geophysical Research Abstracts*, 21.
- Akinbile, B. J., Makhubela, B. C. E., & Ambushe, A. A. (2021). Phytomining of valuable metals: status and prospective-a review. *International Journal of Environmental Analytical Chemistry*, 1–21.
- Aksoy, A., Leblebici, Z., & Prasad, M. N. V. (2015). Metal-accumulating plants from serpentine habitats of Kızıldağ, Konya Province, Turkey. *Australian Journal of Botany*, 63(4), 372–378.
- Alhousari, F., & Greger, M. (2018). Silicon and mechanisms of plant resistance to insect pests. *Plants*, 7(2), 33.
- ALTINÖZLÜ, H., Karagöz, A., Polat, T., & Ünver, İ. (2012). Nickel hyperaccumulation by natural plants in Turkish serpentine soils. *Turkish Journal of Botany*, 36(3), 269–280.
- Álvarez-López, V., Prieto-Fernández, Á., Cabello-Conejo, M. I., & Kidd, P. S. (2016). Organic amendments for improving biomass production and metal yield of Ni-hyperaccumulating plants. *Science of the Total Environment*, 548, 370–379.
- Alvial-Hein, G., Mahandra, H., & Ghahreman, A. (2021). Separation and recovery of cobalt and nickel from end of life products via solvent extraction technique: A review. *Journal of Cleaner Production*, 297, 126592.
- Ambaye, T. G., Vaccari, M., Castro, F. D., Prasad, S., & Rtimi, S. (2020). Emerging technologies for the recovery of rare earth elements (REEs) from the end-of-life electronic wastes: a review on progress, challenges, and perspectives. *Environmental Science and Pollution Research*, 27, 36052–36074.
- Anderson, C. W. N., Brooks, R. R., Chiarucci, A., LaCoste, C. J., Leblanc, M.,

- Robinson, B. H., Simcock, R., & Stewart, R. B. (1999). Phytomining for nickel, thallium and gold. *Journal of Geochemical Exploration*, 67(1–3), 407–415.
- Antić-Mladenović, S., Rinklebe, J., Frohne, T., Stärk, H.-J., Wennrich, R., Tomić, Z., & Ličina, V. (2011). Impact of controlled redox conditions on nickel in a serpentine soil. *Journal of Soils and Sediments*, 11(3), 406–415.
- Apostolikas, A., Frogoudakis, E., & Bakallbashi, J. (2009). Nickel, World Production and Demand. *3rd Balkan Mining Congress, BALKANMINE*, 1–3.
- Ashcroft, G. (2019). *Nickel Laterites: The World's Largest Source of Nickel*. JinPeng Mining.
- Bai, Y., & Bai, Q. (2018). *Subsea engineering handbook*. Gulf Professional Publishing.
- Baker, A. J. M., McGrath, S. P., Reeves, R. D., & Smith, J. A. C. (2020). Metal hyperaccumulator plants: a review of the ecology and physiology of a biological resource for phytoremediation of metal-polluted soils. *Phytoremediation of Contaminated Soil and Water*, 85–107.
- Bandara, T., Herath, I., Kumarathilaka, P., Hseu, Z.-Y., Ok, Y. S., & Vithanage, M. (2017). Efficacy of woody biomass and biochar for alleviating heavy metal bioavailability in serpentine soil. *Environmental Geochemistry and Health*, 39(2), 391–401.
- Bani, A., Echevarria, G., Sulçe, S., & Morel, J. L. (2015). Improving the agronomy of *Alyssum murale* for extensive phytomining: a five-year field study. *International Journal of Phytoremediation*, 17(2), 117–127.
- Bani, A., Echevarria, G., Zhang, X., Benizri, E., Laubie, B., Morel, J. L., & Simonnot, M.-O. (2015). The effect of plant density in nickel-phytomining field experiments with *Alyssum murale* in Albania. *Australian Journal of Botany*, 63(2), 72–77.
- Barbaroux, R., Mercier, G., Blais, J.-F., Morel, J.-L., & Simonnot, M.-O. (2011). A

- new method for obtaining nickel metal from the hyperaccumulator plant *Alyssum murale*. *Separation and Purification Technology*, 83, 57–65.
- Barbaroux, R., Meunier, N., Mercier, G., Taillard, V., Morel, J.-L., Simonnot, M.-O., & Blais, J.-F. (2009). Chemical leaching of nickel from the seeds of the metal hyperaccumulator plant *Alyssum murale*. *Hydrometallurgy*, 100(1–2), 10–14.
- Barbaroux, R., Plasari, E., Mercier, G., Simonnot, M.-O., Morel, J.-L., & Blais, J.-F. (2012). A new process for nickel ammonium disulfate production from ash of the hyperaccumulating plant *Alyssum murale*. *Science of the Total Environment*, 423, 111–119.
- Barkenbus, J. N. (2020). Prospects for electric vehicles. *Sustainability*, 12(14), 5813.
- Barnes, S. J., Holwell, D. A., & Le Vaillant, M. (2017). Magmatic sulfide ore deposits. *Elements*, 13(2), 89–95.
- Batapola, N. M., Dushyantha, N. P., Premasiri, H. M. R., Abeysinghe, A., Rohitha, L. P. S., Ratnayake, N. P., Dissanayake, D., Ilankoon, I., & Dharmaratne, P. G. R. (2020). A comparison of global rare earth element (REE) resources and their mineralogy with REE prospects in Sri Lanka. *Journal of Asian Earth Sciences*, 200, 104475.
- Baum, Z. J., Bird, R. E., Yu, X., & Ma, J. (2022). *Lithium-Ion Battery Recycling—Overview of Techniques and Trends*. ACS Publications.
- BGS. (2008). *Commodity profile: Nickel*. British Geological Survey. Available at: https://www2.bgs.ac.uk/mineralsuk/download/mineralProfiles/nickel_profile.pdf
- Biocyclopedia. (2023). *Nickel*.
- Bouman, R., van Welzen, P., Sumail, S., Echevarria, G., Erskine, P. D., & van der Ent, A. (2018). *Phyllanthus rufuschaneyi*: a new nickel hyperaccumulator from Sabah (Borneo Island) with potential for tropical agromining. *Botanical Studies*, 59(1), 1–12.

- Boyd, R. S. (2004). Ecology of metal hyperaccumulation. *New Phytologist*, *162*(3), 563–567.
- Boyd, R. S., & Jaffré, T. (2001). Phytoenrichment of soil Ni content by *Sebertia acuminata* in New Caledonia and the concept of elemental allelopathy. *South African Journal of Science*, *97*(11), 535–538.
- Broadhurst, C. L., & Chaney, R. L. (2016). Growth and metal accumulation of an *Alyssum murale* nickel hyperaccumulator ecotype co-cropped with *Alyssum montanum* and perennial ryegrass in serpentine soil. *Frontiers in Plant Science*, *7*, 451.
- Brooks, R. R., Robinson, B. H., Howes, A. W., & Chiarucci, A. (2001). An evaluation of *Berkheya coddii* Roessler and *Alyssum bertolonii* Desv. for phytoremediation and phytomining of nickel. *South African Journal of Science*, *97*(11), 558–560.
- Butt, C. R. M., & Cluzel, D. (2013). Nickel laterite ore deposits: weathered serpentinites. *Elements*, *9*(2), 123–128.
- Caillaud, J., Proust, D., Philippe, S., Fontaine, C., & Fialin, M. (2009). Trace metals distribution from a serpentinite weathering at the scales of the weathering profile and its related weathering microsystems and clay minerals. *Geoderma*, *149*(3–4), 199–208.
- Campagnol, N., Hoffman, K., Lala, A., & Ramsbottom, O. (2017). The future of nickel: A class act. *McKinsey & Company*, *16*.
- Carpen, H. L., & Giese, E. C. (2022). Enhancement of nickel laterite ore bioleaching by *Burkholderia* sp. using a factorial design. *Applied Water Science*, *12*(8), 181.
- Casey, J. (2021). *Rystad Energy: Nickel demand to outstrip supply by 2024*. Global Mining Review.
- Cerdeira-Pérez, A., Monterroso, C., Rodríguez-Garrido, B., Machinet, G., Echevarria, G., Prieto-Fernández, Á., & Kidd, P. S. (2019). Implementing

- nickel phytomining in a serpentine quarry in NW Spain. *Journal of Geochemical Exploration*, 197, 1–13.
- Chaney, R. L., Angle, J. S., Baker, A. J. M., & Li, Y.-M. (1999). *Method for phytomining of nickel, cobalt and other metals from soil*.
- Chaney, R. L., Angle, J. S., Broadhurst, C. L., Peters, C. A., Tappero, R. V., & Sparks, D. L. (2007). Improved understanding of hyperaccumulation yields commercial phytoextraction and phytomining technologies. *Journal of Environmental Quality*, 36(5), 1429–1443.
- Chaney, R. L., Angle, J. S., McIntosh, M. S., Reeves, R. D., Li, Y. M., Brewer, E. P., Chen, K. Y., Roseberg, R. J., Perner, H., & Synkowski, E. C. (2005). Using hyperaccumulator plants to phytoextract soil Ni and Cd. *Z Naturforsch C*, 60(3–4), 190–198.
- Chaney, R. L., Baker, A. J. M., & Morel, J. L. (2021). The long road to developing agromining/phytomining. *Agromining: Farming for Metals: Extracting Unconventional Resources Using Plants*, 1–22.
- Chaney, R. L., & Mahoney, M. (2014). Phytostabilization and phytomining principles and successes. *Proceedings of the Life of Mines Conference, Brisbane, Australia*, 15–17.
- Che-Castaldo, J. P., & Inouye, D. W. (2015). Interspecific competition between a non-native metal-hyperaccumulating plant (*Noccaea caerulea*, Brassicaceae) and a native congener across a soil-metal gradient. *Australian Journal of Botany*, 63(2), 141–151.
- Chen, H. Y., Tian, Y. X., Cai, Y. X., Liu, Q. Y., Ma, J., Wei, Y., & Yang, A. F. (2023). A 50-year systemic review of bioavailability application in Soil environmental criteria and risk assessment. *Environmental Pollution*, 335, 122272. <https://doi.org/10.1016/j.envpol.2023.122272>
- Chiroma, T. M., Ebebele, R. O., & Hymore, F. K. (2014). Comparative assessment of heavy metal levels in soil, vegetables and urban grey waste water used for

- irrigation in Yola and Kano. *International Refereed Journal of Engineering and Science*, 3(2), 1–9.
- Chordia, M., Nordelöf, A., & Ellingsen, L. A.-W. (2021). Environmental life cycle implications of upscaling lithium-ion battery production. *The International Journal of Life Cycle Assessment*, 26(10), 2024–2039.
- Cooray, P. G. (1984). Geology, with special reference to the Precambrian. In *Ecology and biogeography in Sri Lanka* (pp. 1–34). Springer.
- Cooray, P. G. (1994). The Precambrian of Sri Lanka: a historical review. *Precambrian Research*, 66(1–4), 3–18.
- Dananjaya, K.-A. J. (2017). Climate change impacts on biodiversity and ecosystems in Sri Lanka: a review. *Nature Conservation Research. Заповедная Наука*, 2(3), 2–22.
- Dang, P., & Li, C. (2022). A mini-review of phytomining. *International Journal of Environmental Science and Technology*, 19(12), 12825–12838.
<https://doi.org/10.1007/s13762-021-03807-z>
- de Melo, S. P., Monteiro, F. A., & De Bona, F. D. (2010). Silicon distribution and accumulation in shoot tissue of the tropical forage grass *Brachiaria brizantha*. *Plant and Soil*, 336, 241–249.
- Debnath, S., Ray, P., & Rakshit, R. (2015). Remediation of Heavy Metal Polluted Soil: Phytoremediation Vis-À-Vis Chemical Immobilization. *Pop. Kheti*, 3, 262–267.
- Dissanayaka, C. B. (1982). The geology and geochemistry of the Uda Walawe serpentinite. *Sri Lanka. J Natn Sci Coun Sri Lanka*, 10, 13–34.
- Dissanayake, C. B. (1982). The geology and geochemistry of the Uda Walawe serpentinite. Sri Lanka. *Journal National Science Council Sri Lanka*, 10, 13–34.
- Duffy, D., Garg, S., Washer, C., Grammatikopoulos, T., & Papangelakis, V. G. (2015). Mineralogical characterization of Sudbury pyrrhotite tailings: evaluating

the bioleaching potential. *COM 2015 Conference of Metallurgists*.

- Dushyantha, N., Ilankoon, I. M. S. K., Ratnayake, N. P., Premasiri, H. M. R., Dharmaratne, P. G. R., Abeysinghe, A., Rohitha, L. P. S., Chandrajith, R., Ratnayake, A. S., & Dissanayake, D. (2022). Recovery Potential of Rare Earth Elements (REEs) from the Gem Mining Waste of Sri Lanka: A Case Study for Mine Waste Management. *Minerals*, *12*(11), 1411.
- Dushyantha, N. P., Ratnayake, N. P., Premasiri, H. M. R., Ilankoon, I., Hemalal, P. V. A., Jayawardena, C. L., Chandrajith, R., Rohitha, L. P. S., Abeysinghe, A., & Dissanayake, D. (2021). Leaching of Rare Earth Elements (REEs) from lake sediments around Eppawala phosphate deposit, Sri Lanka: A secondary source for REEs. *Hydrometallurgy*, 105751.
- Dushyantha, N., Ratnayake, N., Premasiri, R., Batapola, N., Panagoda, H., Jayawardena, C., Chandrajith, R., Ilankoon, I. M. S. K., Rohitha, S., & Ratnayake, A. S. (2023). Geochemical exploration for prospecting new rare earth elements (REEs) sources: REE potential in lake sediments around Eppawala Phosphate Deposit, Sri Lanka. *Journal of Asian Earth Sciences*, *243*, 105515.
- Dushyantha, N., Weerawarnakula, S., Premasiri, R., Abeysinghe, B., Ratnayake, N., Batapola, N., & Ranasinghe, M. (2021). Potential ecological risk assessment of heavy metals (Cr, Ni, and Co) in serpentine soil at Ginigalpelessa in Sri Lanka. *Arabian Journal of Geosciences*, *14*(13), 1–12.
- Echevarria, G., Baker, A., Morel, J.-L., van der Ent, A., Houzelot, V., Laubie, B., Pons, M.-N., Simonnot, M.-O., Zhang, X., & Kidd, P. (2015). Agromining for nickel: a complete chain that optimizes ecosystem services rendered by ultramafic landscapes. *13th SGA Meeting “Mineral Resources in a Sustainable World*, np.
- Elias, M. (2002). Nickel laterite deposits-geological overview, resources and exploitation. *Giant Ore Deposits: Characteristics, Genesis and Exploration*. *CODES Special Publication*, *4*, 205–220.

- Esham, M., & Garforth, C. (2013). Climate change and agricultural adaptation in Sri Lanka: a review. *Climate and Development*, 5(1), 66–76.
- Espinosa, D. C. R., Bernardes, A. M., & Tenório, J. A. S. (2004). An overview on the current processes for the recycling of batteries. *Journal of Power Sources*, 135(1–2), 311–319.
- Farough, A., Moore, D. E., Lockner, D. A., & Lowell, R. P. (2016). Evolution of fracture permeability of ultramafic rocks undergoing serpentinization at hydrothermal conditions: An experimental study. *Geochemistry, Geophysics, Geosystems*, 17(1), 44–55.
- Feng, M.-H., Shan, X.-Q., Zhang, S., & Wen, B. (2005). A comparison of the rhizosphere-based method with DTPA, EDTA, CaCl₂, and NaNO₃ extraction methods for prediction of bioavailability of metals in soil to barley. *Environmental Pollution*, 137(2), 231–240.
- Fernando, D. R. M., van der Ent, A., Weerasinghe, A. S., Wijesundara, D. S. A., Fernando, G. W. A. R., Fernando, A. E., Iqbal, M. C. M., Miranda, C. H., Gosse, J. M., & Samithri, S. (2021). Assessment of plant diversity and foliar chemistry on the Sri Lankan ultramafics reveals inconsistencies in the metal hyperaccumulator trait. *Ecological Research*, 37(2), 215–227.
- Fiscor, S. (2022). Nickel Prices Skyrocket as War Rages in Ukraine. *Engineering and Mining Journal*, 223(3), 88.
- Foose M.P, Z. M. L. and K. D. P. (1986). *MAGMATIC SULFIDE DEPOSITS*.
- Gaines, L., Sullivan, J., Burnham, A., & Belharouak, I. (2011). Life-cycle analysis for lithium-ion battery production and recycling. *Transportation Research Board 90th Annual Meeting, Washington, DC*, 23–27.
- Galey, M. L., van der Ent, A., Iqbal, M. C. M., & Rajakaruna, N. (2017). Ultramafic geoecology of south and Southeast Asia. *Botanical Studies*, 58(1), 1–28.
- Ghaderian, S. M., Ghasemi, R., & Hajihashemi, F. (2015). Interaction of nickel and

- manganese in uptake, translocation and accumulation by the nickel-hyperaccumulator plant, *Alyssum bracteatum* (Brassicaceae). *Australian Journal of Botany*, 63(2), 47–55.
- Gleeson, S. A., Butt, C. R. M., & Elias, M. (2003). Nickel laterites: a review. *SEG Discovery*, 54, 1–18.
- Golightly, J. P. (2010). *Progress in understanding the evolution of nickel laterites*.
- Guillot, S., Schwartz, S., Reynard, B., Agard, P., & Prigent, C. (2015). Tectonic significance of serpentinites. *Tectonophysics*, 646, 1–19.
- Guilpain, M., Laubie, B., Zhang, X., Morel, J. L., & Simonnot, M.-O. (2018). Speciation of nickel extracted from hyperaccumulator plants by water leaching. *Hydrometallurgy*, 180, 192–200.
- Ha, N. T. H., Sakakibara, M., Sano, S., & Nhuan, M. T. (2011). Uptake of metals and metalloids by plants growing in a lead–zinc mine area, Northern Vietnam. *Journal of Hazardous Materials*, 186(2–3), 1384–1391.
- Harasim, P., & Filipek, T. (2015). Nickel in the environment. *Journal of Elementology*, 20(2).
- Harris, A. T., Naidoo, K., Nokes, J., Walker, T., & Orton, F. (2009). Indicative assessment of the feasibility of Ni and Au phytomining in Australia. *Journal of Cleaner Production*, 17(2), 194–200.
- Hauptvogel, M., Kotrla, M., Prčík, M., Pauková, Ž., Kováčik, M., & Lošák, T. (2019). Phytoremediation potential of fast-growing energy plants: challenges and perspectives—a review. *Polish Journal of Environmental Studies*, 29(1), 505–516.
- He, X.-F., Santosh, M., Tsunogae, T., Malaviarachchi, S. P. K., & Dharmapriya, P. L. (2016). Neoproterozoic arc accretion along the ‘eastern suture’ in Sri Lanka during Gondwana assembly. *Precambrian Research*, 279, 57–80.
- Herath, I., Kumarathilaka, P., Navaratne, A., Rajakaruna, N., & Vithanage, M.

- (2015). Immobilization and phytotoxicity reduction of heavy metals in serpentinite soil using biochar. *Journal of Soils and Sediments*, 15(1), 126–138.
- Hewawasam, T., Fernando, G., & Priyashantha, D. (2014). Geo-vegetation mapping and soil geochemical characteristics of the Indikolapelessa serpentinite outcrop, southern Sri Lanka. *Journal of Earth Science*, 25(1), 152–168.
- Hipfinger, C., Laux, M., & Puschenreiter, M. (2022). Comparison of four nickel hyperaccumulator species in the temperate climate zone of Central Europe. *Journal of Geochemical Exploration*, 234, 106933.
- Hoatson, D. M., Jaireth, S., & Jaques, A. L. (2006). Nickel sulfide deposits in Australia: Characteristics, resources, and potential. *Ore Geology Reviews*, 29(3–4), 177–241.
- Hoinkes, G., Hauzenberger, C. A., & Schmid, R. (2005). *METAMORPHIC ROCKS | Classification, Nomenclature and Formation* (R. C. Selley, L. R. M. Cocks, & I. R. B. T.-E. of G. Plimer (eds.); pp. 386–402). Elsevier.
<https://doi.org/https://doi.org/10.1016/B0-12-369396-9/00478-0>
- Houzelot, V., Laubie, B., Pontvianne, S., & Simonnot, M.-O. (2017). Effect of up-scaling on the quality of ashes obtained from hyperaccumulator biomass to recover Ni by agromining. *Chemical Engineering Research and Design*, 120, 26–33.
- Houzelot, V., Ranc, B., Laubie, B., & Simonnot, M.-O. (2018). Agromining of hyperaccumulator biomass: study of leaching kinetics of extraction of nickel, magnesium, potassium, phosphorus, iron, and manganese from *Alyssum murale* ashes by sulfuric acid. *Chemical Engineering Research and Design*, 129, 1–11.
- Howie, R. A. (2005). *MINERALS | Other Silicates* (R. C. Selley, L. R. M. Cocks, & I. R. B. T.-E. of G. Plimer (eds.); pp. 561–567). Elsevier.
<https://doi.org/https://doi.org/10.1016/B0-12-369396-9/00272-0>
- Hseu, Z.-Y., Zehetner, F., Fujii, K., Watanabe, T., & Nakao, A. (2018). Geochemical fractionation of chromium and nickel in serpentinite soil profiles along a

temperate to tropical climate gradient. *Geoderma*, 327, 97–106.

Ian Tiseo. (2022). *Electric vehicle battery recycling capacity 2021, by country*. Statista.

IFPEN, 2021. Nickel in the energy transitions: Why is it called the Devil's metal? . IFP Energies Nouv. Available at: <https://www.ifpenergiesnouvelles.com/article/nickel-energy-transition-why-itcalled-devils-metal>. (Accessed on: 22.01.2023)

Ilankoon, I., Dushyantha, N. P., Mancheri, N., Edirisinghe, P. M., Neethling, S. J., Ratnayake, N. P., Rohitha, L. P. S., Dissanayake, D., Premasiri, H. M. R., & Abeysinghe, A. (2022). Constraints to rare earth elements supply diversification: Evidence from an industry survey. *Journal of Cleaner Production*, 331, 129932.

Ito, A., Otake, T., Maulana, A., Sanematsu, K., & Sato, T. (2021). Geochemical constraints on the mobilization of Ni and critical metals in laterite deposits, Sulawesi, Indonesia: A mass-balance approach. *Resource Geology*, 71(3), 255–282.

Jally, B., Laubie, B., Chour, Z., Muhr, L., Qiu, R., Morel, J. L., Tang, Y., & Simonnot, M.-O. (2021). A new method for recovering rare earth elements from the hyperaccumulating fern *Dicranopteris linearis* from China. *Minerals Engineering*, 166, 106879.

Jayawardena, U. de S., & Izawa, E. (1994). A new chemical index of weathering for metamorphic silicate rocks in tropical regions: A study from Sri Lanka. *Engineering Geology*, 36(3–4), 303–310.

Jones, P. T., Geysen, D., Tielemans, Y., Van Passel, S., Pontikes, Y., Blanpain, B., Quaghebeur, M., & Hoekstra, N. (2013). Enhanced Landfill Mining in view of multiple resource recovery: a critical review. *Journal of Cleaner Production*, 55, 45–55.

Jordan. (2022). *Nickel Metal in Battery: Why Is It Called The Devil's Metal?* ETM.

- Joulié, M., Laucournet, R., & Billy, E. (2014). Hydrometallurgical process for the recovery of high value metals from spent lithium nickel cobalt aluminum oxide based lithium-ion batteries. *Journal of Power Sources*, 247, 551–555.
- Kamenetsky, V. S., Lygin, A. V, Foster, J. G., Meffre, S., Maas, R., Kamenetsky, M. B., Goemann, K., & Beresford, S. W. (2016). A story of olivine from the McIvor Hill complex (Tasmania, Australia): Clues to the origin of the Avebury metasomatic Ni sulfide deposit. *American Mineralogist*, 101(6), 1321–1331.
- Kamerud, K. L., Hobbie, K. A., & Anderson, K. A. (2013). Stainless steel leaches nickel and chromium into foods during cooking. *Journal of Agricultural and Food Chemistry*, 61(39), 9495–9501.
- Kehelpannala, K. V. W. (1997). Deformation of a high-grade Gondwana fragment, Sri Lanka. *Gondwana Research*, 1(1), 47–68.
- Kim, R.-Y., Yoon, J.-K., Kim, T.-S., Yang, J. E., Owens, G., & Kim, K.-R. (2015). Bioavailability of heavy metals in soils: definitions and practical implementation—a critical review. *Environmental Geochemistry and Health*, 37, 1041–1061.
- Kotal, M., Jakhar, S., Roy, S., & Sharma, H. K. (2022). Cathode materials for rechargeable lithium batteries: Recent progress and future prospects. *Journal of Energy Storage*, 47, 103534.
- Kumara H.P.K.S.A., De Silva P.S., Dushshantha M.N.P., & Madhusanka W.D.S. (2015). *Serpentine Bodies of Embilipitiya-SE Sri Lanka*. University of Moratuwa.
- Kumarathilaka, P., Dissanayake, C. B., & Vithanage, M. (2014). Geochemistry of serpentinite soils: A brief overview. *J. Geol. Soc. Sri Lanka*, 16, 53–63.
- Kuz'Min, V. I., & Kuz'Min, D. V. (2014). Sorption of nickel and copper from leach pulps of low-grade sulfide ores using Purolite S930 chelating resin. *Hydrometallurgy*, 141, 76–81.

- Lange, B., Delhaye, G., Boisson, S., Verbruggen, N., Meerts, P., & Faucon, M.-P. (2018). Variation in copper and cobalt tolerance and accumulation among six populations of the facultative metallophyte *Anisopappus chinensis* (Asteraceae). *Environmental and Experimental Botany*, *153*, 1–9.
- Leguizamo, M. A. O., Gómez, W. D. F., & Sarmiento, M. C. G. (2017). Native herbaceous plant species with potential use in phytoremediation of heavy metals, spotlight on wetlands—a review. *Chemosphere*, *168*, 1230–1247.
- LePan, N. (2021). *Visualizing the size of mine tailings*. Available at: <https://elements.visualcapitalist.com/visualizing-the-size-of-mine-tailings/> (Accessed on 15.12.2022).
- Lesovaya, S. N., Goryachkin, S. V., & Polekhovskii, Y. S. (2012). Soil formation and weathering on ultramafic rocks in the mountainous tundra of the Rai-Iz massif, Polar Urals. *Eurasian Soil Science*, *45*(1), 33–44.
- Li, C., Ji, X., & Luo, X. (2020). Visualizing hotspots and future trends in phytomining research through scientometrics. *Sustainability*, *12*(11), 4593.
- Li, X., & Thornton, I. (2001). Chemical partitioning of trace and major elements in soils contaminated by mining and smelting activities. *Applied Geochemistry*, *16*(15), 1693–1706.
- Lucisine, P., Echevarria, G., Sterckeman, T., Vallance, J., Rey, P., & Benizri, E. (2014). Effect of hyperaccumulating plant cover composition and rhizosphere-associated bacteria on the efficiency of nickel extraction from soil. *Applied Soil Ecology*, *81*, 30–36.
- MacDonald, G. E., Loewenstein, N. J., & Miller, J. H. (2007). Cogongrass (*Imperata cylindrica*): Biology, Distribution and Impacts in the Southeastern US. *Proceedings of the Regional Cogongrass Conference: A Cogongrass Management Guide*, 10–23.
- Marambe, B., Punyawardena, R., Silva, P., Premalal, S., Rathnabharathie, V., Kekulandala, B., Nidumolu, U., & Howden, M. (2015). Climate, climate risk,

- and food security in Sri Lanka: the need for strengthening adaptation strategies. In *Handbook of climate change adaptation* (pp. 1759–1789). Springer.
- Marjolin, A. (2023). *Metals price outlook 2024*. S&P Global Market Intelligence. <https://www.spglobal.com/marketintelligence/en/news-insights/research/metals-price-outlook-2024>
- Mathavan, V., Prame, W., & Cooray, P. G. (1999). Geology of the high grade Proterozoic terrains of Sri Lanka, and the assembly of Gondwana: an update on recent developments. *Gondwana Research*, 2(2), 237–250.
- Mehes-Smith, M., Nkongolo, K., & Cholewa, E. (2013). Coping mechanisms of plants to metal contaminated soil. *Environmental Change and Sustainability*, 54, 53–90.
- Meng, Q., Zhang, Y., Dong, P., & Liang, F. (2018). A novel process for leaching of metals from LiNi_{1/3}Co_{1/3}Mn_{1/3}O₂ material of spent lithium ion batteries: Process optimization and kinetics aspects. *Journal of Industrial and Engineering Chemistry*, 61, 133–141.
- Meshram, P., Abhilash, & Pandey, B. D. (2019). Advanced review on extraction of nickel from primary and secondary sources. *Mineral Processing and Extractive Metallurgy Review*, 40(3), 157–193.
- Mesjasz-Przybyłowicz, J., Nakonieczny, M., Migula, P., Augustyniak, M., Tarnawska, M., Reimold, W. U., Koeberl, C., Przybyłowicz, W., & Głowacka, E. (2004). Uptake of cadmium, lead nickel and zinc from soil and water solutions by the nickel hyperaccumulator *Berkheya coddii*. *Acta Biol. Cracoviensia Ser. Bot*, 46, 75–85.
- Mishra, T., & Pandey, V. C. (2019). Phytoremediation of red mud deposits through natural succession. In *Phytomanagement of polluted sites* (pp. 409–424). Elsevier.
- Mitchell, A., & Pickens, N. (2022). *Nickel and copper: building blocks for a greener future*. Wood Mackenzie.

- Monei, N., Wiche, O., Hitch, M., & Heilmeier, H. (2021). Mixed cultures, a sustainable way to accelerate phytomining of rare earth elements, is there a future here? *EGU General Assembly Conference Abstracts*, EGU21-13690.
- Morais, I., Campos, J. S., Favas, P. J. C., Pratas, J., Pita, F., & Prasad, M. N. V. (2015). Nickel accumulation by *Alyssum serpyllifolium* subsp. *lusitanicum* (Brassicaceae) from serpentine soils of Bragança and Morais (Portugal) ultramafic massifs: plant–soil relationships and prospects for phytomining. *Australian Journal of Botany*, *63*(2), 17–30.
- Morrison, J. M., Goldhaber, M. B., Mills, C. T., Breit, G. N., Hooper, R. L., Holloway, J. M., Diehl, S. F., & Ranville, J. F. (2015). Weathering and transport of chromium and nickel from serpentinite in the Coast Range ophiolite to the Sacramento Valley, California, USA. *Applied Geochemistry*, *61*, 72–86.
- Mudd, G. M., & Jowitt, S. M. (2014). A detailed assessment of global nickel resource trends and endowments. *Economic Geology*, *109*(7), 1813–1841.
- Mudd, G. M., & Jowitt, S. M. (2022). The new century for nickel resources, reserves, and mining: Reassessing the sustainability of the devil’s metal. *Economic Geology*, *117*(8), 1961–1983.
- Munasinghe, T., & Dissanayake, C. B. (1982). A plate tectonic model for the geologic evaluation of Sri Lanka. *Journal of Geological Society India*, *23*, 369–380.
- Naidu, G., Ryu, S., Thiruvengkatachari, R., Choi, Y., Jeong, S., & Vigneswaran, S. (2019). A critical review on remediation, reuse, and resource recovery from acid mine drainage. *Environmental Pollution*, *247*, 1110–1124.
- Naldrett, A. J. (2010). Secular variation of magmatic sulfide deposits and their source magmas. *Economic Geology*, *105*(3), 669–688.
- Nascimento, C. W. A. do, Lima, L. H. V., Silva, Y. J. A. B. da, & Biondi, C. M. (2022). Ultramafic soils and nickel phytomining opportunities: A review. *Revista Brasileira de Ciência Do Solo*, *46*.

- Neilson, S., & Rajakaruna, N. (2012). Roles of rhizospheric processes and plant physiology in applied phytoremediation of contaminated soils using Brassica oilseeds. *The Plant Family Brassicaceae*, 313–330.
- Nickel Institute. (2022). *About nickel*. Available at:
<https://nickelinstitute.org/en/about-nickel-and-its-applications/#properties>.
 (Accessed on 15.12.2022)
- Nickle Institute. (2016). *The Life of Nickel*. Available at:
<https://nickelinstitute.org/media/1190/thelifeofni.pdf> (Accessed on 15.12. 2022)
- Nkrumah, P. N., Baker, A. J. M., Chaney, R. L., Erskine, P. D., Echevarria, G., Morel, J. L., & van der Ent, A. (2016). Current status and challenges in developing nickel phytomining: an agronomic perspective. *Plant and Soil*, 406(1), 55–69.
- Nkrumah, P. N., Chaney, R. L., & Morel, J. L. (2021). Agronomy of ‘metal crops’ used in agromining. *Agromining: Farming for Metals: Extracting Unconventional Resources Using Plants*, 23–46.
- Nkrumah, P. N., Tisserand, R., Chaney, R. L., Baker, A. J. M., Morel, J. L., Goudon, R., Erskine, P. D., Echevarria, G., & van Der Ent, A. (2019). The first tropical ‘metal farm’: Some perspectives from field and pot experiments. *Journal of Geochemical Exploration*, 198, 114–122.
- Nkuna, R., Ijoma, G. N., Matambo, T. S., & Chimwani, N. (2022). Accessing Metals from Low-Grade Ores and the Environmental Impact Considerations: A Review of the Perspectives of Conventional versus Bioleaching Strategies. *Minerals*, 12(5), 506.
- Norgate, T., & Jahanshahi, S. (2010). Low grade ores–smelt, leach or concentrate? *Minerals Engineering*, 23(2), 65–73.
- Novo, L. A. B., Castro, P. M. L., Alvarenga, P., & Silva, E. F. da. (2017). Phytomining of rare and valuable metals. *Phytoremediation*, 469–486.

- Nuhu, B. A., Bamisile, O., Adun, H., Abu, U. O., & Cai, D. (2023). Effects of transition metals for silicon-based lithium-ion battery anodes: A comparative study in electrochemical applications. *Journal of Alloys and Compounds*, *933*, 167737.
- Osanai, Y., Sajeev, K., Nakano, N., Kitano, I., Kehelpannala, W. K. V, Kato, R., Adachi, T., & Malaviarachchi, S. P. K. (2016). UHT granulites of the Highland Complex, Sri Lanka I: Geological and petrological background. *Journal of Mineralogical and Petrological Sciences*, *111*(3), 145–156.
- Oze, C., Bird, D. K., & Fendorf, S. (2007). Genesis of hexavalent chromium from natural sources in soil and groundwater. *Proceedings of the National Academy of Sciences*, *104*(16), 6544–6549.
- Pakhomova, S., Yakushev, E., & Schaanning, M. T. (2021). Modeling Nickel Leaching from Abandoned Mine Tailing Deposits in Jøssingfjorden. *Water*, *13*(7), 967.
- Pardo, T., Rodríguez-Garrido, B., Saad, R. F., Soto-Vázquez, J. L., Loureiro-Viñas, M., Prieto-Fernández, Á., Echevarria, G., Benizri, E., & Kidd, P. S. (2018). Assessing the agromining potential of Mediterranean nickel-hyperaccumulating plant species at field-scale in ultramafic soils under humid-temperate climate. *Science of the Total Environment*, *630*, 275–286.
- Park, J. D. S. (2009). *Rattlebox (Crotalaria) Species at JDSP*.
<https://bugwoodcloud.org/CDN/floridainvasives/CrotalariaSpecies-rattlebox.pdf>
- Pássaro, D. A. (2003). Report: waste management in Portugal between 1996 and 2002. *Waste Management*, *23*(1), 97–99.
- Peek, E., Barnes, A., & Tuzun, A. (2011). Nickeliferous pyrrhotite—“Waste or resource?” *Minerals Engineering*, *24*(7), 625–637.
- Peters, J. F., & Weil, M. (2016). A critical assessment of the resource depletion potential of current and future lithium-ion batteries. *Resources*, *5*(4), 46.

- Petersen, S., Krätschell, A., Augustin, N., Jamieson, J., Hein, J. R., & Hannington, M. D. (2016). News from the seabed—Geological characteristics and resource potential of deep-sea mineral resources. *Marine Policy*, *70*, 175–187.
- Pollard, A. J., Reeves, R. D., & Baker, A. J. M. (2014). Facultative hyperaccumulation of heavy metals and metalloids. *Plant Science*, *217*, 8–17.
- Prior, T., Giurco, D., Mudd, G., Mason, L., & Behrisch, J. (2012). Resource depletion, peak minerals and the implications for sustainable resource management. *Global Environmental Change*, *22*(3), 577–587.
- Putzolu, F., Abad, I., Balassone, G., Boni, M., Cappelletti, P., Graziano, S. F., Maczurad, M., Mondillo, N., Najorka, J., & Santoro, L. (2020). Parent rock and climatic evolution control on the genesis of Ni-bearing clays in Ni-Co laterites: New inferences from the Wingellina deposit (Western Australia). *Ore Geology Reviews*, *120*, 103431.
- Raj, D., Kumar, A., & Maiti, S. K. (2020). Mercury remediation potential of *Brassica juncea* (L.) Czern. for clean-up of flyash contaminated sites. *Chemosphere*, *248*, 125857.
- Rajakaruna, N., & Baker, A. J. M. (2004). Serpentine: a model habitat for botanical research in Sri Lanka. *Ceylon Journal of Science*, *32*, 1–19.
- Rajakaruna, N., & Bohm, B. A. (2002). Serpentine and its vegetation: a preliminary study from Sri Lanka. *Journal of Applied Botany*, *76*(1/2), 20–28.
- Rajakaruna, N., Tompkins, K. M., & Pavicevic, P. G. (2006). Phytoremediation: an affordable green technology for the clean-up of metal-contaminated sites in Sri Lanka. *Ceylon Journal of Science*, *35*(1), 25.
- Rajapaksha, A. U., Vithanage, M., Oze, C., Bandara, W., & Weerasooriya, R. (2012). Nickel and manganese release in serpentine soil from the Ussangoda Ultramafic Complex, Sri Lanka. *Geoderma*, *189*, 1–9.
- Reck, B. K., & Rotter, V. S. (2012). Comparing growth rates of nickel and stainless

- steel use in the early 2000s. *Journal of Industrial Ecology*, 16(4), 518–528.
- Reeves, R. D., Baker, A. J. M., Jaffré, T., Erskine, P. D., Echevarria, G., & van der Ent, A. (2018). A global database for plants that hyperaccumulate metal and metalloid trace elements. *New Phytologist*, 218(2), 407–411.
- Robinson, B. H., Chiarucci, A., Brooks, R. R., Petit, D., Kirkman, J. H., Gregg, P. E. H., & De Dominicis, V. (1997). The nickel hyperaccumulator plant *Alyssum bertolonii* as a potential agent for phytoremediation and phytomining of nickel. *Journal of Geochemical Exploration*, 59(2), 75–86.
- Roccoliello, E., Serrano, H. C., Mariotti, M. G., & Branquinho, C. (2015). Nickel phytoremediation potential of the Mediterranean *Alyssoides utriculata* (L.) Medik. *Chemosphere*, 119, 1372–1378.
- Rosenkranz, T., Hipfinger, C., Ridard, C., & Puschenreiter, M. (2019). A nickel phytomining field trial using *Odontarrhena chalcidica* and *Noccaea goesingensis* on an Austrian serpentine soil. *Journal of Environmental Management*, 242, 522–528.
- Rudnick, R. L., Gao, S., Holland, H. D., & Turekian, K. K. (2003). Composition of the continental crust. *The Crust*, 3, 1–64.
- Salihaj, M., & Bani, A. (2018). Chemical Properties of Serpentine Soils from Kosovo. *Albanian Journal of Agricultural Sciences*, 17(1), 78–83.
- Sanford, S. G. (2011). *Heterogeneous Stress Response in a Clonal Invader (Imperata cylindrica): Implications for Management*. University of South Florida.
- Sheoran, V., Sheoran, A. S., & Poonia, P. (2009a). Phytomining: A review. *Minerals Engineering*, 22(12), 1007–1019.
<https://doi.org/10.1016/J.MINENG.2009.04.001>
- Silva, J. E. da, Paiva, A. P., Soares, D., Labrincha, A., & Castro, F. (2005). Solvent extraction applied to the recovery of heavy metals from galvanic sludge. *Journal of Hazardous Materials*, 120(1–3), 113–118.

- Silva, J. E. da, Soares, D., Paiva, A. P., Labrincha, J. A., & Castro, F. (2005). Leaching behaviour of a galvanic sludge in sulphuric acid and ammoniacal media. *Journal of Hazardous Materials*, *121*(1–3), 195–202.
- Singh, A., Kumar, A., Hartley, S., & Singh, I. K. (2020). Silicon: its ameliorative effect on plant defense against herbivory. *Journal of Experimental Botany*, *71*(21), 6730–6743.
- Sinha, R., Singh, A. K., Baudhh, K., Sharma, T. R., & Sharma, P. (2021). Phytomining: a sustainable approach for recovery and extraction of valuable metals. In *Phytoremediation of Abandoned Mining and Oil Drilling Sites* (pp. 487–506). Elsevier.
- Sirkeci, A. A., Gül, A., Bulut, G., Arslan, F., Onal, G., & Yuce, A. E. (2006). Recovery of Co, Ni, and Cu from the tailings of divrigi iron ore concentrator. *Mineral Processing and Extractive Metallurgy Review*, *27*(2), 131–141.
- Stover, D. (2022). *We're going to need a lot more grid storage. New iron batteries could help.* MIT Technology Review.
- Subasinghe, C. S., Ratnayake, A. S., Roser, B., Sudesh, M., Wijewardhana, D. U., Attanayake, N., & Pitawala, J. (2022). Global distribution, genesis, exploitation, applications, production, and demand of industrial heavy minerals. *Arabian Journal of Geosciences*, *15*(20), 1–28.
- Sullivan, T. S., & Gadd, G. M. (2019). *Chapter Three - Metal bioavailability and the soil microbiome* (D. L. B. T.-A. in A. Sparks (ed.); Vol. 155, pp. 79–120). Academic Press. <https://doi.org/https://doi.org/10.1016/bs.agron.2019.01.004>
- Suman, G. K., Guerrero, J. M., & Roy, O. P. (2021). Optimisation of solar/wind/bio-generator/diesel/battery based microgrids for rural areas: A PSO-GWO approach. *Sustainable Cities and Society*, *67*, 102723.
- Tabasi, S., Hassani, H., & Azadmehr, A. R. (2018). Field study on Re and heavy metal phytoextraction and phytomining potentials by native plant species growing at Sarcheshmeh copper mine tailings, SE Iran. *Journal of Mining and*

Environment, 9(1), 183–194.

Tennakone, K., Senevirathna, M. K. I., & Kehelpannala, K. V. W. (2007). Extraction of pure metallic nickel from ores and plants at Ussangoda, Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 35(4), 245–250.

Teptina, A. Y., & Paukov, A. G. (2015). Nickel accumulation by species of *Alyssum* and *Noccaea* (Brassicaceae) from ultramafic soils in the Urals, Russia. *Australian Journal of Botany*, 63(2), 78–84.

Tognacchini, A., Rosenkranz, T., van der Ent, A., Machinet, G. E., Echevarria, G., & Puschenreiter, M. (2020). Nickel phytomining from industrial wastes: Growing nickel hyperaccumulator plants on galvanic sludges. *Journal of Environmental Management*, 254, 109798.

Total Materia. (2017). *The Direct Nickel Process*. Available at: <https://www.totalmateria.com/page.aspx?ID=CheckArticle&site=ktn&NM=421> (Accessed on: 12.05.2023)

Tripti, Kumar, A., Maleva, M., Borisova, G., Chukina, N., Morozova, M., & Kiseleva, I. (2021). Nickel and copper accumulation strategies in *Odontarrhena obovata* growing on copper smelter-influenced and non-influenced serpentine soils: a comparative field study. *Environmental Geochemistry and Health*, 43(4), 1401–1413. <https://doi.org/10.1007/s10653-020-00575-6>

United Nations. (2016). *United Nations Sustainable Development Goals*. <https://www.un.org/sustainabledevelopment/>

United Nations. (2023). *The 17 Goals*. Department of Economics and Social Affairs. Available at: <https://sdgs.un.org/goals> (Accessed on 18.01.2023)

USGS. (2022). *Nickel Statistics and Information*. United States. Available at: <https://www.usgs.gov/centers/national-minerals-information-center/nickel-statistics-and-information> (Accessed on 18.01.2023)

USGS. (2023). *Mineral Commodity Summaries 2023*.

- van der Ent, A., Baker, A. J. M., Reeves, R. D., Chaney, R. L., Anderson, C. W. N., Meech, J. A., Erskine, P. D., Simonnot, M.-O., Vaughan, J., & Morel, J. L. (2015). *Agromining: farming for metals in the future?* 49(8), 4773–4780.
- Van der Ent, A., Baker, A. J. M., Reeves, R. D., Pollard, A. J., & Schat, H. (2013). Hyperaccumulators of metal and metalloid trace elements: facts and fiction. *Plant and Soil*, 362(1), 319–334.
- van der Ent, A., Baker, A. J. M., Van Balgooy, M. M. J., & Tjoa, A. (2013). Ultramafic nickel laterites in Indonesia (Sulawesi, Halmahera): mining, nickel hyperaccumulators and opportunities for phytomining. *Journal of Geochemical Exploration*, 128, 72–79.
- van der Ent, A., Echevarria, G., & Erskine, P. (2016). Recent advances in developing tropical nickel agromining. *IMPC 2016-28th International Mineral Processing Congress, 2016*.
- Vaughan, J., Riggio, J., Chen, J., Peng, H., Harris, H. H., & van der Ent, A. (2017). Characterisation and hydrometallurgical processing of nickel from tropical agromined bio-ore. *Hydrometallurgy*, 169, 346–355.
- Väyrynen, A., & Salminen, J. (2012). Lithium ion battery production. *The Journal of Chemical Thermodynamics*, 46, 80–85.
- Vieceli, N., Casasola, R., Lombardo, G., Ebin, B., & Petranikova, M. (2021). Hydrometallurgical recycling of EV lithium-ion batteries: Effects of incineration on the leaching efficiency of metals using sulfuric acid. *Waste Management*, 125, 192–203.
<https://doi.org/https://doi.org/10.1016/j.wasman.2021.02.039>
- Vilarinho, C., Ribeiro, A., Carneiro, C., & Castro, F. (2012). *Recovery of copper and nickel hydroxide from galvanic sludge: pilot scale experiments*.
- Villanova-de-Benavent, C., Domènech, C., Tauler, E., Galí, S., Tassara, S., & Proenza, J. A. (2017). Fe–Ni-bearing serpentines from the saprolite horizon of Caribbean Ni-laterite deposits: new insights from thermodynamic calculations.

Mineralium Deposita, 52(7), 979–992.

- Vithanage, M., Kumarathilaka, P., Oze, C., Karunatilake, S., Seneviratne, M., Hseu, Z.-Y., Gunarathne, V., Dassanayake, M., Ok, Y. S., & Rinklebe, J. (2019). Occurrence and cycling of trace elements in ultramafic soils and their impacts on human health: A critical review. *Environment International*, 131, 104974.
- Vithanage, M., Rajapaksha, A. U., Oze, C., Rajakaruna, N., & Dissanayake, C. B. (2014). Metal release from serpentine soils in Sri Lanka. *Environmental Monitoring and Assessment*, 186(6), 3415–3429.
- Wakabayashi, J. (2017). Serpentinities and serpentinites: Variety of origins and emplacement mechanisms of serpentinite bodies in the California Cordillera. *Island Arc*, 26(5), e12205.
- Wang, G. C. (2016). 3-Nonferrous metal extraction and nonferrous slags. *The Utilization of Slag in Civil Infrastructure Construction*, 35–61.
- Wang, J., Liu, L., Gao, Z., & Jie, D. (2019). Effects of available soil silicon on the formation of phytoliths in *Phragmites australis* (Cav.) Trin. ex Steud, Poaceae. *Botany Letters*, 166(1), 51–63.
- Wang, J., Zhang, Y., Yu, L., Cui, K., Fu, T., & Mao, H. (2022). Effective separation and recovery of valuable metals from waste Ni-based batteries: A comprehensive review. *Chemical Engineering Journal*, 135767.
- Wang, L., Hou, D., Shen, Z., Zhu, J., Jia, X., Ok, Y. S., Tack, F. M. G., & Rinklebe, J. (2020). Field trials of phytomining and phytoremediation: A critical review of influencing factors and effects of additives. *Critical Reviews in Environmental Science and Technology*, 50(24), 2724–2774.
- Wang, S., Nan, Z., Liu, X., Li, Y., Qin, S., & Ding, H. (2009). Accumulation and bioavailability of copper and nickel in wheat plants grown in contaminated soils from the oasis, northwest China. *Geoderma*, 152(3), 290–295.
<https://doi.org/10.1016/j.geoderma.2009.06.012>

- Weerasinghe, H. A. S., & Iqbal, M. C. M. (2011). Plant diversity and soil characteristics of the Ussangoda serpentine site. *Journal of the National Science Foundation of Sri Lanka*, 39(4).
- Wells, M. A., Ramanaidou, E. R., Verrall, M., & Tessarolo, C. (2009). Mineralogy and crystal chemistry of “garnierites” in the Goro lateritic nickel deposit, New Caledonia. *European Journal of Mineralogy*, 21(2), 467–483.
- Weng, L. P., Wolthoorn, A., Lexmond, T. M., Temminghoff, E. J. M., & Van Riemsdijk, W. H. (2004). Understanding the effects of soil characteristics on phytotoxicity and bioavailability of nickel using speciation models. *Environmental Science & Technology*, 38(1), 156–162.
- Wickramasinghe, K. O., Wijerathna, A., Godawithana, C. A. P., Weerawarnakula, S., Premasiri, H. M. R., & Abeysinghe, A. (2016). *Geochemical Aspects of Serpentine Bodies off Embilipitiya, Sri Lanka and their Effect on Human Health*. 75–80.
- Xie, Y., Xu, Y., Yan, L., & Yang, R. (2005). Recovery of nickel, copper and cobalt from low-grade Ni–Cu sulfide tailings. *Hydrometallurgy*, 80(1–2), 54–58.
- Yang, J., Liang, X., Ryu, H.-H., Yoon, C. S., & Sun, Y.-K. (2023). Ni-Rich Layered Cathodes for Lithium-Ion Batteries: From Challenges to the Future. *Energy Storage Materials*, 102969.
- Yusuf, K. A. (2007). Sequential extraction of lead, copper, cadmium and zinc in soils near Ojota waste site. *Journal of Agronomy*, 6(2), 331–337.
<https://doi.org/https://dx.doi.org/10.3923/ja.2007.331.337>
- Zahid, O., & Williams, C. D. (2016). *Assessment of bioavailability of some potential toxic metals in mining-affected soils using EDTA extraction and principle component analysis (PCA) approach, Derbyshire, UK*.
- Zhang, P., Yokoyama, T., Itabashi, O., Wakui, Y., Suzuki, T. M., & Inoue, K. (1998). Hydrometallurgical process for recovery of metal values from spent nickel-metal hydride secondary batteries. *Hydrometallurgy*, 50(1), 61–75.

- Zhang, X., Houzelot, V., Bani, A., Morel, J. L., Echevarria, G., & Simonnot, M.-O. (2014). Selection and combustion of Ni-hyperaccumulators for the phytomining process. *International Journal of Phytoremediation*, *16*(10), 1058–1072.
<https://doi.org/https://doi.org/10.1080/15226514.2013.810585>
- Zhang, X., Laubie, B., Houzelot, V., Plasari, E., Echevarria, G., & Simonnot, M.-O. (2016). Increasing purity of ammonium nickel sulfate hexahydrate and production sustainability in a nickel phytomining process. *Chemical Engineering Research and Design*, *106*, 26–32.
- Zhuang, J. M., Walsh, T., & Hobenshield, E. (2006). Nickel recovery and stabilization of nickel waste tailings. *International Journal of Surface Mining, Reclamation and Environment*, *20*(2), 127–141.