

Bibliography

- [1] 5GAA, “Deployment band configuration for C-V2X at 5.9 GHz in Europe,” position paper, 5GAA Automotive Association, 2021.
- [2] F. Eckermann, M. Kahlert, and C. Wietfeld, “Performance analysis of c-v2x mode 4 communication introducing an open-source c-v2x simulator,” in *2019 IEEE 90th Vehicular Technology Conference (VTC2019-Fall)*, pp. 1–5, 2019.
- [3] P. Kyosti, J. Meinila, X. Zhao, C. Schneider, M. N. é, A. Hong, J. Ylitalo, V.-M. Holappa, M. Alatossava, and T. Rautiainen, “Ist-4-027756 winner ii d1.1.2 v1.1 winner ii channel models,” in *2007 IEEE 65th Vehicular Technology Conference - VTC2007-Spring*, IEEE, apr 2007.
- [4] G. P. Wijesiri N.B.A., J. Haapola, and T. Samarasinghe, “A discrete-time markov chain based comparison of the mac layer performance of c-v2x mode 4 and ieee 802.11p,” *IEEE Transactions on Communications*, vol. 69, no. 4, pp. 2505–2517, 2021.
- [5] G. P. Wijesiri N. B. A, J. Haapola, and T. Samarasinghe, “The effect of concurrent multi-priority data streams on the mac layer performance of ieee 802.11p and c-v2x mode 4,” *IEEE Transactions on Communications*, vol. 70, no. 1, pp. 592–605, 2022.
- [6] 3GPP, “Release 12.” <https://www.3gpp.org/specifications/releases/68-release-12>, 2015. Accessed: 2021-09.
- [7] 3GPP, “Proximity-based services (ProSe),” Technical Specification (TS) 23.303, 3rd Generation Partnership Project (3GPP), 07 2020. Version 16.0.0.
- [8] 3GPP, “Architecture enhancements for 5G System (5GS) to support Vehicle-to-Everything (V2X) services,” Technical Specification (TS) 23.287, 3rd Generation Partnership Project (3GPP), 09 2021. Version 17.1.0.
- [9] 3GPP, “Evolved Universal Terrestrial Radio Access (E-UTRA);Physical layer procedures,” Technical Specification (TS) 36.213, 3rd Generation Partnership Project (3GPP), 10 2021. Version 16.7.1.

- [10] 3GPP, “Study on LTE-based V2X services,” Technical report (TR) 36.885, 3rd Generation Partnership Project (3GPP), 07 2016. Version 14.0.0.
- [11] 3GPP, “Study on LTE support for Vehicle-to-Everything (V2X) services,” Technical report (TR) 23.885, 3rd Generation Partnership Project (3GPP), 12 2015. Version 14.0.0.
- [12] 3GPP, “Service requirements for V2X services,” Technical Specification (TS) 22.185, 3rd Generation Partnership Project (3GPP), 07 2020. Version 16.0.0.
- [13] 3GPP, “Enhancement of 3GPP support for V2X scenarios,” Technical Specification (TS) 22.186, 3rd Generation Partnership Project (3GPP), 06 2019. Version 16.2.0.
- [14] 3GPP, “Evolved Universal Terrestrial Radio Access (E-UTRA); Medium Access Control (MAC) protocol specification,” Technical Specification (TS) 36.321, 3rd Generation Partnership Project (3GPP), 09 2021. Version 16.6.0.
- [15] 3GPP, “Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification,” Technical Specification (TS) 36.331, 3rd Generation Partnership Project (3GPP), 11 2020. Version 16.2.1.
- [16] ETSI, “Access layer specification for Intelligent Transport Systems using LTE Vehicle to everything communication in the 5,9 GHz frequency band ,” Technical Specification (TS) 103.613, European Telecommunications Standards Institute (ETSI), 11 2018. Version 1.1.1.
- [17] ETSI, “Intelligent Transport Systems (ITS);Vehicular Communications;Basic Set of Applications;Part 2: Specification of Cooperative Awareness Basic Service,” European Standard (EN) 302 637-2, European Telecommunications Standards Institute (ETSI), 11 2014. Version 1.3.2.
- [18] ETSI, “Intelligent Transport Systems (ITS);Vehicular Communications;Basic Set of Applications;Part 3: Specifications of Decentralized Environmental Notification Basic Service,” European Standard (EN) 302 637-3, European Telecommunications Standards Institute (ETSI), 11 2014. Version 1.2.2.
- [19] 3GPP, “Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception,” Technical Specification (TS) 36.101, 3rd Generation Partnership Project (3GPP), 04 2017. Version 14.3.0.
- [20] 3GPP, “Evolved Universal Terrestrial Radio Access (E-UTRA);Physical channels and modulation,” Technical Specification (TS) 36.211, 3rd Generation Partnership Project (3GPP), 09 2021. Version 16.7.0.

- [21] 3GPP, “Overall description of Radio Access Network (RAN) aspects for Vehicle-to-everything (V2X) based on LTE and NR,” Technical Report (TR) 37.985, 3rd Generation Partnership Project (3GPP), 06 2020. Version 16.0.0.
- [22] 3GPP, “Vehicle to Vehicle (V2V) services based on LTE sidelink; User Equipment (UE) radio transmission and reception,” Technical Report (TR) 36.785, 3rd Generation Partnership Project (3GPP), 10 2016. Version 14.0.0.
- [23] 3GPP, “Architecture enhancements for V2X services,” Technical Specification (TS) 23.285, 3rd Generation Partnership Project (3GPP), 09 2020. Version 16.4.0.
- [24] 3GPP, “Application layer support for Vehicle-to-Everything (V2X) services; Functional architecture and information flows,” Technical Specification (TS) 23.286, 3rd Generation Partnership Project (3GPP), 09 2021. Version 17.3.0.
- [25] 3GPP, “Study on architecture enhancements for LTE support of V2X services,” Technical Report (TR) 23.785, 3rd Generation Partnership Project (3GPP), 09 2016. Version 4.0.0.
- [26] R. Molina-Masegosa, J. Gozalvez, and M. Sepulcre, “Comparison of ieee 802.11p and lte-v2x: An evaluation with periodic and aperiodic messages of constant and variable size,” *IEEE Access*, vol. 8, pp. 121526–121548, 2020.
- [27] “Wireless world initiative new radio ii.” <https://cordis.europa.eu/project/id/027756>. Accessed: 2021-10-11.
- [28] D. Wang, R. R. Sattiraju, and H. D. Schotten, “Performances of c-v2x communication on highway under varying channel propagation models,” in *2018 10th International Conference on Communications, Circuits and Systems (ICCCAS)*, pp. 305–309, 2018.
- [29] F. Romeo, C. Campolo, A. Molinaro, and A. O. Berthet, “Denm repetitions to enhance reliability of the autonomous mode in nr v2x sidelink,” in *2020 IEEE 91st Vehicular Technology Conference (VTC2020-Spring)*, pp. 1–5, 2020.
- [30] H. Seo, K.-D. Lee, S. Yasukawa, Y. Peng, and P. Sartori, “Lte evolution for vehicle-to-everything services,” *IEEE Communications Magazine*, vol. 54, no. 6, pp. 22–28, 2016.
- [31] R. Rouil, F. J. Cintrón, A. Ben Mosbah, and S. Gamboa, “Implementation and validation of an lte d2d model for ns-3,” in *Proceedings of the Workshop on Ns-3, WNS3 ’17*, (New York, NY, USA), p. 55–62, Association for Computing Machinery, 2017.

- [32] B. Kang, S. Jung, and S. Bahk, "Sensing-based power adaptation for cellular v2x mode 4," in *2018 IEEE International Symposium on Dynamic Spectrum Access Networks (DySPAN)*, pp. 1–4, 2018.
- [33] A. Nabil, K. Kaur, C. Dietrich, and V. Marojevic, "Performance analysis of sensing-based semi-persistent scheduling in c-v2x networks," in *2018 IEEE 88th Vehicular Technology Conference (VTC-Fall)*, pp. 1–5, 2018.
- [34] R. Molina-Masegosa and J. Gozalvez, "System level evaluation of lte-v2v mode 4 communications and its distributed scheduling," in *2017 IEEE 85th Vehicular Technology Conference (VTC Spring)*, pp. 1–5, IEEE, jun 2017.
- [35] R. Molina-Masegosa, J. Gozalvez, and M. Sepulcre, "Configuration of the c-v2x mode 4 sidelink pc5 interface for vehicular communication," in *2018 14th International Conference on Mobile Ad-Hoc and Sensor Networks (MSN)*, pp. 43–48, 2018.
- [36] Y. Jeon, S. Kuk, and H. Kim, "Reducing message collisions in sensing-based semi-persistent scheduling (sps) by using reselection lookaheads in cellular v2x," *Sensors*, vol. 18, no. 12, 2018.
- [37] D. Wang, R. R. Sattiraju, A. Weinand, and H. D. Schotten, "System-level simulator of lte sidelink c-v2x communication for 5g," in *Mobile Communication - Technologies and Applications; 24. ITG-Symposium*, pp. 1–5, 2019.
- [38] B. Toghi, M. Saifuddin, H. N. Mahjoub, M. O. Mughal, Y. P. Fallah, J. Rao, and S. Das, "Multiple access in cellular v2x: Performance analysis in highly congested vehicular networks," in *2018 IEEE Vehicular Networking Conference (VNC)*, pp. 1–8, 2018.
- [39] W. Anwar, N. Franchi, and G. Fettweis, "Physical layer evaluation of v2x communications technologies: 5g nr-v2x, lte-v2x, ieee 802.11bd, and ieee 802.11p," in *2019 IEEE 90th Vehicular Technology Conference (VTC2019-Fall)*, pp. 1–7, 2019.
- [40] V. Mannoni, V. Berg, S. Sesia, and E. Perraud, "A comparison of the v2x communication systems: Its-g5 and c-v2x," in *2019 IEEE 89th Vehicular Technology Conference (VTC2019-Spring)*, pp. 1–5, 2019.
- [41] J. P. Jeyaraj and M. Haenggi, "Reliability analysis of v2v communications on orthogonal street systems," in *GLOBECOM 2017 - 2017 IEEE Global Communications Conference*, pp. 1–6, 2017.
- [42] Y. Fan, L. Liu, S. Dong, L. Zhuang, J. Qiu, C. Cai, and M. Song, "Network performance test and analysis of lte-v2x in industrial park scenario," *Wireless Communications and Mobile Computing*, vol. 2020, pp. 1–12, 12 2020.

- [43] T. Hirai and T. Murase, “Noma concept for pc5-based cellular-v2x mode 4 in crash warning system,” in *2019 IEEE 90th Vehicular Technology Conference (VTC2019-Fall)*, pp. 1–6, 2019.
- [44] T. V. Nguyen, P. Shailesh, B. Sudhir, G. Kapil, L. Jiang, Z. Wu, D. Malladi, and J. Li, “A comparison of cellular vehicle-to-everything and dedicated short range communication,” in *2017 IEEE Vehicular Networking Conference (VNC)*, pp. 101–108, 2017.
- [45] V. Vukadinovic, K. Bakowski, P. Marsch, I. D. Garcia, H. Xu, M. Sybis, P. Sroka, K. Wesolowski, D. Lister, and I. Thibault, “3gpp c-v2x and ieee 802.11p for vehicle-to-vehicle communications in highway platooning scenarios,” *Ad Hoc Networks*, vol. 74, pp. 17–29, 2018.
- [46] J. Thota, N. F. Abdullah, A. Doufexi, and S. Armour, “Performance of car to car safety broadcast using cellular v2v and ieee 802.11p,” in *2018 IEEE 87th Vehicular Technology Conference (VTC Spring)*, pp. 1–5, 2018.
- [47] G. Cecchini, A. Bazzi, B. M. Masini, and A. Zanella, “Performance comparison between ieee 802.11p and lte-v2v in-coverage and out-of-coverage for cooperative awareness,” in *2017 IEEE Vehicular Networking Conference (VNC)*, pp. 109–114, 2017.
- [48] G. Naik, B. Choudhury, and J.-M. Park, “Ieee 802.11bd and 5g nr v2x: Evolution of radio access technologies for v2x communications,” *IEEE Access*, vol. 7, pp. 70169–70184, 2019.
- [49] J. Santa, F. Pereñíguez, A. Moragón, and A. F. Skarmeta, “Vehicle-to-infrastructure messaging proposal based on cam/denm specifications,” in *2013 IFIP Wireless Days (WD)*, pp. 1–7, 2013.
- [50] D. Martín-Sacristán, S. Roger, D. Garcia-Roger, J. F. Monserrat, A. Kousaridas, P. Spapis, S. Ayaz, and C. Zhou, “Evaluation of lte-advanced connectivity options for the provisioning of v2x services,” in *2018 IEEE Wireless Communications and Networking Conference (WCNC)*, pp. 1–6, 2018.
- [51] X. He, J. Lv, J. Zhao, X. Hou, and T. Luo, “Design and analysis of a short-term sensing-based resource selection scheme for c-v2x networks,” *IEEE Internet of Things Journal*, vol. 7, no. 11, pp. 11209–11222, 2020.
- [52] “ns-3 network simulator.” <https://www.nsnam.org/>, 2021. Accessed: 2021-01.
- [53] “Controlled intersection in sumo.” <https://sites.google.com/site/codedwise/sumo-tutorials/controlled-intersection-in-sumo>, 2021. Accessed: 2021-01.

- [54] “Tracing vehicular mobility in ns-3.” <https://www.Opensourceforu.com/2017/11/tracing-vehicular-mobility-ns-3/>, 2021. Accessed: 2021-01.